

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687765561598

अनुबंध तिथि | Generated Date : 08-Feb-2024

## संगठन विवरण | Organisation Details

प्ररूप | Type : Central Government  
मंत्रालय | Ministry : Ministry of Urban Development  
विभाग | Department : DEPARTMENT OF URBAN AFFAIRS, GOVT OF INDIA  
संगठन का नाम | Organisation Name : Central Public Works Department (CPWD)  
कार्यालय क्षेत्र | Office Zone: Chief Enginner EZV Nirman Bhawan Bhubneswar

## खरीदार विवरण | Buyer Details

पद | Designation : AEE1  
संपर्क नंबर | Contact No. : 0674-2352993-  
ईमेल आईडी | Email ID : manish.kb1989@gov.in  
जीएसटीआईएन | GSTIN : -  
पता | Address : Central PWD, Nirman Bhawan, Plot No 188/623-624, Bus Depot Road, In Front of Madhu Sudan Park, Pokhariput., KHORDA, ODISHA-751020, India

## वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : Yes  
प्रशासनिक अनुमोदन का पदनाम |  
Designation of Administrative Approval: EXECUTIVE ENGINEER(E)  
वित्तीय अनुमोदन का पदनाम |  
Designation of Financial Approval : EXECUTIVE ENGINEER(E)

## भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: DDO  
भुगतान का तरीका |  
Payment Mode: PFMS  
पद | Designation : EEE1  
ईमेल आईडी | Email ID : prashantk.raai@gov.in  
जीएसटीआईएन | GSTIN : -  
पता | Address: Central PWD, Nirman Bhawan, Plot No 188/623-624, Bus Depot Road, In Front of Madhu Sudan Park, Pokhariput., Khurda (khordha), ODISHA-751020, India

## विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : DC4F180000519004  
कंपनी का नाम | Company Name : DIVYANSHU ENTERPRISES  
संपर्क नंबर | Contact No. : 09718222062  
ईमेल आईडी | Email ID : chinmayee771988@gmail.com  
पता | Address : KH NO-558/559, D-5 3RD FLOORR,BANK COLONY, DEOLI VILLAGE, DEOLI, NEW DELHI-110080,BANK COLONY, DEOLI VILLAGE, DEOLI, NEW DELHI-110080,BANK COLONY, DEOLI VILLAGE, DEOLI, NEW DELHI-110080, South Delhi, DELHI-110062, -  
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-DL-08-0026042  
एमएसई सामाजिक श्रेणी | MSE Social Category : General  
एमएसई लिंग श्रेणी | MSE Gender : Female  
जीएसटीआईएन | GSTIN: 07DCAPB7703L1ZQ

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : Refilling is to be done at DAG, Puri

## उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure >19 bar) Carbon Dioxide Based (as per IS 15222) Class -B ब्रांड   Brand : FLAMEKLOG ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Portable Fire Extinguishers (V2) as per IS 15683:2018 (Q2) मॉडल   Model: REFILLING OF 4.5 KG CO2 TYPE FIRE EXTINGUISHER एचएसएन कोड   HSN Code: HSN not specified by seller	7	pieces	1,850	NA	12,950
कुल ऑर्डर मूल्य   Total Order Value (in INR)						12,950

## परेषिती विवरण | Consignee Detail

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By

1	<p>पद   Designation : AEE1</p> <p>ईमेल आईडी   Email ID : manish.kb1989@gov.in</p> <p>संपर्क   Contact : 0674-2352993-</p> <p>जीएसटीआईएन   GSTIN : -</p> <p>पता   Address : Central PWD, Nirman Bhawan, Plot No 188/623-624, Bus Depot Road, In Front of Madhu Sudan Park, Pokhariput., KHORDA, ODISHA-751020, India</p>	<p>FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure &gt;19 bar) Carbon Dioxide Based (as per IS 15222) Class -B</p>	-	7	08-Feb-2024	23-Feb-2024
<b>Product Specification for FLAMEKLOG Portable Fire Extinguishers as per IS 15683 (2018) High Pressure Extinguisher (Service Pressure &gt;19 bar) Carbon Dioxide Based (as per IS 15222) Class -B</b>						
<b>विनिर्देश   Specification</b>		<b>उप-विनिर्देश   Sub-Spec</b>	<b>मूल्य   Value</b>			
Generic	Conformity to Standard		IS: 15683: 2018 (Latest amendments)			
	Type		Stored Pressure			
	Extinguishing Media		Carbon Dioxide Based (as per IS 15222)			
	Expellant Medium		CO2 Extinguishing Medium			
Constructional Material	Type of Extinguisher		High Pressure Extinguisher (Service Pressure >19 bar)			
	Material Specification for the body of High Pressure Extinguisher		Steel body (as per latest IS 7285)			
	Material Specification for the body of Low Pressure Extinguisher		NA			
Construction	Foam Based Extinguishing Media		NA			
	Powder Based Extinguishing Media		NA			
	Type of Clean Agent for Clean Agent Based Fire Extinguisher (as per CL 5-1-3)		NA			
	Name of Clean Agent as per (CL 5-1-3)		NA			
	Foam Based Fire Extinguisher Capacity in Liters		NA			
	Powder Based Fire Extinguisher Capacity in Kg		NA			
	Carbon Dioxide Based Fire Extinguisher Capacity in Kg		4.5			
	Water Based Fire Extinguisher Capacity in Liters		NA			
	Clean Agents Fire Extinguisher Capacity in Kg		NA			
	Water Mist Fire Extinguisher Capacity in Liters		NA			
	Weight of Filled Portable Fire Extinguisher		16 kilogram			
	Features of Fire Extinguisher		Carrying Handle (Mandatory If Extinguisher having mass $\geq 1.5\text{Kg}$ or Cylinder diameter, Safety Devices (Mandatory for High Pressure Extinguisher), Rechargeable, Hose Assemblies (Mandatory If mass or volume of Extinguishing medium > 3 Kg or Litres), NA			
	Marking		As per clause 10.2 of IS 15683 (latest)			
	Colour Coding Band (As per CL 10-1)		Black (CO2)			
	Pressure Gauge Range for Low-Pressure Extinguishers		0 bar			
	Class of fire for which Fire Extinguisher is suitable		Class -B			
Performance	Operating Temperature ( $^{\circ}\text{C}$ )		-30 $^{\circ}\text{C}$ to +60 $^{\circ}\text{C}$			
	Test Pressure for all Fire extinguisher except CO2		0 bar			
	Burst Pressure for all Fire extinguisher except CO2		0 bar			
	Minimum Effective discharge time for Fire Extinguisher		19.31 second			
	Fire Rating of different class of fires		55B			
	Discharge Range of Class-A and Class-B Fire Extinguisher (As per table 1 of CL 7-2-2) (Hint : $\geq 2$ in case applicable on Class-A or Class A & B both / $\geq 1$ in case applicable on Class-B only)		3.5 meter			
Certification	BIS Marking		Yes			
	CM/L No With Validity Period		520010697921-07-2023			
	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove conformity to specification		Availability of Test Report from Central Govt Laboratory			
	Test Report No		2830			
	Test Report Date		25-02-2021			
	Name of the lab		AFRL PVT. LTD.			

	Address of the lab	B-3, MANGOL PURI-34
	Agreed to furnish all the test reports and certificates to buyer on demand	Yes
ईपीबीजी विवरण   ePBG Detail		
NA		
नियम और शर्तें   Terms and Conditions		
<div>1. General Terms and Conditions-</div> <div>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</div> <div>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</div>		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		