



1	ईमेल आईडी   Email ID : anju.sagar85@nic.in संपर्क   Contact : 011-22388162- जीएसटीआईएन   GSTIN : N पता   Address : NATIONAL STATISTICAL OFFICE, FIELD OPERATIONS DIVISION, HEADQUARTERS, SANKHYIKI BHAWAN, CBD SHAHDARA, Shahdara, DELHI-110032, India	hp CIS Sheet Fed scanner, On Site OEM Warranty 1 year	-	1	21-Feb-2024	07-Mar-2024
---	---	---	---	---	-------------	-------------

**Product Specification for hp CIS Sheet Fed scanner, On Site OEM Warranty 1 year**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
Specification	Scanner Type	Sheet Fed
	Scanning Technology	CIS
	Document Size	A4
	Optical Resolution (Dpi)	600
	Maximum Resolution (Dpi)	1200
	Simplex Monochrome Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	35
	Simplex Colour Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	35
	Duplex Monochrome Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	70
	Duplex Colour Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	70
	Colour Depth (Bits)	48
	Paper Weight Handling Capacity (GSM)	210
	Scanning Feature	Duplex
	Paper Path	Straight
	Multi Fed Detection Feature	No
	Automatic Document Feeder (ADF)	Available
	ADF Tray Capacity (Number of sheets)	50
	USB interface	Available
	Network Interface	Not Available
	Wi-fi Interface	Not Available
	If Wi-fi Interface available	Not Applicable
	OS Compatibility (Latest version)	Windows, Linux, Mac OS
	Daily Duty Cycle (Number of Pages)	3500
	Scan File Formats	PDF, JPEG, PNG
	Bundled Softwares	WIA/Twain
	Power Consumption in Standby mode (Watts)	1
	Power Consumption in Operational mode (Watts)	3.6
	BIS Registration as per Compulsory Registration Scheme under Gazette of India Notification number SO 2357(E) dated 07/09/2012 issued by Department of Electronics and Information Technology	Yes
	BIS Registration Number and Its validity	R-41206334
	Minimum Operating Temperature (Degree C)	15
	Maximum Operating Temperature (Degree C)	55
Minimum Operating Humidity (% RH)	15	
Maximum Operating Humidity (% RH)	80	
Dimensions (W x D x H) (mm x mm x mm)	300 x 488 x 303 mm	
Weight (Kg)	2.6	
On Site OEM Warranty (Year)	1	

**ईपीबीजी विवरण | ePBG Detail**

NA

**नियम और शर्तें | Terms and Conditions**

**1. General Terms and Conditions-**

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.