

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687799076080

अनुबंध तिथि | Generated Date : 19-Feb-2024

| संगठन विवरण Organisation Details | खरीदार विवरण Buyer Details |
|--|---|
| प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Planning and Development Department Jammu and Kashmir संगठन का नाम Organisation Name : Directorate of Economics and Statistics कार्यालय क्षेत्र Office Zone: Reasi | पद Designation : ACCOUNTANT JJJBAGLI संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : bdo.jjbagli@jk.gov.in जीएसटीआईएन GSTIN : - पता Address : VILLAGE JJJBAGLI TEHSIL THAKRAKOTE DISTRICT REASI, UDHAMPUR, JAMMU & KASHMIR-182313, India |

| वित्तीय स्वीकृति विवरण Financial Approval Detail | भुगतान प्राधिकरण विवरण Paying Authority Details |
|--|--|
| आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: BDO वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: BDO | Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : BDO JJJBAGLI ईमेल आईडी Email ID : kumar.gokul@jk.gov.in जीएसटीआईएन GSTIN : - पता Address: VILLAGE JJJBAGLI TEHSIL THAKRAKOTE DISTRICT REASI, Udhampur, JAMMU & KASHMIR-182313, India |

| विक्रेता विवरण Seller Details |
|---|
| जेम विक्रेता आईडी GeM Seller ID : 4B77210001950116 कंपनी का नाम Company Name : M/S ARUN KHAJURIA CONTRACTOR संपर्क नंबर Contact No. : 09906261595 ईमेल आईडी Email ID : aryankhajuria32@gmail.com पता Address : w.no 3, REASI, NAI BASTI, REASI, Village/Town:- REASI, City:- REASI, REASI, JAMMU AND KASHMIR-182311, India एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-JK-18-0000049 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 01CIFPK6384L1Z1 |

*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण Product Details | | | | | | |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : Unbranded Model - V Solar Lamps (Solar Home Lighting System With Batten Type Luminary) ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Solar lamps (Solar Home Lighting System with Batten type Luminary) (Q3) मॉडल Model: ARCHNIRMAN MNRE MODEL V एचएसएन कोड HSN Code: HSN not specified by seller | 49 | pieces | 9,998.99 | NA | 489,950.51 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 489,950.51 |

| परोक्षी विवरण Consignee Detail | | | | | | |
|----------------------------------|--|---------------------|--------------------|-------------------|---|--|
| क्र.सं. S.No | परोक्षी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| | पद Designation : ACCOUNTANT JJJBAGLI ईमेल आईडी Email ID : bdo.jjbagli@jk.gov.in | Unbranded Model - V | | | | |

| | | | | | | |
|---|---|--|---|----|-------------|-------------|
| 1 | संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : VILLAGE JJBAGLI TEHSIL THAKRAKOTE DISTRICT REASI, UDHAMPUR, JAMMU & KASHMIR-182313, India | Solar Lamps (Solar Home Lighting System With Batten Type Luminary) | - | 49 | 19-Feb-2024 | 05-Mar-2024 |
| Product Specification for Unbranded Model - V Solar Lamps (Solar Home Lighting System With Batten Type Luminary) | | | | | | |
| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value | | | | |
| GENERIC | WHITE -LED (W-LED) BASED SOLAR HOME LIGHTING SYSTEMS WITH BATTEN TYPE LUMINARY is as per MNRE specification (Off -grid Solar Applications Scheme 2016-17 | Yes | | | | |
| | The system consists of a PV module, control electronics, battery, and luminaire(s) | Yes | | | | |
| | Model of Home Lighting System | Model - V | | | | |
| | No. of Luminaire for each model (Luminaire batten type with White LED) | 2 Nos. for Model - V | | | | |
| | No. of DC Fan | 1 No. Wattage up to 20W for Model No. V | | | | |
| | System shall have socket facility to provide power for a 12 V DC TV set | Yes for Model: V | | | | |
| | PV Module (Minimum Power output of the modules) | 40 Wp under STC for Model: V | | | | |
| | Battery | for Model V - Lead acid Tubular flooded or Gel / VRLA, 12V - 40AH @ C/10 | | | | |
| CONSTRUCTIONAL | Average duty cycle: 5 hours a day under average daily insolation of 5.5 kWh/ sq.m. on a horizontal surface | Yes | | | | |
| | Autonomy: 3 days or Minimum 15 operating hours per permissible discharge OR Minimum 6 operating hours per permissible discharge at full light level (In case of NiMH or Lithium-Ferro Phosphate) | Yes | | | | |
| | Light Output: 10 Lux when measured at the periphery of 2.5 meter diameter from a height of 2.5 meter (complete as per MNRE specn..) | Yes | | | | |
| | Percentage of the rated capacity of the battery should be between fully charged and load cut off conditions | 75% for Model: I, II, III, IV, V | | | | |
| | Battery should conform to the latest BIS/ International standards | Yes | | | | |
| | A vented plastic/ wooden/ metallic box with acid proof corrosion resistant paint for housing the storage battery indoors should be provided | Yes | | | | |
| | The system should have two indicators, green (charging under progress) and red (indicate the battery "Load Cut Off" condition) | Yes | | | | |
| PV MODULE | Indigenously manufactured PV modules should be used | Yes | | | | |
| | The PV module should have crystalline silicon solar cells, and should have humidity, freeze, and damp heat tests certificate conforming to IEC 61215 Edition II / BIS 14286 from an NABL or IECQ accredited Laboratory as applicable. | Yes | | | | |
| | The load voltage of 16.40 V for 12 V battery or appropriate voltage for charging of battery used | Yes | | | | |
| | Efficiency for PV Modules | >= 12% for modules upto 24 Wp/40 Wp | | | | |
| | The terminal box on the module should have a provision for opening, for replacing the cable, if required | Yes | | | | |
| | Corrosion resistant metallic frame structure should be provided to hold the SPV module with provision to adjust its angle of inclination to the horizontal, so that it can be installed at the specified tilt angle | Yes | | | | |
| | "There should be a Name Plate fixed inside the module which will give: (a) Name of the Manufacturer or Distinctive Logo. (B) Model Number (c) Serial Number (d) Year of manufacture" | Yes | | | | |
| | A distinctive serial number starting with NSM will be engraved on the frame of the module or screen printed on the tedlar sheet of the module. | Yes | | | | |
| LIGHT SOURCE | The Light source will be of white LED type 3 Watts for Batten type light source | Yes | | | | |
| | The colour temperature of White-LED(s) used in the system | 5500 deg K to 6500 deg K | | | | |
| | White-LED(s) should not emit ultraviolet light | Yes | | | | |
| | Multiple light levels as per MNRE specn., | Yes | | | | |
| | Mounting of light | Wall mount type | | | | |
| | The light output from the White- LED should be constant throughout the duty cycle | Yes | | | | |
| ELECTRONICS | The total electronic efficiency | >=85% | | | | |
| | Electronics should have temperature compensation for proper charging of the battery throughout the year | Yes | | | | |
| | Idle current | <=2 mA for Models: III, IV, V | | | | |
| | The PCB containing the electronics should be capable of solder free installation and replacement | Yes | | | | |
| | The system should have a USB port for mobile charging | Yes | | | | |
| | Necessary lengths of wires/ cables, switches suitable for DC use and fuses should be provided | Yes | | | | |

| | | |
|---|--|--|
| | No Load protection | Yes |
| | Battery over charge and deep discharge protection | Yes |
| | The load reconnect should be provided at 80% of the battery capacity status | Yes |
| | Battery reverse polarity, Short circuit protection, reverse flow current protection | Yes |
| WARRANTY | Warranty for complete Solar home lighting system (in years) | 5 Years |
| | Warranty for PV Modules as per MNRE specn., | 25 Years |
| | PV modules used in Solar Home Lighting System must be warranted for their output peak watt capacity, which should not be less than 90% at the end of Ten (10) years and 80% at the end of Twenty five (25) years | Yes |
| | Warranty for battery | >=5 years for Models-IA, II, III, IV and V |
| | The Warrantee card to be supplied along with the System | Yes |
| | OPERATION and MAINTENANCE MANUAL as per MNRE (Off-grid Solar Applications Scheme 2016-17) (including IESNA LM-80 report of W-LEDs) | Yes |
| CERTIFICATION | Availability of Type Test Report from Central Govt./NABL/ILAC accredited lab to prove conformity to specification | Yes |
| | Storage battery and PV Modules shall comply with BIS CRS as on date as applicable | Yes |
| | All the test reports shall furnish to the buyer/consignee on demand | Yes |
| <p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p> | | |
| <p>ईपीबीजी विवरण ePBG Detail</p> | | |
| <p>NA</p> | | |
| <p>नियम और शर्तें Terms and Conditions</p> | | |
| <p>1. General Terms and Conditions-</p> | | |
| <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> | | |
| <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p> | | |
| <p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> | | |
| <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p> | | |