

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687731134167

अनुबंध तिथि | Generated Date : 22-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Local Bodies	पद Designation :	Addl.DHA			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	011-23226837-232268			
विभाग Department :	Municipal Corporation of Delhi (MCD)	ईमेल आईडी Email ID :	addldir-health-sdmc@mcd.gov.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	N			
कार्यालय क्षेत्र Office Zone :	Head Quarter	पता Address :	Addl. DHA, 18th Floor, Room No 1810, E wing, Dr SPM, Civic Center, Minto Road New Delhi, CENTRAL DELHI, DELHI-110002, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Commissioner MCD	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	CA CUM FA	पद Designation :	CMO HQ MEDICAL TB			
		ईमेल आईडी Email ID :	cmombt-sdmc@mcd.gov.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Addl. DHA, 18th Floor, Room No 1810, E wing, Dr SPM, Civic Center, Minto Road New Delhi, NEW DELHI, DELHI-110002, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	BD5D200001225697					
कंपनी का नाम Company Name :	LAUNDRY FLEET PRIVATE LIMITED					
संपर्क नंबर Contact No. :	09599220399					
ईमेल आईडी Email ID :	jitendra.nailwal1@gmail.com					
पता Address :	A 606,Himalaya Apartment,Sector 5,Vasundhara,, Ghaziabad, UTTAR PRADESH-201012, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	-					
जीएसटीआईएन GSTIN:	09AACCL8886G1ZX					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : FUJITRON Horizontal Slit Angle Position Digital Photo Slit Lamp with Applanation Tonometer ब्रांड Brand : FUJITRON ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Digital Photo Slit Lamp with Applanation Tonometer (Q3) मॉडल Model: FSL-355H (STUDIO DIGI- PRO) एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	499,999	NA	499,999
कुल ऑर्डर मूल्य Total Order Value (in INR)						499,999
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : PharmacistCMS ईमेल आईडी Email ID : srpharma-health-sdmc@mcd.nic.in संपर्क Contact : 011-23226824-	FUJITRON Horizontal Slit				

1

जीएसटीआईएन | GSTIN :-
पता | Address : Addl. DHA, 18th Floor, Room No 1810, E wing, Dr SPM,
Civic Center, Minto Road New Delhi,
CENTRAL DELHI, DELHI-110002, India

Angle Position Digital
Photo Slit Lamp with
Applanation Tonometer

-

1

22-Feb-2024

08-Mar-2024

Product Specification for FUJITRON Horizontal Slit Angle Position Digital Photo Slit Lamp with Applanation Tonometer

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Performance Parameters	Purpose	The Digital Photo Slit Lamp with applanation Tonometer is an instrument consisting of a high-intensity light source that can be focused to shine a thin sheet of light into the eye and used in conjunction with a biomicroscope & digital image viewed & recorded Digital Camera
	Type of Adjustability for slit width	Continuous type
	Type of Adjustability for slit length	Continuous type
	Type of slit angle position	Horizontal
	Type of Adjustability for slit angle	Continuous type
	Type of decentering of slit image	Horizontal
	Type of Light Sources/ lamps	Halogen
	Types of Filter	Cobalt Blue, Red free, Grey, UV protection, Heat absorption
	Type of co-observing tube microscope with standard objective and eyepiece	Monocular
	Galilean magnification changer with converging binocular tube provided	Yes
	Number of steps to attain range of magnification	3
	Availability of base movement(x,y, vertical)for microscope	Yes
	Facility of motorized table for slit lamp	Yes
	Availability of Appalanation Tonometer with slit lamp	Yes
	Facility of beam Splitter	Yes
	Availability of digital adapter	Yes
	Type of slit lamp camera with system	Integrated
	Size of camera in megapixel	5
	Type of camera display	LED
	Size of camera display in inch	2
	Facility of Integrated cleaning system with camera	Yes
	Availability of rechargeable battery for camera	Yes
	Availability of Video cable for camera	Yes
	Availability of USB Cable for camera	N/A for integrated
	Availability of SD /SDHC Memory card	N/A for integrated
	Data Storage capacity for SD/SDHC memory card in GB	N/A for integrated
	Power Supply source	Single phase 230 V, 50 Hz
	Suitable UPS with 30 min backup to be supplied with equipment	Yes
	Availability of Power cable compactable with Indian plug	Yes
	Warranty time of product in year	3
Comprehensive Maintenance Contract (CMC) which includes preventive maintenance including testing & calibration as per technical/ service /operational manual ,about and spares, after satisfactory completion of Warranty period	3	
Certificate to be available from OEM/principal regarding approval of service center maintained by seller	Yes	
Complete technical training for personnel involved in the use and handling of the equipment on site at the buyer/consignee end immediately after its installation	Yes	
Operating temperature & humidity	10 - 40 deg C and relative humidity of 15-90%	
Photo Slit Lamp with applanation Tonometer frame must be Rust Proof	Yes	
Photo Slit Lamp with applanation Tonometer should be made up of high quality material, pretreated with materials providing good	Yes	

	finish, scratch resistant, bacteriostatic coating	
	Cleaning & maintenance of Photo Slit Lamp with applanation Tonometer shall be easy	Yes
Dimensional Parameters	Slit Width Range in mm	0-14
	Slit Length range in mm	0.1-14
	Range of Slit Angle in degree	± 90
	Slit tilt Angle in degree	0-20
	Slit Angle rotation in degree	0-180
	Decentering of slit image in mm	± 4
	Diaphragm sizes range in mm	0.2 to 14
	Range of magnification with Drum Rotation	5x to 40x
	Field of view range in mm for microscope	6 to 40
	Eyepiece magnification	10x
	Longitudinal movement in mm	90
	Lateral movement in mm	100
	Fine base movement in mm	15
	Vertical movement in mm	30
	Chin rest movement in mm	80
	Range of working distance in mm	72 -100
	Size of Photo Slit lamp with applanation tonometer(Lx W x H) in mm x mm x mm	895x530x500
Weight of Photo Slit lamp with applanation tonometer in Kg	27	
Additional Parameters	Spares bulbs provided	2
	Spares Prism for Appalanation Tonometer	1
	Product instruction manual shall be supplied	Yes
	Standard Tool Kit for maintenance and Trouble Shooting to be provided	Yes
	Demonstration of equipment and training to be provided after completing supplies before Acceptance	Yes
Reports	Certifications for product	US FDA (with verified document)
	Certification Number and date to be indicated	3011442035 24.10.19
	Manufacturer should have ISO certification for quality standards	Yes
	ISO certification number & date	3011442035 24.10.19
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. Special terms and conditions- Version:2 effective from 24-11-2023</p>		
<p>1.1. Comprehensive warranty:</p>		
<p>Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.</p>		
<p>2. Service centres:</p>		
<p>Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e-mails etc. at time of</p>		

Details of service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination, . Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.