

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687738839404

अनुबंध तिथि | Generated Date : 19-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	Central PSU	पद Designation :	Manager
मंत्रालय Ministry :	Ministry of Chemicals and Fertilizers	संपर्क नंबर Contact No. :	0124-2412294-1414
विभाग Department :	Department of Fertilizers	ईमेल आईडी Email ID :	buyer1.rfcl.dl@gembuyer.in
संगठन का नाम Organisation Name :	National Fertilizers Limited (NFL)	जीएसटीआईएन GSTIN :	09AACN0189N1Z2
कार्यालय क्षेत्र Office Zone:	Noida	पता Address :	A-11, Sector 24, Noida, GAUTAM BUDDHA NAGAR, UTTAR PRADESH-201301, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	Chief General Manager	भुगतान का तरीका	Offline
Designation of Administrative Approval:		Payment Mode:	
वित्तीय अनुमोदन का पदनाम	Chief General Manager	पद Designation :	Assistant Manager
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao13.nfln.up@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	A-11, Sector 24, Noida, GAUTAM BUDDHA NAGAR, UTTAR PRADESH-201301, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	53A3180000112487
कंपनी का नाम Company Name :	GOLDWYN LIMITED
संपर्क नंबर Contact No. :	09958236622
ईमेल आईडी Email ID :	enquiry@goldwynled.com
पता Address :	101-C,Shiv House,Hari Nagar,Ashram, Delhi, DELHI-110014, -
एमएसएई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-28-0012955
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Female
जीएसटीआईएन GSTIN:	09AACG0979K1Z9

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : As per delivery Schedule.

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : GoldwynLED 9W Led Recessed Luminaire ब्रांड Brand : GoldwynLED ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्भाँश Category Name & Quadrant : LED Luminaire (Recessed Luminaire) (V2) (Q3) मॉडल Model: IC-1510 एचएसएन कोड HSN Code: 94051010	50	pieces	330	NA	16,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						16,500

परेष्ठी विवरण | Consignee Detail

क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Manager ईमेल आईडी Email ID : buyer1.rfcl.dl@gembuyer.in संपर्क Contact : 0124-2412294-1414 जीएसटीआईएन GSTIN : 09AACN0189N1Z2	GoldwynLED 9W Led Recessed Luminaire	-	50	19-Feb-2024	05-Mar-2024

Product Specification for GoldwynLED 9W Led Recessed Luminaire

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Standards	Conformity to Indian Standard	IS:10322/part 5/sec-2/2012 and IS 16107 (Part 2/Sec 1) : 2012 for Recess type
	Photo biological safety of LEDs used shall be as per IS:16108/2012 (exempt group)	Yes
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes
	Luminaire Class (as per Cl. 2.1 Section 2 of IS: 10322 (Part-1)	Class I
	Types of LED Modules as per the IS: 16103(Part-2)/2012	Type 3
	Rating of Recess type LED Luminaire/System Wattage/Rated Power	9W
	Light Intensity(System Lumens) 80 Lm/Watt for 3000 deg K, 90 Lm/Watt for 4000 deg K, 100 Lm/Watt for 6000 deg K	Yes
	Color temperature (+/- 500 K)	6000 deg K
Constructional	Type of fixture (in feet)	Round
	Ingress Protection (IP Rating) as per IS:10322 (Part 1):1982 latest (Minimum)	IP20
	Mounting Type	Recess Type
	Diffuser Material	Poly carbonate (UV Stabilized)
	The luminaire body must be corrosion resistant epoxy powder coated / anodizing	Yes
	All fastners must be of nickel/chrome plated	Yes
	Number of electronic control gear (power supplies)	1
	Light Source	SMD LED Chip as per LM 80/IS16106
Electrical Efficiency Management	Warranty for free replacement	2 Years
	Operating Voltage and frequency range	140V to 280 V at 50 Hz AC
	Rated Voltage	230 V AC 50 Hz
	AC Power Factor	>/=0.90
	Driver Efficiency	>/=85
	Total Harmonics Distortion (</=20% (for upto 20W) </=10% (for above 20W)	Yes
Optical Management	The total circuit power shall not be more than 110 percent of the value declared by the manufacturer (as per Cl 8 of IS:16104:2012 latest)	Yes
	LED chip Efficacy (>/=130 Lm/Watt for 6000 deg K, >/=120 Lm/Watt for 4000 deg K, >/=110 Lm/Watt for 3000 deg K)	Yes
	Working life for LED : (Minimum 50,000 burning hours as per LM-80 report)	Yes
	Color Rendering Index(CRI)	>/=80
	Beam Angle	>/=120
Thermal Management	Reflector type	Diffuser
	Fixture / Luminaire should be die-cast aluminium /CRCA/Extruded Aluminium	Yes
	Capacitor shall be rated for a temperature of 105 deg. Celsius or better	Yes
	Junction temperature / soldering temperature	< 85 deg C
	Operating temperature range	-10 deg. C to +50 deg. C
Protection	Humidity Range	10 % to 95% RH
	Short circuit Protection	Yes
	Over Load Protection	Yes
	High voltage test (1.5 KV for one minute between supply terminals and body of the unit)	Yes
	Insulation resistance between earth and current carrying part	Yes

	The luminaire shall be protected against surges and transients of >/=2.5 KV	Yes
Marking	Manufactures Name and brand shall available on the body of the Luminaire	Engraved/Embossed
	Each LED luminaire shall have the manufacturer's name, model number, serial number, date of manufacture (month-year), and lot number as identification mark inside each unit and the outside of each packaging box	Yes
	The operation characteristics such as rated voltage and rated power in watts shall be marked inside each LED luminaire unit	Yes
Reports and Certifications	LM 79 (Photometry) (Ref.IS:16106:2012) report from Central Government LAB /NABL/ILAC accredited lab Reports shall be furnish to the buyer on demand (LM-79 report shall have total lumen output, power, PF, Current in Amps, CRI & CCT etc)	Yes
	LM 80 &TM21(Ref. IS:16105:2012) Report and Photo biological report for LED report from Central Government Lab /NABL/ILAC accredited lab. Reports shall be furnish to the buyer on demand (LM-80 report shall have the Photo Biological report of the LED	Yes
	Availability of test Report from Central Government Lab /NABL/ILAC accredited lab to Indian Standard IS:10322/part 5/sec-2/2012 and IS 16107 (Part 2/Sec 1) : 2012	Yes
	Seller has to furnish Type test report to the buyer on demand	Yes
	DC or AC supplied electronic control gear for LED Module shall comply as per IS:15885 (Part 2/Sec.13)	Yes
	LED Luminaire for recess type shall comply with Complusory Registration(CRS) of BIS for safety as per IS 10322 (Part 5/Section 2): 2012 as applicable on date	Yes
	LED Make	EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / SEOUL / SAMSUNG / OSRAM / REFOND / NICHIA / CREE / LUMILEDS / PHILIPS / SYSKA / LUMENMAX, Other than EVERLIGHT / EDISON / BRIDGELUX / NATIONSTAR / SEOUL / SAMSUNG / OSRAM / REFOND / NICHIA / CREE / LUMILEDS / PHILIPS / SYSKA / LUMENMAX

उत्पाद का बीजाइंस लाइसेंस | BIS license of the product: 93021512

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.