

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687783740655

अनुबंध तिथि | Generated Date : 19-Feb-2024

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : State Government मंत्रालय   Ministry : - विभाग   Department : Medical Health and Family Welfare Department Uttar Pradesh संगठन का नाम   Organisation Name : N/A कार्यालय क्षेत्र   Office Zone: 246701	पद   Designation : chief pharmacist संपर्क नंबर   Contact No. : 1342-264615- ईमेल आईडी   Email ID : acmostore.bi-up@gov.in जीएसटीआईएन   GSTIN : 09LKNCO6201G1DF पता   Address : Opp. PNB Bank Civil Line Bijnor, BIJNOR, UTTAR PRADESH-246701, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: CMO BIJNOR वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : CMO BIJNOR	Role: BUYER भुगतान का तरीका   Payment Mode: Offline पद   Designation : chief pharmacist ईमेल आईडी   Email ID : acmostore.bi-up@gov.in जीएसटीआईएन   GSTIN : 09LKNCO6201G1DF पता   Address: Opp. PNB Bank Civil Line Bijnor, Bijnor, UTTAR PRADESH-246701, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : AC16180000115472 कंपनी का नाम   Company Name : M/S ANANTA SURGICAL INDUSTRY संपर्क नंबर   Contact No. : 09936056599 ईमेल आईडी   Email ID : anantasurgicalindustry@gmail.com पता   Address : Subhash Nagar, alambagh, alambagh, LUCKNOW, Uttar Pradesh-226023, - एमएसएमई पंजीकरण संख्या   MSME Registration number : - जीएसटीआईएन   GSTIN: 09AEYPP6587R1ZR

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : SINGHSA Semifowler Patient Bed ब्रांड   Brand : SINGHSA ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Patient Bed (Fowler and Semi Fowler) (Q3) मॉडल   Model: SMC - 110 एचएसएन कोड   HSN Code: HSN not specified by seller	10	pieces	17,100	NA	171,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						171,000

क्र.सं.   S.No	परोक्षिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : chief pharmacist ईमेल आईडी   Email ID : acmostore.bi-up@gov.in संपर्क   Contact : 1342-264615- जीएसटीआईएन   GSTIN : 09LKNCO6201G1DF पता   Address : Opp. PNB Bank Civil Line Bijnor,	SINGHSA Semifowler Patient Bed	-	10	19-Feb-2024	05-Mar-2024

**Product Specification for SINGHSA Semifowler Patient Bed**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value	
Performance Parameters	Type of bed	Semifowler	
	Number of bed platform sections	2 for semi fowler bed	
	Availability of Backrest section	Yes	
	Backrest section linkage	welded with MS CRCA tube (14 G)	
	Availability of Leg section	Yes	
	Leg section linkage	welded with MS CRCA tube (16 G)	
	Mattress platform shall be perforated	Yes	
	Screw mechanism	welded with ERW MS tube (18 G) in M.S. cover made from (16 G) ERW tube	
	Manual adjustments	Backrest , knee rest through two screw systems with thrust bearings individually manouvred by two handles for fowler bed	
	Back rest - min 45 % of the frame length	Yes	
	The bottom end of the H legs are provided with PVC shoes	Yes in case of bed without castors	
	The bed has head & foot panels detachable by hand without need of any tool	Yes	
	Saline rod provision	four locations on the bed platform to hold stainless steel Telescopic Saline rod 12mm dia with 15.87 mm dia x 1.2 mm (18 G) stainless steel	
	Provision for mounting of syringe pump	outer covering tube with a knob to mount syringe pump	
	Finishing & workmanship shall be of high standard	Yes	
	All corners shall be rounded off so that there shall be no sharp corners and holes should be burr free	Yes	
	Coating for metal parts	M.S. tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns	
	Material of handle	SS	
	Number of detachable moulded PP with PVC insert head and foot side panels	4	
	Provision of castors	NA (No castors provided)	
	Material and	Number of hooks in Telescopic IV Pole	2
		Urine Bag Holder	Yes
Moulded Chart Holder		Yes	
Provision of mattress		Yes	
Number of sections in mattress		2 for semi fowler bed	
Provision of collapsible Railing		Yes	
Overall Length of bed in mm with 5% tolerance		2050 to 2100	
Overall width of bed in mm with 5% tolerance		900 to 950	
Size of Buffer in mm		100	
Bed Platform frame size with 5% tolerance		2070 mm L x 910 mm W	
Mattress Platform size with 5% tolerance		1970 mm L x 790 mm W	
Buffer to Handle Length with 5% tolerance		NA for foldable and detachable bed	
Fixed Height		600 mm	
Material and size of section		1.2 mm (18 G) CRCA M.S perforated sheet top	
Overall length of Back Rest		825-850	
Overall width of back rest		825-850	
Overall length of Knee Rest		350-400	
Overall width of Knee Rest	825-850		
Overall length of Leg Rest	600-650		
Overall width of Leg Rest	825-850		
Overall length of Fix Section	150-200		
Overall width of fix section	825-850		

Dimensional Parameters	Raised Backrest Angle	65°
	Raised Kneerest Angle	40°
	Bed frame tube size	60 mm x 30 mm x 1.6 mm (16 G) Thick ERW tube
	Dimensions for Fitting of frame	ERW tubes diameter 31.75 mm x 1.2 mm (18 G) thick and diameter 22.22 mm x 1.2 mm (18 G) thick and MS sheet having thickness 3.0 mm (11 G)
	Diameter of Four corner rubber buffers in mm	100
	Material of head and foot panels	ABS Plastic
	Diameter of MS tubular in mm	30 to 50 mm
	Diameter of SS Laminated	30 to 50 mm
	Patient Working Load	135 Kg
	Safe Working Load	150 Kg
	Thickness of PU foam of mattress in inch	4
	Density of PU foam of mattress in Kg/m <sup>3</sup>	32
	Material of mattress cover of mattress	PVC
	Colour of mattress cover	Blue
	Material of collapsing railing	NA (incase railing not provided)
	Types of collapsing railing	NA (incase railing not provided)
	Reports	Manufacturer Certificates
Details of manufacturer certificates such as number and date		21EQDM07 26/05/2021
Availability of certificates of quality system		ISO 13485
Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters		No
Test report number , Incase test reports not available , put NA		NA
Test report date, Incase test reports not available , put NA		NA
Name of test lab , Incase test reports not available , put NA		NA
Address of test lab , Incase test reports not available , put NA		NA
Copies of all certifications and reports to be provided to buyer on demand at time of supplies		NA ,Incase test reports not available

**टिप्पणी | Note:** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें | Terms and Conditions

##### 1. Special terms and conditions- Version:3 effective from 18-10-2022

##### 1.1

- 1. Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
- 2. Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
- 3. Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
- 4. Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,.

Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.

5. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. Software: All software updates should be provided free of cost during warranty period.
9. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.