

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687754127700

अनुबंध तिथि | Generated Date : 19-Feb-2024

संगठन विवरण   Organisation Details		खरीदार विवरण   Buyer Details
प्ररूप   Type : मंत्रालय   Ministry : विभाग   Department : संगठन का नाम   Organisation Name : कार्यालय क्षेत्र   Office Zone:	State Local Bodies - Health & Family Welfare Department Gujarat N/A referral hospital halol	पद   Designation : medical officer संपर्क नंबर   Contact No. : 02676-220111- ईमेल आईडी   Email ID : mo-health-halol@gujarat.gov.in जीएसटीआईएन   GSTIN : - पता   Address : ROGI KALYAN SAMITI REFERRAL HOSPITAL AND COMMUNITY HEALTH CENTRE HALOL TA:HALOL DIST PANCHMAHAL STATE GUJARAT 389350, PANCH MAHALS, GUJARAT-389350, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail		भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	No Supritendent Supritendent	Role: BUYER भुगतान का तरीका   Offline Payment Mode: पद   Designation : medical officer ईमेल आईडी   Email ID : mo-health-halol@gujarat.gov.in जीएसटीआईएन   GSTIN : - पता   Address : ROGI KALYAN SAMITI REFERRAL HOSPITAL AND COMMUNITY HEALTH CENTRE HALOL TA:HALOL DIST PANCHMAHAL STATE GUJARAT 389350, Panch Mahals, GUJARAT-389350, India

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID :	CGWO220006994239
कंपनी का नाम   Company Name :	RKBS ENTERPRISE
संपर्क नंबर   Contact No. :	09484985100
ईमेल आईडी   Email ID :	rkbssenterprise3011@gmail.com
पता   Address :	OFFICE NUMBER 312, 3RD FLOOR,,APPLE WOOD CITY MALL,NEAR MADHURAM BUS STOP,MADHURAM TIMBAVADI, Junagadh, GUJARAT-362001, -
एमएसएमई पंजीकरण संख्या   MSME Registration number :	UDYAM-GJ-11-0013730
एमएसई सामाजिक श्रेणी   MSE Social Category :	General
एमएसई लिंग श्रेणी   MSE Gender :	Male
जीएसटीआईएन   GSTIN:	24ABFFR6301K1Z9

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : GOOD

उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : MQUIP Pulse Oximeter ब्रांड   Brand : MQUIP ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भाँश   Category Name & Quadrant : Pulse Oximeters (Q3) मॉडल   Model: OXYSIGN एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	121,000	NA	121,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						121,000

परेषिती विवरण | Consignee Detail

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनोंके बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : medical officer					

1	ईमेल आईडी Email ID : mo-health-halol@gujarat.gov.in संपर्क Contact : 02676-220111- जीएसटीआईएन GSTIN : - पता Address : ROGI KALYAN SAMITI REFERRAL HOSPITAL AND COMMUNITY HEALTH CENTRE HALOL TA:HALOL DIST PANCHMAHAL STATE GUJARAT 389350, PANCH MAHALS, GUJARAT-389350, India	MQUIP Pulse Oximeter	-	1	19-Feb-2024	05-Mar-2024
---	--	----------------------	---	---	-------------	-------------

#### Product Specification for MQUIP Pulse Oximeter

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Standards	Compliance to certification (US FDA/CE certification will be accepted only when the Indian standards/certification like BIS/CDSO/AERB are not available)	CE
	Certification number and date	CE- 1777 DT:20-09-2021
	"Electrical safety conforms to standards for electrical safety"	IEC-60601-1 or equivalent BIS
Performance Parameters	Type of Pulse Oximeter	TABLE TOP
	Should work during motion and very low perfusion conditions	Yes
	Special Signal processing Technology (Motion artifact rejection)	Masimo - SET technology
	SPO2 probes	Reusable
	Oxygen saturation Range	0-100%
	Pulse rate	25-240 BPM
	Display of SPO2 and PR	digital display with plethysmograph with trends
	Accuracy	± 5 %
	Type of Patient	Neonatal
	Should be shock proof	Yes
	Display (with contrast adjust-ability)	LCD
	Display should be Readable from at least 3 feet	Yes
	Saturation displayed on the screen	Yes
	Pulse Rate displayed on the screen	Yes
	Perfusion Index displayed on the screen	Yes
	Status of battery charging displayed on the screen	Yes
	Sensor off /on status	Yes
	Audible and visual Alarms	Yes
	Alarm override facility should be present	Yes
	Trends	96 hrs
	Type of trend display	Graphical
	Data interval in sec	0
	Power source	Inbuilt re-chargeable battery and mains 220-240 V , 50 Hz AC operation
	Automatic switch from mains to battery in case of power failure	Yes
	RS 232C interface for data communication and transfer	Yes
	Should have provisions for wireless and blue tooth connectivity	Yes
	Patient extension cable	Yes
	Power consumption in watts	10
	Operating Temperature	"Ambient temperature of 0 to 40 deg C and relative humidity of 15 to 90%"
	Weight of the machine in kg	2
	Protective splash proof case for clean and storage and safe transport provided	Yes
	Length of power cable	3m or more
	Noise level in dB	10
	Display must allow easy viewing in all ambient light levels	Yes
	Non Invasive Hemoglobin	No
	Respiratory Rate (RRP)	No

	Pleth Variable Index (PVI)	No
Probes	Type of probe	Neonatal
	Probe usage	Reusable
	Number of probes provided (Hint: in case adult , pediatric and neonatal are selected for type of probe all the three have to be given and in case adult & pediatric are selected both are to be given)	1 each
NIBP Parameters	Non invasive blood pressure (NIBP) provided	Yes
	Type of BP monitoring	Neonatal
	NIBP range in mmH	20-400
	Cuff size	Neonatal
	Number of cuff's provided	1 each
	Warranty in years (without probes)	1
	Warranty for probes in years	Not Provided
Reports	Confirmity to Manufactures Certification	ISO 9001 & ISO 13485
	ISO/ ICMED Certification number and date	UQ - 2022042266 DATED: 23.04.2022
	Copies of all certifications to be furnished to buyer on demand at time of supplies	Yes
Additional Parameters	Additional Parameter 1	NA
	Additional Parameter 2	NA
	Additional Parameter 3	NA

**टिप्पणी|Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें| Terms and Conditions

##### 1. Special terms and conditions- Version:2 effective from 11-11-2022

1.1

1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination, Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

9. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. **Software:** All software updates should be provided free of cost during warranty period.
12. **Any other Terms and Conditions** which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.