

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687749599818

अनुबंध तिथि | Generated Date : 19-Feb-2024

संगठन विवरण   Organisation Details		खरीदार विवरण   Buyer Details
प्ररूप   Type :	State Government	पद   Designation : Junior Assistant
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. : 01955-262536-
विभाग   Department :	Housing and Urban Development Department Jammu and Kashmir	ईमेल आईडी   Email ID : buyer40.huddjk.jk@gembuyer.in
संगठन का नाम   Organisation Name :	N/A	जीएसटीआईएन   GSTIN : -
कार्यालय क्षेत्र   Office Zone:	MC Handwara	पता   Address : mc handwara, KUPWARA, JAMMU & KASHMIR-193221, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail		भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएपीडी सहमति IFD Concurrence :	No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:	executive officer municipal committee handwara	भुगतान का तरीका   Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	a	पद   Designation : Junior Assistant
		ईमेल आईडी   Email ID : buyer40.huddjk.jk@gembuyer.in
		जीएसटीआईएन   GSTIN : -
		पता   Address: mc handwara, KUPWARA, JAMMU & KASHMIR-193221, India

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID :	3DA8200001085845
कंपनी का नाम   Company Name :	M/S SWIFT SALES CORPORATION
संपर्क नंबर   Contact No. :	09906655065
ईमेल आईडी   Email ID :	swiftdsales786@gmail.com
पता   Address :	786,EID GAH ALI JAN ROAD, Srinagar, JAMMU & KASHMIR-190011, -
एमएसएडी पंजीकरण संख्या   MSME Registration number :	UDYAM-JK-21-0042513
एमएसई सामाजिक श्रेणी   MSE Social Category :	General
एमएसई लिंग श्रेणी   MSE Gender :	Male
जीएसटीआईएन   GSTIN:	01CWAPM7103A1ZG

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : HI FOCUS 5MP BULLET CAMERA ब्रांड   Brand : HI FOCUS ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भास्त   Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल   Model: HC-IPC-T4215H-0400(v23.08 AH) एचएसएन कोड   HSN Code: HSN not specified by seller	26	pieces	6,995	NA	181,870
कुल ऑर्डर मूल्य   Total Order Value (in INR)						181,870

परेषिती विवरण | Consignee Detail

क्र.सं.   S.No	परेषिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : Junior Assistant ईमेल आईडी   Email ID : buyer40.huddjk.jk@gembuyer.in संपर्क   Contact : 01955-262536- जीएसटीआईएन   GSTIN : - पता   Address : mc handwara, KUPWARA, JAMMU & KASHMIR-193221, India	HI FOCUS 5MP BULLET CAMERA	-	26	19-Feb-2024	05-Mar-2024

### Product Specification for HI FOCUS 5MP BULLET CAMERA

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	0.37 inch
	Camera Image Sensing capacity (Picture Mode)	5MP
	Resolution	2592x 1944
	Day/Night Capable	Yes
	IR illumination Range(mtr)	40
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Fixed
	Focal Length(mm)	2.8
	Iris Control	Fixed iris
	Focus Mode	NA
VIDEO	Frame Rate (fps)	30,25
	Video Compression	H.265+,H.265,H.264,MJPEG
	Video Streaming	Triple compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	16X
AUDIO	Audio Support	Yes
	Audio Compression	G.711
	Audio Streaming	One-Way
	Number of Audio Input Channel	1
	Number of Audio Output Channel	NA
	External Microphone	No

	Support	
ALARM	Alarm Support	No
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.008 lux
	Electronic Shutter Speed(sec)	1 to 1/100,000
	WDR (Wide Dynamic Range)	120 dB
	SNR (Signal to Noise Ratio)	50-60
	Auto Exposure	Auto Level Control, Electronic Level Control
FEATURES	White Balance ( Indoor/Outdoor/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support ( Profile S and G )	
	Presets	0

	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,SNMP,IGMP,DHCP,RTP,RSTP,HTTP,SMTP,FTP,ICMP,HTTPS,DNS,DDNS,RTSP,RTCP,NTP,UPnP,QoS,TCP/IP,PPPoE,802.1X,IPv4,IPv6,Bonjour,RTSP
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	Yes
	Wireless	No
	Simultaneous Connections	10
STORAGE	On Board SD Card Support	Yes
	SD Card Memory(GB)	256
HOUSING	Installation Type	Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP67
	Vandal Resistant Housing	Yes
	If Yes, IK rating	NA
	Mounting bracket	Pole Mounted
	Weight	350 gram
POWER SUPPLY	Dimensions (mm x mm x mm)	-
	Power Input	12 V DC,PoE
	Power Consumption	10 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING CONDITIONS	Operating Temperature Range	- 30 to +60 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
	Availability of facility &	

ENVIRONMENTAL / CERTIFICATION	infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	-
	Name and Address of Test Lab	-
	Certification	FCC,CE,RoHS

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें| Terms and Conditions

##### 1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.