अनुबंध|Contract

अनुबंध क्रमांक|Contract No: GEMC-511687778992693

अनुबंध तिथि|Generated Date : 20-Feb-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: GEM/2024/B/4521390

संगठन विवरण|Organisation Details

प्ररूप|Type :	Central Autonomous
मंत्रालय|Ministry :	Ministry of Electronics and Information Technology
विभाग|Department :	Department of Electronics and Information Technology
संगठन का नाम|Organisation Name :	Centre for Development of Advanced Computing (C-DAC)
कार्यालय क्षेत्र|Office Zone:	West

खरीदार विवरण|Buyer Details

पद|Designation :	Purchase Officer
संपर्क नंबर|Contact No. :	020-25503676-676
ईमेल आईडी|Email ID :	buyer3.cdacc.mh@gembuyer.in
जीएसटीआईएन|GSTIN :	-
पता|Address :	C-DAC C-DAC Innovation Park, Panchavati, Pashan, PUNE, MAHARASHTRA-411008, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति|IFD Concurrence :	No
प्रशासनिक अनुमोदन का पदनाम|Designation of Administrative Approval:	Executive Director
वित्तीय अनुमोदन का पदनाम|Designation of Financial Approval :	Joint Director Finance

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role:	PAO
भुगतान का तरीका|Payment Mode:	Offline
पद|Designation :	Manager Finance
ईमेल आईडी|Email ID :	pao2.cdac.pune@gembuyer.in
जीएसटीआईएन|GSTIN :	-
पता|Address:	C-DAC C-DAC Innovation Park, Panchavati, Pashan, PUNE CITY, MAHARASHTRA-411008, India

विक्रेता विवरण|Seller Details

जेम विक्रेता आईडी|GeM Seller ID :	450D180000091042
कंपनी का नाम|Company Name :	NETWEB TECHNOLOGIES INDIA LIMITED
संपर्क नंबर|Contact No. :	08447620566
ईमेल आईडी|Email ID :	arjunsirohi@netwebindia.com
पता| Address :	Plot No H-1 H-2,Pocket 9,Faridabad Industrial Town,Sector 57, Faridabad, Faridabad, HARYANA-121004, -
एमएसएमई सत्यापित|MSME verified :	No
एमएसएमई पंजीकरण संख्या|MSME Registration number :	UDYAM-HR-03-0014062
एमएसई सामाजिक श्रेणी|MSE Social Category :	General
एमएसई लिंग श्रेणी|MSE Gender :	Male
जीएसटीआईएन|GSTIN:	06AABCN4805A1Z3

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	आइटम विवरण|Item Description	आइटम विवरण|Ordered Quantity	इकाई|Unit	इकाई मूल्य (INR)|Unit Price (INR)	कर विभाजन (INR)|Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)|Price (Inclusive of all Duties and Taxes in INR)
1	**उत्पाद का नाम |Product Name :** Tyrone Non Touch Tower 128 GB High Performance Computing (Hpc) In A Box **ब्रांड|Brand :** Tyrone **ब्रांड प्रकार|Brand Type :** Registered Brand **कैटलॉग की स्थिति|Catalogue Status:** OEM verified catalogue **कैसे बेचा जा रहा है|Selling As :** OEM **श्रेणी का नाम और चतुर्थांश|Category Name & Quadrant :** High performance Computing (HPC) in a Box (Q2) **मॉडल|Model:** Tyrone Camarero DIT400TR-55L **एचएसएन कोड|HSN Code:** 84714900	2	pieces	567,800	NA	1,135,600
कुल ऑर्डर मूल्य |Total Order Value (in INR)						1,135,600

परेषिती विवरण|Consignee Detail

क्र.सं.|S.No	परेषिती|Consignee	वस्तु|Item	लॉट नंबर|Lot No.	मात्रा|Quantity	दिनांक के बाद डिलीवरी शुरू करना है|Delivery Start After	वितरण पूरा कब तक करना है|Delivery To Be Completed By
	पद| Designation : -					

1	ईमेल आईडी|Email ID : buycon1.cdac.pune@gembuyer.in संपर्क|Contact : 020-25503677-677 जीएसटीआईएन|GSTIN : 27AAATC0934H1Z0 पता|Address : C-DAC C-DAC Innovation Park, Panchavati, Pashan, PUNE, MAHARASHTRA-411008, India	Tyrone Non Touch Tower 128 GB High Performance Computing (Hpc) In A Box	-	2	20-Feb-2024	05-Apr-2024

Product Specification for Tyrone Non Touch Tower 128 GB High Performance Computing (Hpc) In A Box

विनिर्देश|Specification	उप-विनिर्देश|Sub-Spec	मूल्य|Value
Processor	Processor Make	Intel
	Number of Cores per Processor	16
	Processor Base Frequency (GHz)	2.9
	Processor Turbo Frequency (GHz)	3.9
	Processor Description	Intel Xeon Gold Series
	Processor Number	Intel Xeon Gold 6226R
	Number of sockets available on the motherboard	2
	Number of Sockets populated with the Processors	2
	Cache (MB)	22
	Out of Band Management	NA
Type	Form Factor	Tower
Motherboard	Chipset Number	Intel C621
	Expansion Slots (PCIe x 1) (Number)	0
	Expansion Slots (PCIe x 4) (Number)	0
	Expansion Slots (PCIe x 8) (Number)	2
	Expansion Slots (PCIe x 16) (Number)	2
	Expansion Slots (PCI) (Number)	0
Graphics	Graphics Type	NA
	Number of Graphic Cards	0
	Graphic Card Description	NA
Operating System	Operating System (Factory Pre-Loaded)	CentOS 7.3 Linux
	Recovery Image Media	NA
	OS Certification	Linux
Memory	RAM Type	DDR4
	RAM Speed (MHz)	2933
	Type of Memory	ECC RDIMM
	RAM Size (GB)	128
	Total Numbers of DIMM Slots Available	12
	Number of DIMM Slots Populated	12
	RAM Expandability upto using spare DIMM Slots (GB)	128
	DC Persistant Memory Type (GB)	128 gigabyte
	DC Persistant Memory Qty	2 gibibyte
	Type of Drives used to populate the Internal Bays	SATA
	Total number of Internal Bays available for SATA Drive	8
	Number of Internal Bays populated with SATA Drive	4
	Each SATA Drive Capacity (GB)	8000
	Speed of each SATA Drive (RPM)	7200

Storage	Total SATA Drive Capacity (GB)	32000
	Total number of Internal Bays available for SAS Drive	0
	Number of Internal Bays populated with SAS Drive	0
	Capacity of each SAS Drive (GB)	0
	Speed of each SAS Drive (RPM)	0
	Total SAS Drive Capacity (GB)	0
	Total number of Internal Bays available for SSD	0
	Number of Internal Bays populated with SSD Drive	0
	Capacity of each SSD Drive (GB)	0
	Total SSD Capacity (GB)	0
	Total number of Internal Bays available for PCIe SSD	0
	Number of Internal Bays populated with PCIe Drive	0
	Capacity of each PCIe Drive (GB)	0
	Total PCIe Drive Capacity (GB)	0
	Class of PCIe Drives	NA
	Type of Hard Disk	SATA
	SSD Endurance	Standard
	SSD Category	Read Intensive
RAID	RAID level	0,1,5,1+0
	Number of RAID Controller Ports	8
	Speed of RAID Controller Ports (Gbps)	12
	RAID Controller Cache (GB)	1
Connectivity	Type of Ethernet Ports	Dual Gigabit NIC 10/100/1000
	Number of Ethernet Ports	2
	Wireless Connectivity	No
	If Yes, Type of Wireless Connectivity	NA
	Bluetooth Connectivity	No
	If Yes, Version of Bluetooth Available	0
Ports	Number of USB Version 2 Point 0 Ports	2
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	0
	Number of USB Version 3 point 1, Gen 2 Ports	0
	Number of USB Type C Ports	0
	Number of VGA Ports	1
	Number of HDMI Ports	0
	Number of Mini DP Ports	0
	Number of DP Ports	0
Display	Display Availability	Monitor
	Display Size (cm)	58- 61
	Display Type	Non Touch
	Panel Type	Flat
	Panel Technology	IPS
	Display Resolution (Pixels)	1920x1080

	LED Backlit	Yes
	TCO Compliance for Monitor	NA
	Colour Gamut	72sRGB
	Monitor Stand	NA
Power	Maximum Power (Watts)	1200
	Minimum Power Efficiency (%)	80
	Power Management Unit	Yes
	Redundant Power Supply	No
Input Devices	Mouse Connectivity, If available	Wired
	Type of Mouse, If available	Optical Scroll
	Keyboard Connectivity, if available	Wired
	Type of Keyboard, if available	Standard
	Type of Keyboard in case of Mobile Workstation	NA
Generic	Optical Drive	DVD R/W
	Security	NA
	Availability of Bundled Software	No
	Type of Bundled Software	Operating System
	High speed Low Latency Network	No
	Interconnect Speed (Gbps)	56
Certification	BIS Registration under CRS of Meity (Requisite certificate may be furnished as and when demanded by the buyer)	Yes
	BIS Registration Number and its Validity	R-91001422, Valid
	ROHS Compliance	Yes
	Other Certification Available (Requisite certificate may be furnished as and when demanded by the buyer)	NA
Operating Conditions	Minimum Operating Temperature (Degree C)	10
	Maximum Operating Temperature (DEgree C)	35
	Minimum Operating Humidity (%RH)	25
	Maximum Operating Humidity (%RH)	75
Applications	Weather - Atmospheric and Ocean Modeling	NA
	Bio-informatics	NA
	Molecular Dynamics	NA
	Quantum Chemistry	NA
	CFD- Computational Fluid Dynamics	NA
	Material Science	NA
	Visualization Tools	NA
	Supporting Libraries (to be provided)	cuDNN
	Software Development Kit (To be provided)	NA
	GPU Development tools (To be Provided)	NA
	Framework (To be provided)	NA
	Schedular_Resource Management	

	Engine	NA
	Integrated HPC Software for Engineering	NA
	Tools and Compilers	Intel MKL,
	Application Support (Year)	1
Services and Warranty	HPC Services	The OEM / SI / Sellers should have capability in porting of the scientific and engineering High Performance Computing (HPC) and Deep Learning (DL) applications on the system. The OEM/SI /Sellers should also provide performance optimization services for the HPC applications deployed on the system at users end,Optimised Software Eco-system
	On Site OEM Warranty (Year)	3

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक	Advisory Bank :	IDBI Bank
ईपीबीजी प्रतिशत (%)	ePBG Percentage(%):	5.00

बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा |The bidder shall furnish ePBG as applicable as per bid's terms and conditions

नियम और शर्तें|Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 *Generic*:
OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 *Scope of Supply*:
Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

2.3 *Buyer Added Bid Specific ATC*:
Buyer uploaded ATC document Click here to view the file .

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.