

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687773773016

अनुबंध तिथि | Generated Date : 20-Feb-2024

| संगठन विवरण   Organisation Details   | खरीदार विवरण   Buyer Details  |
|--|---|
| प्रकार   Type : Central Government<br>मंत्रालय   Ministry : Ministry of Personnel Public Grievances and Pensions<br>विभाग   Department : Department of Personnel and Training<br>संगठन का नाम   Organisation Name : Admin DoPT<br>कार्यालय क्षेत्र   Office Zone : North Block New Delhi | पद   Designation : ASO1<br>संपर्क नंबर   Contact No. : 011-23040369-<br>ईमेल आईडी   Email ID : naveen.verma89@gov.in<br>जीएसटीआईएन   GSTIN : 07AAAGD0884L1ZA<br>पता   Address : Room No.5A, DoPT, North Block, New Delhi-110001, NEW DELHI, DELHI-110001, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail  | भुगतान प्राधिकरण विवरण   Paying Authority Details   |
|---|---|
| आईएफडी सहमति   IFD Concurrence : Yes<br>प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : HOD<br>वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : HOD | Role: DDO<br>भुगतान का तरीका   Payment Mode: PFMS<br>पद   Designation : SECTION OFFICER<br>ईमेल आईडी   Email ID : socash@nic.in<br>जीएसटीआईएन   GSTIN : N<br>पता   Address: Room No.5A, DoPT, North Block, New Delhi-110001, NEW DELHI, DELHI-110001, India |

| विक्रेता विवरण   Seller Details   |
|---|
| जेम विक्रेता आईडी   GeM Seller ID : 14F7180000094055<br>कंपनी का नाम   Company Name : SUNIL KUMAR<br>संपर्क नंबर   Contact No. : 09990680765<br>ईमेल आईडी   Email ID : skn_gulati@yahoo.co.in<br>पता   Address : H NO 88A, MARBAL MARKET, MANSROVER GARDEN, New Delhi, DELHI-110015, -<br>एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-DL-01-0003686<br>एमएसई सामाजिक श्रेणी   MSE Social Category : General<br>एमएसई लिंग श्रेणी   MSE Gender : Male<br>जीएसटीआईएन   GSTIN: 07AAGPG6430L1ZO |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण   Product Details               |   |                               |             |                                     |   |   |
|--|---|-------------------------------|-------------|-------------------------------------|---|---|
| #  | आइटम विवरण   Item Description   | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1  | उत्पाद का नाम   Product Name : GEZE Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)<br>ब्रांड   Brand : GEZE<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : HYDRAULICALLY REGULATED DOOR CLOSERS (Q3)<br>मॉडल   Model: TS 2000V DOOR CLOSER<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 10                            | pieces      | 1,498                               | NA                                      | 14,980  |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |   |                               |             |                                     |   | 14,980  |

| परोक्षी विवरण   Consignee Detail |   |   |                    |                   |   |  |
|----------------------------------|---|---|--------------------|-------------------|---|--|
| क्र.सं.   S.No                   | परोक्षी   Consignee   | वस्तु   Item  | लॉट नंबर   Lot No. | मात्रा   Quantity | दिलीवरी के बाद डििलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
|                                  | पद   Designation : ASO1<br>ईमेल आईडी   Email ID : naveen.verma89@gov.in<br>संपर्क   Contact : 011-23040369- | GEZE Universal Closer (suitable for both anti-clockwise and clockwise |                    |                   |   |  |

|   |  |  |   |    |             |             |
|---|--|--|---|----|-------------|-------------|
| 1   | जीएसटीआईएन   GSTIN : 07AAAGD0884L1ZA<br>पता   Address : Room No.5A, DoPT, North Block, New Delhi-110001,<br>NEW DELHI, DELHI-110001, India | doors without any<br>change in the parts of<br>closer)   | - | 10 | 20-Feb-2024 | 06-Mar-2024 |
| <b>Product Specification for GEZE Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)</b> |  |  |   |    |             |             |
| <b>विनिर्देश   Specification</b>  | <b>उप-विनिर्देश   Sub-Spec</b>   | <b>मूल्य   Value</b>   |   |    |             |             |
| GENERIC   | Specification for Door closers   | Conforming to IS 3564 – As amended upto date : attached at QR/Spcn   |   |    |             |             |
|   | Configuration  | Exposed type hydraulically regulated door closers for vertical hinge type doors opening to one side only and not weighing more than 80 kgs                                 |   |    |             |             |
|   | Types of door closers  | Tubular type (Type B)- As per Fig. 3 and 4 of governing specification  |   |    |             |             |
|   | Main components of door closers  | As mention in Fig. 1,3 and 4 of governing specification  |   |    |             |             |
|   | Nominal sizes of door closers  | Designation of closer: 3 – for main doors in a building such as entrance doors (Mass of door 61 to 80 Kgs  |   |    |             |             |
|   | Scope of supply  | Knocked Down to be Assembled at Consignee Site by Consignee Himself  |   |    |             |             |
|   | Accessories –must be supplied with each closer   | One fitting key or a suitable spanner for adjusting the spring valve and regulating screw alongwith leaflet furnishing instructions for installation                       |   |    |             |             |
|   | Type of Closer (based on direction of the opening of door)   | Universal Closer (suitable for both anti-clockwise and clockwise doors without any change in the parts of closer)  |   |    |             |             |
|   | Closing time of regulating screw   | 15 Secs  |   |    |             |             |
|   | Hydraulic oil filling shall work   | Satisfactorily (at all temperature between 50 degree Centigrade and (-) 10 Degree Centigrade without requiring any change except adjustment of the regulating screw        |   |    |             |             |
|   | Checking of performance requirements   | After 15 Minutes of its conditioning – at the range of test the closer shall show no defects or leakage of oil   |   |    |             |             |
|   | Profile use for Fitting Main arm to Shaft  | By a nut and a washer  |   |    |             |             |
|   | Provision for securely fixing the door closer  | To the door frame and to the door panel  |   |    |             |             |
|   | Provision for carrying out repairs - such as replacement of broken spring, oil seal etc  | Nut / Top Lid of the assembly shall be fixed firmly on to the body and its shall be possible to remove the same whenever necessary   |   |    |             |             |
|   | Capability of closer to regulate the speed   | By extending spring or adjustment in control valve screw   |   |    |             |             |
| MATERIAL FOR<br>COMONENT PARTS  | Non-porous body and back plate   | Cast iron confmg. to IS 210 : latest   |   |    |             |             |
|   | Torsion spring helcal spring   | Steel confmg. to IS 4454 (PART 2) : latest   |   |    |             |             |
|   | Nuts   | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Piston or Rack-piston/pinion   | Steel aluminium alloy confmg. to IS 7283 : latest  |   |    |             |             |
|   | Packing / Washers  | Cork sheet confmg. to IS 4253 (Part 1) : latest  |   |    |             |             |
|   | Control valve screw  | Steel confmg. to Grade A of IS 2062 : latest   |   |    |             |             |
|   | All weather resistant homogeneous high viscosity hydraulic fluid   | Hydraulic Oil confmg. to IS 3098 : latest  |   |    |             |             |
|   | Adjusting Arm  | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Main Arm   | Aluminium alloy confmg. to IS 617 : latest   |   |    |             |             |
|   | Clamp  | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Concentric ratchet (For bottle type)   | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Eccentric shaft  | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Internal bearing and gland   | Cast iron confmg. to IS 210 : latest   |   |    |             |             |
|   | Main arm bolt  | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Top nut  | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Pawl   | Steel confmg. to IS 7283 : latest  |   |    |             |             |
|   | Top lid  | Steel sheet confmg. to IS 513 : latest   |   |    |             |             |
| FINISHING   | Finish of door closer  | Be anodized and thickness of anodic coating shall not be less then Grade AC 15 of IS 1868 - Latest (In case of aluminium body)   |   |    |             |             |
|   | Finish of mild steel parts   | As per Clouse 9.2.1 and 9.2.2 of governing specification   |   |    |             |             |
| MARKING   | Marking on each closer   | Manufacturer's name or trade-mark - Right closer - left closer - universal closer - 'R' - 'L' - 'U' respectively - Size of the closer - Type of the closer - Serial number |   |    |             |             |
| PACKING   | Packing  | Packed in individual card board with reinforcing board / straw – to prevent damage to painting   |   |    |             |             |
| WARRANTY  | Warranty period  | 1 – Year   |   |    |             |             |

|   |  |   |
|---|--|---|
| CERTIFICATION   | Criteria for conformity – for construction – finish – dimension – Interchangeability of parts and performance test   | As per clause 14.3 of governing specification |
|   | ISI Mark   | No  |
|   | BIS Licence No (Write NA if not applicable)  | NA  |
|   | Test reports in respect of to be furnished to buyer's on demand  | Yes   |
|   | OEM of offered product is ISO 9001:2015 certified  | No  |
|   | OEM of offered product is ISO 14001:2015 certified   | No  |
|   | OEM of offered product is ISO 18001:2007 certified   | No  |
| <p><b>टिप्पणी   Note::</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p> |  |   |
| <p><b>विक्रेता विशिष्टता दस्तावेज़   Seller Specification Document:</b></p>   |  |   |
| 1. <a href="#">Applicable Specification Document</a>  | mkp.gem.gov.in/uploaded_documents/cms/tp/home_stru_door_door_hydr/51/16/877/CategorySchema/q_r_spcn_document/2019/2/22/is-3564-1995_2019-02-22-10-32-55_b31546a45ff9e6af3dd29db1f478fe16.pdf |   |
| <p><b>ईपीबीजी विवरण   ePBG Detail</b></p>   |  |   |
| <p>NA</p>   |  |   |
| <p><b>नियम और शर्तें   Terms and Conditions</b></p>   |  |   |
| <p><b>1. General Terms and Conditions-</b></p> <p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>           |  |   |
| <p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>   |  |   |