

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687789824836

अनुबंध तिथि | Generated Date : 20-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	State Government	पद Designation :	aighq
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	522-2455155-
विभाग Department :	Prisons Administration and Reforms Department Uttar Pradesh	ईमेल आईडी Email ID :	buycon1.pard.lko@gembuyer.in
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	Prisons Administration and Reform Department UP	पता Address :	Headquarter, Prisons Administration and Reform Services, Uttar Pradesh, Karagar Bhawan, Old Jail Road, Lucknow, LUCKNOW, UTTAR PRADESH-226006, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER
प्रशासनिक अनुमोदन का पदनाम	IG PRISONS	भुगतान का तरीका	Offline
Designation of Administrative Approval:	IG PRISONS	Payment Mode:	
वित्तीय अनुमोदन का पदनाम	IG PRISONS	पद Designation :	aighq
Designation of Financial Approval :		ईमेल आईडी Email ID :	buycon1.pard.lko@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	Headquarter, Prisons Administration and Reform Services, Uttar Pradesh, Karagar Bhawan, Old Jail Road, Lucknow, Lucknow, UTTAR PRADESH-226006, India

विक्रेता विवरण Seller Details	
जेम विक्रेता आईडी GeM Seller ID :	5849180000580138
कंपनी का नाम Company Name :	SAI ASSOCIATES
संपर्क नंबर Contact No. :	09452303838
ईमेल आईडी Email ID :	saiassociates1@gmail.com
पता Address :	CIVIL LINES,deoria,Deoria, Deoria, UTTAR PRADESH-274001, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-21-0017137
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Male
जीएसटीआईएन GSTIN:	09APFPT1160E1ZZ

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश Delivery Instructions : NA	
--	--

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Single Speed Agriculture rotavator ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM केसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भाँग Category Name & Quadrant : Agriculture rotavator (Q3) मॉडल Model: 2022 एचएसएन कोड HSN Code: HSN not specified by seller	3	pieces	134,998	NA	404,994
कुल और मूल्य Total Order Value (in INR)						404,994

परेष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परेष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : aighq ईमेल आईडी Email ID : buycon1.pard.lko@gembuyer.in संपर्क Contact : 522-2455155-					

1	जीएसटीआईएन GSTIN : - पता Address : Headquarter, Prisons Administration and Reform Services, Uttar Pradesh, Karagar Bhawan, Old Jail Road, Lucknow., LUCKNOW, UTTAR PRADESH-226006, India	Unbranded Single Speed Agriculture rotavator	-	3	20-Feb-2024	06-Mar-2024
Product Specification for Unbranded Single Speed Agriculture rotavator						
विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value				
Performance Parameters	Purpose	It is used to as primary cum secondary tillage implement which help to conserve previous soil moisture and pulverises soil up-to 6 inches of depth or more.				
	Facility of tractor PTO operated mechanism for Rotavator	Yes				
	Type of hitch attachment/Linkage	3-point linkage				
	Power range which can be utilized to operate Rotavator	35 hp to 40 hp,40 hp to 50 hp,50 hp to 60 hp				
	Type of gear box used	Single Speed				
	Type of Side Transmission Drive	Gear Drive				
	Types of gear used	Spur				
	Number of chain drive used	NA				
	Availability of chain/Gear cover part for safety	Yes				
	PTO speed required in rpm	540				
	Rotor Speed in rpm (with ± 10 rpm tolerance)	175				
	Shape of Cutting Blade	L-Shape				
	Type of cutting edge of blade	Plane				
	Hardness of Edge portion	55 to 59 HRC				
	Hardness on Shank portion	37 to 45 HRC				
	Total number of blade on rotor	48				
	Number of blade per Flange	6				
	Cutter Blade should be Dynamically balanced	Yes				
	Number of flange in rotor shaft	8				
	Types of bearing used	Roller				
	Make of bearing	NBC				
	Agriculture Rotavator shall be capable to tillage both wet and dry soil land	Yes				
	Availability of Adjustable Depth Skids	Yes				
	Availability of Offset Adjustable frame	Yes				
	Safety clutch/Device (Shear Bolt) in PTO shaft shall be provided	Yes				
	Rotavator Stand shall be provided	Yes				
	Rotavator Shield to prevent flying of mud & stone shall be provided	Yes				
	Facility Side Disc assembly	Yes				
	Guard over propeller shaft shall be provided	Yes				
	Availability of lubrication system	Yes				
	Rotavator primary reduction gear/gearbox,Secondary reduction gear/gearbox, Rotary axle bearing shall be with effective sealing to protect from dust &Water(No ingress of mud & Water into them)	Yes				
	Marking/labeling of rotavator shall be mention	Yes				
	Warranty in years	1				
	Rotavator should have minimum vibration during operation	Yes				
	Noise level of rotavator in db on full load	0				
	Number of Spare Blades for Rotavator	15				
	Rotavator frame and Blades must be Rust Proof	Yes				
	Product instruction manual shall be supplied	Yes				
	Standard Tool Kit for maintanance and Trouble Shooting to be provided with Machine	Yes				
	Demonstration of equipment and training to be provided after completing supplies before Acceptance	Yes				

Material and Dimensional Parameters	Material of frame of rotavator	MS
	Diameter of rotar shaft in mm (with ± 2 mm tolerance)	85
	Rotor Diameter (including flange & blade mounted on flange) in mm	430
	Material for Cutting Blade	Boron(28MnCrB5)
	Cutting Blade thickness in mm	12
	Cutting blade width in mm	100
	Orientation of blade in degree	45
	Length of blade along the flange in mm	165
	Length of blade along the rotor shaft in mm	125
	Distance between consecutive flanges in mm(with ± 2 mm tolerance)	220
	Working width by rotavator in inches	48
	Working depth by rotavator in inches	8
	Depth of puddle in wet land operation in mm	150
	Dimensions of 3-point attachment of rotavator as per IS:4468 (part-1) 1997 Standard	Yes
	Size of rotavator (Lx W x H) in inches	84 X 40 X 50
	Weight of Rotavator in Kg	300
Reports	Availability of ISO certification of manufacturer	No
	ISO certification Number & issued date, If ISO certificate not available then put NA	NA
	Certifications to be furnished to buyer on demand at time of supplies	NA

टिप्पणी| Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.