

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687784593164

अनुबंध तिथि | Generated Date : 20-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4536013](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : State Government	पद   Designation : Data Entry Operator
मंत्रालय   Ministry : -	संपर्क नंबर   Contact No. : 01786-222922-222213
विभाग   Department : Health and Family Welfare Department Himachal Pradesh	ईमेल आईडी   Email ID : buycon1.hfw.kinnaur@gembuyer.in
संगठन का नाम   Organisation Name : N/A	जीएसटीआईएन   GSTIN : -
कार्यालय क्षेत्र   Office Zone: Cmo Kinnaur	पता   Address : Block No. 2 CMO Office District Kinnaur, KINNAUR, HIMACHAL PRADESH-172107, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No	Role: CONSIGNEE
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: CHIEF MEDICAL OFFICER	
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: CHIEF MEDICAL OFFICER	

विक्रेता विवरण   Seller Details	
जेम विक्रेता आईडी   GeM Seller ID : B011180000112105	
कंपनी का नाम   Company Name : WARSİ MEDICO SYSTEMS AND SERVICES	
संपर्क नंबर   Contact No. : 09997999610	
ईमेल आईडी   Email ID : WARSİIMPEX786@GMAIL.COM	
पता   Address : 10/122,KATRA MADARI KHAN,MOTI KATRA, Agra,AGRA, UTTAR PRADESH-282003, -	
एमएसएमई सत्यापित   MSME verified : No	
एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-UP-01-0001786	
एमएसई सामाजिक श्रेणी   MSE Social Category : OBC	
एमएसई लिंग श्रेणी   MSE Gender : Male	
जीएसटीआईएन   GSTIN: 09AAIPI3165L1ZE	

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : ABM ECG Machine 12 Channel ब्रांड   Brand : ABM ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Electrocardiography (ECG) Machine (V2) (Q2) मॉडल   Model: ECG-12I एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	66,528	NA	66,528
2	उत्पाद का नाम   Product Name : ICT charges for Electrocardiography (ECG) Machine (V2) ब्रांड   Brand : NA ब्रांड प्रकार   Brand Type : Unbranded कैटलॉग की स्थिति   Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Addon Services for bid (Q3) मॉडल   Model: ICT एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	6,653	NA	6,653
कुल ऑर्डर मूल्य   Total Order Value (in INR)						73,181

परोक्षी विवरण   Consignee Detail	
	वितरण पूरा कब तक करना है   दिनांक के बाद डििलोवरी शुरू

क्र.सं.   S.No	प्रेषित   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	करना है   Delivery Start After	Delivery To Be Completed By
1	पद   Designation :- ईमेल आईडी   Email ID : buycon1.hfw.kinnaur@gembuyer.in संपर्क   Contact : 01786-222922-222213 जीएसटीआईएन   GSTIN :- पता   Address : Block No. 2 CMO Office District Kinnaur, KINNAUR, HIMACHAL PRADESH-172107, India	ABM ECG Machine 12 Channel	-	1	20-Feb-2024	12-Mar-2024

### Product Specification for ABM ECG Machine 12 Channel

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL FEATURES	Product Description	ECG Machine
	Purpose	An ECG is a noninvasive routine examination of the electrical activity of the heart that is used to reflect underlying heart conditions
PRODUCT INFORMATION	Operating modes of ECG Machine	Automatic, Manual and Rhythm
	ECG machine should have ECG lead annotation facility	Yes
	Leads which is in ECG machine should be able to acquire simultaneously and interpret them	12
	Number of channels	12 Channel
	ECG machine should acquire lead ECG for both adult and pediatric patients	Yes
	The ECG machine should have facility to show lead fail indication	No
	The ECG machine should have facility to show lead reversal indication	No
	The ECG machine should have facility to show the impedance to quality check of connection	No
	Acquisition time for ECG Machine in sec	10 sec
	Digital sampling rate for Pacemaker spike detection	NA
	Recording of digital sampling for pacemaker	NA
	ECG machine should have real time colour backlit display of ECG waveforms with signal qualify indication for each lead	Yes
	ECG machine should have frequency filters	Artifact, AC and low and high pass frequency filters
	Number of ECGs which can be store in ECG Machine	20 to 49
	ECG machine should have full screen preview of ECG report for quality assessment checks prior to print	Yes
	Type of inbuilt screen	LCD
	Size of screen in inches	7
	Display resolution of ECG machine in pixels	640 x 480
	ECG machine should have interpretation facility of the amplitudes, duration and morphologies of ECG waveforms and associated rhythm for adult and pediatric patient	Yes
	ECG machine should have alphanumeric keyboard for patient data entry	Virtual
Availability of latest interpretation software	Yes	
Wireless acquisition module with RF technology	No	
System should have the dedicated software to download the ECG form machine in PDF format	Yes	
PRINTER	Printer Type	Thermal Printer
	Recorder Paper Size	210 mm x 20 Meter
	Recorder Speed	5 mm/sec
	Resolution of digital array printer	200 dpi x 500 dpi
	Number of Thermal paper	500
	ECG machine report format	Report formats of 3x4, 6x2, Rhythm for up to selected leads, 12 lead extended measurement, 1 minute of continuous waveform data for 1 selected lead
	Provision of Battery	Yes
	Battery Type	Built in Rechargeable Battery
	Battery capacity of continuous rhythm recording on single charge (minutes)	30

BATTERY	Battery capacity	30 ECG or 30 minutes of continuous rhythm recording on single charge
	Connectivity to ECG Machine	LAN
	Storage on external portable memories	NA
	The individual patient lead should be change without replacing the whole patient cable assembly	Yes
ENVIRONNMENTS PARAMETERS	Operating temperature and humidity	Temperature of 10 to 40 degree Celsius and Relative Humidity of 15 to 90%
POWER SUPPLY	Power input	220-240 V AC, 50 Hz fitted with Indian plug
ACCESSORIES	ECG Machine 12 leads with interpretation	Not provided
	Patient Cable	Not provided
	Chest Electrodes Adult (set of Six)	Not provided
	Chest Electrodes Paediatric (set of Six)	Not provided
	Limb Electrodes	2 for adults and 2 for paediatric
	Power cable for charging	Yes
	Supplied with Clip electrode	No
	Compatible trolley provided	No
CERTIFICATION & REPORTS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes
	Availability of valid drug license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes
	Valid Drug License Number	NA
	Manufacturing unit certification	ISO:13485 (Latest)
	Additional voluntary certification available	CE
	Availability of Test Report for each supplied batch/product as per Medical Device Rules (MDR) 2017 as amended till date	Yes
	Compliance to Safety Standards	IS 13450:Part 2:Sec 25 / IEC 60601-2-25
	Submission of all necessary certifications, licenses and test reports to the buyer at the time of bid submission and/or along with supplies as per buyer requirement	Yes
WARRANTY	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3 year
ADDITIONAL REQUIREMENTS	Additional Requirements	NA
Miscellaneous Parameters	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	The Principal Manufacturer must have direct Presence/approved service center In India	Yes
	Installation and demonstration of equipment and training to be provided after completing supplies before acceptance	Yes
<b>उपरोक्त मद के लिए स्थापना कमीशनिंग और परीक्षण (आईसीटी) विवरण   Installation Commissioning and Testing (ICT) details for the above item::</b>		
% of Product Cost Payable on Product Delivery	70 %	
Min Cost Allocation for ICT as a % of product cost	10 %	
Number of days allowed for ICT after site readiness communication to seller	10 Days	
<b>ईपीबीजी विवरण   ePBG Detail</b>		
सलाहकार बैंक   Advisory Bank :		NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):		NA
<b>नियम और शर्तें   Terms and Conditions</b>		

## 1. Special terms and conditions- Version:1 effective from 23-08-2023

- 1.1
1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
  2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
  3. In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
  4. The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce the prices if there is any reduction in DPCO/NPPA ceiling price or price fixed by State Government, if any.
  5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.
  6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
  7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
  8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
  9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
  10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
  11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
  12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
  13. Software: All software updates should be provided free of cost during warranty period.

## 2. General Terms and Conditions-

- 2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

## 3. Buyer Added Bid Specific Terms and Conditions-

### 3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

### 3.2 OEM

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

### 3.3 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

### 3.4 Certificates:

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

### 3.5 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

### 3.6 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

**3.7 Warranty:**

Bidder / OEM has to give an undertaking that after expiry of warranty period, it will provide AMC Service for next 3 years for the offered products at the rate not more than 2 % of contract price per annum. Buyer reserves the right to enter into an AMC agreement ( covering preventive maintenance and servicing)with the Successful Bidder / OEM after expiry of the Warranty period at rate as mentioned above and the payment for the AMC charges would be made Annually after rendering of the AMC Services of the relevant AMC period. Performance Security of the successful bidder shall be forfeited if it fails to accept the AMC contract when called upon by the buyer. The original Performance Security of contract will be returned only after submission and verification of AMC Performance Security for 2% of total AMC value valid up to AMC period plus 2 months (if there is no other claim). (Undertaking of acceptance to be uploaded with bid).

**3.8 Warranty:**

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

**3.9 Warranty:**

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

पुर्जों / उपभोग्य सामग्रियों के लिए प्रस्तावित मूल्य | Price Offered for Spares / Consumables:

[पुर्जों / उपभोग्य सामग्रियों के दस्तावेज़ लिंक के लिए प्रस्तावित मूल्य | Price Offered for Spares / Consumables Document link](#)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.