

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687785691039

अनुबंध तिथि | Generated Date : 20-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4541177](#)

| संगठन विवरण   Organisation Details  | खरीदार विवरण   Buyer Details  |
|---|---|
| प्रकार   Type : State Local Bodies<br>मंत्रालय   Ministry : -<br>विभाग   Department : Urban Development Department Uttar Pradesh<br>संगठन का नाम   Organisation Name : N/A<br>कार्यालय क्षेत्र   Office Zone: Naga Palika Parishad Chitrakoot Karwi | पद   Designation : Kamala kant Shukla<br>संपर्क नंबर   Contact No. : 05180-224439-<br>ईमेल आईडी   Email ID : buycon1.npp.cktd@gembuyer.in<br>जीएसटीआईएन   GSTIN : -<br>पता   Address : Nagar Palika Parishad Chitrakoot dham Karwi, CHITRAKOOT, UTTAR PRADESH-210205, India |

| वित्तीय स्वीकृति विवरण   Financial Approval Detail   | भुगतान प्राधिकरण विवरण   Paying Authority Details   |
|--|---|
| आईएफडी सहमति   IFD Concurrence : No<br>प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: Executive Officer<br>वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: Executive Officer | Role: BUYER<br>भुगतान का तरीका   Payment Mode: Offline<br>पद   Designation : Kamala kant Shukla<br>ईमेल आईडी   Email ID : buycon1.npp.cktd@gembuyer.in<br>जीएसटीआईएन   GSTIN : -<br>पता   Address: Nagar Palika Parishad Chitrakoot dham Karwi, Chitrakoot, UTTAR PRADESH-210205, India |

| विक्रेता विवरण   Seller Details  |
|--|
| जेम विक्रेता आईडी   GeM Seller ID : BD52200001147621<br>कंपनी का नाम   Company Name : HRM CONTRACTOR & SUPPLIER<br>संपर्क नंबर   Contact No. : 07706974636<br>ईमेल आईडी   Email ID : hariramkewt7706974636@gmail.com<br>पता   Address : SECTOR 3,RATH ROAD ORAI, Jalaun, UTTAR PRADESH-285001, -<br>एमएसएमई पंजीकरण संख्या   MSME Registration number : -<br>जीएसटीआईएन   GSTIN: 09ANGPH2134R1ZN |

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

| उत्पाद विवरण   Product Details               |  |                               |             |                                     |   |   |
|--|--|-------------------------------|-------------|-------------------------------------|---|---|
| #  | आइटम विवरण   Item Description  | आइटम विवरण   Ordered Quantity | इकाई   Unit | इकाई मूल्य (INR)   Unit Price (INR) | कर विभाजन (INR)   Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR) |
| 1  | उत्पाद का नाम   Product Name : MSD ENTERPRISES 6-seater mobile toilet , trailer mounted, with each cubical of size 915mm X 915mm x 1980mm and overall length of 3955mm for 6-seater<br>ब्रांड   Brand : MSD ENTERPRISES<br>ब्रांड प्रकार   Brand Type : Registered Brand<br>कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM<br>कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM<br>श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Mobile Toilet (Q3)<br>मॉडल   Model: 6-seater mobile toilet-MSD ENTERPRISES-20<br>एचएसएन कोड   HSN Code: HSN not specified by seller | 2                             | pieces      | 729,800                             | NA                                      | 1,459,600   |
| कुल ऑर्डर मूल्य   Total Order Value (in INR) |  |                               |             |                                     |   | 1,459,600   |

| परोक्ष विवरण   Consignee Detail |   |   |                    |                   |  |  |
|---------------------------------|---|---|--------------------|-------------------|--|--|
| क्र.सं.   S.No                  | परोक्ष विवरण   Consignee  | वस्तु   Item  | लॉट नंबर   Lot No. | मात्रा   Quantity | दिलीवरी के बाद डिलीवरी शुरू करना है   Delivery Start After | वितरण पूरा कब तक करना है   Delivery To Be Completed By |
| 1                               | पद   Designation : -<br>ईमेल आईडी   Email ID : buycon1.npp.cktd@gembuyer.in<br>संपर्क   Contact : 05180-224439-<br>जीएसटीआईएन   GSTIN : - | MSD ENTERPRISES 6-seater mobile toilet , trailer mounted, with each cubical of size 915mm X 915mm x | -                  | 2                 | 20-Feb-2024  | 06-Mar-2024  |

पता | Address : Nagar Palika Parishad Chitrakoot dham Karwi,  
CHITRAKOOT, UTTAR PRADESH-210205, India

1980mm and overall  
length of 3955mm for 6-  
seater

**Product Specification for MSD ENTERPRISES 6-seater mobile toilet , trailer mounted, with each cubical of size 915mm X 915mm x 1980mm and overall length of 3955mm for 6-seater**

| विनिर्देश   Specification   | उप-विनिर्देश   Sub-Spec   | मूल्य   Value   |
|-----------------------------|---|---|
| GENERIC                     | Mode of Supply  | Assembled Ready To Use  |
|                             | Number of Compartments  | 6-seater mobile toilet  |
|                             | Type of WC  | Indian with steel base  |
|                             | Number of WC  | 6   |
|                             | Number of Bathrooms   | 0   |
|                             | Number of Urinals   | 0   |
|                             | Water facility  | By mean of overhead tank(Capacity 1000Ltrs)   |
|                             | Wash basin  | 2 Nos. outside the Unit with common facility  |
|                             | Sewage facility   | Sludge tank (capacity-600ltrs) with 100mm outlet facility through butterfly valve and hose pipe(For 6-seater)   |
|                             | ventilation   | One No.   |
|                             | Top(roof) shape   | Slanting/tapper   |
|                             | Projection of Roof  | 50mm projection on all the four sides(slanting shape)   |
|                             | Installation and commissioning  | To be done by seller  |
|                             | Plumbing and Sanitation fitting connections                             | To be done by seller  |
|                             | Electrical connections  | To be done by seller  |
|                             | Waste extraction fitting  | To be done by seller  |
| Civil foundation            | No foundation required  |   |
| TRAILER STRUCTURAL MATERIAL | Trailer frame(Chassis) material with support material including pathway | 100mm X 50mm C-channel MS - 75mm X 37.5mm C-channel MS - 40mm X 40mm X 5mm (thick) MS angle - 40mm X 40mm X 5mm (thick) MS Tee - 35mm X 35mm X 5mm (thick) MS angle and 25mm X 25mm X 3mm (thick) MS angle for 4-seater/6-seater/8-seater and 10-seater |
|                             | Railing material  | 38mm X 25mm MS pipe of thickness 1.2-1.5mm (for 4-seater, 6-seater, 8-seater & 10-seater)   |
|                             | Trailer understructure  | Spring leaves 710mm with 9 leaves for 4-seater and 6-seater   |
|                             | Turn table/rotor  | 100mm X 50mm MS channel and 10mm thick MS plate plus spring ply 40mm X 5mm  |
|                             | Pathway passage/slide platform  | Aluminum chequered sheet having width of 455mm  |
|                             | Stairs frame material   | 35mm x 35mm X 5mm MS angle and 25mm x 25mm x 3mm MS angle with 25mm x 3mm MS Flat   |
|                             | Stairs size   | 710mm X 230mm having 4-step for 1420mm Height and 735mm width stair   |
|                             | Locking   | Locking pins to be provided for lock the platform   |
|                             | Tow bar   | Made of 100 X 50 mm channel section with easy detachable and connect with turn table  |
| FRAME MATERIAL              | Side panel frame material   | 35mm X 35mm X 5mm(thick) ,25mm X 25mm X 3mm(thick) MS angle (for 4-seater/6-seater/8-seater & 10-seater)  |
|                             | Top(roof) frame material  | 40mm X 40mm X 5mm(thick) ,35mm X 35mm X 5mm(thick),25mm X 25mm X 3mm(thick) MS angle  |
|                             | Top(roof) support frame structure                                       | 40mm X 5mm(thick),35mm X 5mm(thick),25mm X 3mm(thick) MS flat   |
|                             | Partition frame material  | 35mm X 35mm X 5mm(thick),25mm X 25 mm X 3mm(thick) MS angle   |
|                             | Ventilation frame material  | 25mm X 25mm X 3mm(thick) flat MS  |
|                             | Door frame material   | 50mm X 25mm of 14-16gauge rectangular MS hollow pipe  |
|                             | Support material for Door panel fixing                                  | Aluminium U-channel of 18gauge  |
|                             | Door hinges(two numbers)  | 75mm size with 1.2-1.5mm thickness MS   |
|                             | Tank holder frame material  | 25mm X 3mm (thick) MS flat  |
| PANEL MATERIAL              | Side panel material   | 18 gauge MS sheet   |
|                             | Top(Roof) panel material  | 2mm thick FRP translucent sheet   |
|                             | Door panel material   | Outside paneling of 18 gauge aluminum sheet(corrugated sheet)   |
|                             | partition panel material  | 5mm thick ply core sandwich with 1mm thick FRP from both sides(5+1+1mm)   |

|  |  |  |
|--|--|--|
|  | Floor material                                     | 5mm thick FRP material   |
| DIMENSION  | Size of each cubical(LXWXH) ± 25mm                 | 915mm X 915mm x 1980mm   |
|  | Door size(WxH) ± 20mm                              | 585mm x 1830mm   |
|  | Ventilation size(WXH) ± 10mm                       | 650mm X 40mm   |
|  | Partition height ± 20mm                            | 1830mm   |
|  | Single pan size ± 10mm                             | As per buyer's choice  |
|  | Overall Length(mm) ± 25mm                          | 3955mm for 6-seater  |
|  | Overall Width including pathway(mm) ± 25mm         | 2700mm for 4/6/8 and 10-seater   |
|  | Total height ± 25mm                                | 3155mm   |
| SEWAGE SUCTION UNIT                                      | Capacity of sewage suction unit                    | 4000Ltr  |
|  | Length of sewage suction unit ± 25mm               | 2740mm for 4000Ltr   |
|  | Width of sewage suction unit ± 15mm                | 1830mm for 4000Ltr, 5000Ltr and 6000Ltr  |
|  | Capsule Diameter                                   | 1525mm   |
|  | Capsule Thickness                                  | 5mm round and 6mm Front and Back   |
|  | Chassis size of sewage suction unit                | 205mm x 75mm   |
|  | Suction pump                                       | of 4 HP to 5 HP  |
|  | Valve for sewage suction unit                      | Butterfly valve of 100mm   |
|  | Axle for sewage suction unit                       | 89mm x 1675mm for 4000ltr capacity   |
|  | Tyres for sewage suction unit                      | Two nos. of size 9.00 x 20ply for 4000ltrs.  |
|  | Spring leaves for sewage suction unit              | Two nos. of size 914mm with 13 leaves in each for 4000ltrs.  |
| MISC   | Door locking bolts                                 | Size 100mm of MS   |
|  | Tower bolt locking                                 | Tower bolt of MS size 75mm   |
|  | Overhead Tank material                             | made of double layer HDPE sheet  |
|  | Wash basin material                                | made of SS 304   |
|  | WC material  | made of SS 304   |
|  | Towel rail/ring                                    | made of plastic  |
|  | Cloth hook   | made of SS 304   |
|  | P-trap material                                    | made of HDPE(75mm)   |
|  | Footrest(WC) material                              | made of SS 304 integrated with Indian WC and floor   |
|  | Sewage tank material                               | Sludge tank made of FRP 4mm(for 4-seater/6-seater/8-seater & 10-seater)  |
|  | Mirror size  | 380mm X 255mm  |
|  | Electric provision                                 | By mean of connection from external supply   |
|  | Sewage provision                                   | Connected to septic tank   |
|  | Level indicator provision                          | N.A  |
|  | Water supply connection                            | UPVC pipe connection with all toilet interconnecting   |
|  | Seat cistern fitting                               | By PVC flush pipe to toilet seat   |
|  | Soap stand   | Plastic made Size:125 X 75 mm  |
|  | Tap material                                       | HDPE push cock   |
|  | Base floor surface                                 | N.A  |
|  | Trailer Movement facility                          | Two axle of 50mm X 50mm X 1828mm with 4-tyres of size 6.00 X 16 with hubs and bearings for 4-seater and 6-seater |
|  | Provision for vent pipe                            | N.A  |
|  | Water mug(standard size)                           | Plastic made   |
|  | Electric point                                     | 1 No. electric point to be provided in all toilet 2 watt LED   |
| Stand provision to keep mobile toilet in static position | To keep safe Tyre, Tube, rim and their maintenance |  |

|                 |   |                       |
|-----------------|---|-----------------------|
| COLOUR & FINISH | Colour of cabin                                   | As per buyer's choice |
|                 | Finish  | With Primer and Paint |
| CERTIFICATION   | Test reports to be furnished to buyer's on demand | YES                   |
|                 | OEM of offered product is ISO 9001:2015 certified | YES                   |
| WARRANTY        | Warranty period in number of years                | 1                     |

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

### ईपीबीजी विवरण | ePBG Detail

|   |    |
|---|----|
| सलाहकार बैंक   Advisory Bank :            | NA |
| ईपीबीजी प्रतिशत (%)   ePBG Percentage(%): | NA |

### नियम और शर्तें | Terms and Conditions

#### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

#### 2. Buyer Added Bid Specific Terms and Conditions-

##### 2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

##### 2.2 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

- The words "Nagar Palika Parishad, CHITRAKOOT DHAM KARWI", "NPP CHITRAKOOT DHAM KARWI", or "Employer" or "employer" mentioned in the NIT shall mean explicitly /implicitly Nagar Palika Parishad, CHITRAKOOT DHAM KARWI, represented through its "Executive Officers" and shall also mean other official(s) concerned of NPP CHITRAKOOT DHAM KARWI, Uttar Pradesh formally or informally declared/advised/instructed by Executive Officers to act and perform the duties of NPP CHITRAKOOT DHAM KARWI behalf of, Executive Officers" for any parts(s)/Portion(s) of the work or for the whole work. The word, NPP CHITRAKOOT DHAM KARWI shall also mean the various Technical Committees of NPP CHITRAKOOT DHAM KARWI, Uttar Pradesh.
- After the tender is finalized and accepted the words/ expression; selected Bidder, selected Contractor, selected Agency, Contractor, Successful bidder mentioned in this NIT shall have the same meaning and shall ordinarily mean/be understood as "contractor".
- The words, Contract/ Agreement appearing in this NIT shall mean agreement.
- The word "Work" includes the deliverables by the contractor during the defect liability period of 365 days from the date of completion of the original works.
- Clarification(s) on other terminologies, if any required, shall be issued as and when necessary.
- "Last three financial years" means FY 2020-21, 2021-22, 2022-23
- Similar type Work" means manufacturing and supply of Mobile Toilet, Mini Jetting Machine, Hand Cart, Truck Mounted Dumper, Community Bin.
- All pages in the Technical Bid should be sequentially.
- Any document / credential submitted without signature of authorized persons will not be

considered for evaluation.

10. The complete Chassis will be supplied by the bidder along with Insurance, temporary & Permanent RTO Registration in favor of, Executive officer, Nagar Palika Parishad, CHITRAKOOT DHAM KARWI for which no extra payment will be made and is inclusive of the quoted rate by the bidder.

11. Bids with conditions are liable for rejection.

12. Warranty - The goods supplied should be covered under warranty for a period of not less than 12 months, from the date of handing over /supply of Equipment's whichever is earlier for manufacturing process or assembly or material defect on a combination of any or all of the above.

13. The Successful bidder should submit the detailed drawing & Quality Assurance plan within 05 days by Award of Contract.

14. The Material (Mobile Toilet, Mini Jetting Machine, Hand Cart, Truck Mounted Dumper, Community Bin) should be delivered within 60 days from approval of Quality Assurance plan & Drawing by Nagar Palika Parishad, CHITRAKOOT DHAM KARWI.

Eligibility criteria (Technical and Financial) for the Bidders intending to participate, Bidder shall fulfill the following Eligibility Criteria:

Tenderer will have to upload the following documents to qualify for the

technical bid:

1. GST Registration

2. PAN Card

3. Last Three-month GST Return Copy.

4. Bidders can also submit the EMD through DD/FDR/ Fixed Deposit Receipt made out or pledged in the name of Executive Officer, Nagar Palika Parishad Chitrakoot Dham karwi. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of original hardcopy to Nagar Palika parishad Chitrakoot Dham karwi before Bid End date is Mandatory.

5. Annexure - I- Certificate of Non-Relationship.

6. Annexure - II - Notarized Affidavit by the bidder stating that the Bidding firm & its Director/Partner s/owners has not been Black listed & no any pending blacklisting court pending cases with any Central/State Government Authority/ Department as on bid effecting dates.

7. Annexure - III - Technical Bid Submission Letter

8. The Bidder should submit a valid authorization for body building after sales & service support from chassis OEM for in favor of Executive officer, Nagar Palika Parishad, CHITRAKOOT DHAM KARWI . OEM Certificate along with details such as name, designation, address, email id and phone no bid no required to be furnished along with the bid.

9. The Bidder should have ISO 9001:2015 (Quality Management System), ISO 14001:2015 (Environment Management System) ISO 45001:2018 (Occupational Health, Safety Management System), ISO 31001:2018 (Risk Management), ISO 3834 2:2021 (Quality Requirement for Fusion Welding) & ISO for Goods Manufacturing Practice certification by IAF Approved bodies.

10. Mobile Toilet should be Properly Painted and written of Nagar Palika Parishad Chitrakootdham.

11. Bidders should have an Average Annual Turnover of value not less than 50% of Bid estimated value during last three financial years. A Turnover Certificate issued by Chartered account with mentioning UDIN, Balance Sheet & Profit & Loss Statement to be attached.

12. The equipment offered shall be with a Minimum local content of 50% (Class-I) as per Government order No. P-45021/2/2017-PP dated 16.09.2020. The Bidders shall upload component wise documentary evidence for local content of minimum 50% (manufactured within India) under MAKE IN INDIA by self-certification/ undertaking that the equipment offered meets the required local content

13. Availability of spare-parts of the vehicles/machineries including spare-parts of the hydraulic an

d pneumatic systems must be assured for minimum 10 years. Undertaking in this regard must be submitted by the bidder along with the bid.

14. Bidder financial standing: - The bidder should not be under liquidation court receivership or similar proceeding should not be bankrupt. Bidder to upload undertaking to this effect with bid date.

15. Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regard GST reimbursement will be as per actual or as per applicable rates (whichever is lower). Subject to the maximum or quoted GST%.

16. Warranty period of the supplied products shall be start from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of

8 / 10

supply) at consignee location, OEM warranty certificates must be submitted by successful bidder at the time of delivery of goods. The seller should guarantee the rectification of goods in case of any break down during the warranty period. Seller should have well established installation, commissioning training trouble shooting and maintenance service group in India for attending after sales services.

17. Dedicated/Toll free telephone no for service support: Bidder/ OEM must have dedicated/Toll free telephone no for service support.

18. Data sheet of the products & Vehicle catalogue offered chassis in the bid are to be uploaded along with the bid documents. Buyer can match and verify the data sheet with the product specifications offered. In case of any un-explained miss-matched of technical parameters the bid is liable for rejection.

19. Imported products: - in case of the imported product, OEM or authorized seller of OEM should have registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

20. Installation commissioning testing configuration training of any whichever is applicable as per scope of supply is to be carried out by OEM/OEM certificate resource or OEM authorized re-seller.

21. Option clause:- The purchaser reserve the right to increase or decrease the quantity to be ordered up to 25% of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% for contacted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

22. Scope of supply (Bid price to include all cost components): Supply installation testing commissioning of goods and training of operators and providing statutory clearances required (If any).

23. Successful bidder will have to ensure that adequate number of dedicated technical service personnel/engineers are designated / deployed for attending to the service request in the time bound manner and for ensuring timely servicing / rectification of defects during warranty period, as per service level agreement indicated in the relevant clause of the bid.

24. The successful bidder has to supply all essential accessories required for the successful installation and commissioning of the goods supplied. Besides standard accessories as per normal industry practice following accessories must be part of supply and cost should be included in bid price: COST SHOULD BE INCLUSIVE OF ALL.

25. Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the bid documents. ATC and corrigendum if any.

26. Purchaser reserves the right to cancel / scrap the GEM e-bid without assigning any reason at any stage.

27. For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria

a) Purchase order copy along with invoice with self-certification by the bidder that supplied against the invoice have been executed.

b) Executed certificate by client with order value.

c) Any other document in support of order execution like third party inspection release note etc.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.