

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687744442831

अनुबंध तिथि | Generated Date : 20-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	PHARMACY			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	02633-242044-0000			
विभाग Department :	Health & Family Welfare Department Gujarat	ईमेल आईडी Email ID :	ms-health-dhpharma@gujarat.gov.in			
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	STATE HOSPITAL DHARAMPUR VALSAD	पता Address :	Garden Road State Hospital, Dharampur Dist Valsad, VALSAD, GUJARAT-396050, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Accountant	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	SUPERINTENDENT	पद Designation :	ADMINSTATION			
		ईमेल आईडी Email ID :	ms-health-dhsdh@gujarat.gov.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Garden Road State Hospital, Dharampur Dist Valsad, Valsad, GUJARAT-396050, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	BLT1220006085118					
कंपनी का नाम Company Name :	WINNER CORPORATION					
संपर्क नंबर Contact No. :	07211122293					
ईमेल आईडी Email ID :	winnercorporation18@gmail.com					
पता Address :	SHOP NO. 10, Shivalik Plaza, Near Shivalik Heights, Utran, Surat, GUJARAT-394105, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-GJ-22-0151852					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Female					
जीएसटीआईएन GSTIN:	24ARNPP0429Q1Z8					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : URGENT						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : SCURE LCD Display Syringe Infusion Pump ब्रांड Brand : SCURE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Infusion Pump Volumetric / Syringe Based (Q3) मॉडल Model: SP 201 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	18,500	NA	18,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						18,500
परिप्रेषित विवरण Consignee Detail						
क्र.सं. S.No	परिप्रेषित Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : PHARMACY ईमेल आईडी Email ID : ms-health-dhpharma@gujarat.gov.in संपर्क Contact : 02633-242044-0000 जीएसटीआईएन GSTIN : -	SCURE LCD Display Syringe Infusion Pump	-	1	20-Feb-2024	06-Mar-2024

पता | Address : Garden Road State Hospital, Dharampur Dist Valsad,
VALSAD, GUJARAT-396050, India

Product Specification for SCURE LCD Display Syringe Infusion Pump

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standards	Availability of any of Certification such as ISO / European-CE / US-FDA / CE	YES
	Details of the Certifications such as type of certification, number, date and validity	IN9258U-2020 dated 16 Dec 2020 valid 15 Dec 2023
	Conformity to Standards	YES
Performance Parameters	Type of Infusion Pump	Syringe Infusion Pump
	Technology (of operation)	Programmable Mode
	Flow rate Range with increment in ml/hr	1-1200 ml/hr(1 ml/hr increment) for Volumetric Infusion Pump Only
	Infused Volume Range in ml	1-9999(1 ml/hr increment)
	Flow rate & volume	flow rate & volume to be infused should be configured to limit the maximum allowable range
	KVO (Keep Vein Open) Rate in ml/hr	5
	Accuracy in %	5
	Bolus Type	Bolus without volume pre-selection
	Bolus Rate Range in ml/hr	800 ml/hr for 50 ml syringe
	Bolus Volume in ml	NA for Purge bolus
	Display Type	LCD
	Size of Display (length x width) (mm x mm)	2 x 6
	Contents of Display	mode, flow rate, pre-volume, battery, occlusion level, sound level, time
	Alphanumeric Programming Key Board	Yes
	Operating and Transportation Temperature range	-10 to +55 degree C
	Humidity Conditions (operating and transport & storage) (15 to 90%)	YES
	Pressure Conditions(operating and transport & storage) (50 to 106 kpa)	YES
	Power sources	Battery operated
	Battery Type	Rechargeable lithium polymer
	Battery Rating	11.1 Vdc, 2000 mAh
	Battery run time at normal delivery rate in hours	5 hour
	Battery run time at highest delivery rate in hours	2-3 hrs
	Battery recharge time (full charge) in hours	12 hour
	Power Supply 220-240 V AC, 50 Hz) (3 wire grounded system)	YES
	Electrical Protection (Class I, Type CF)	YES
	Fuse Type	220V 2A*2, 12V 2A*2
	Maximum Power Consumption in watt	160 Watt
	Fitting of device on the IV bottle and bag	No
	IR Sensor to detect the abnormality in IV Bag or bottle	No
	Audible and Visual alarm facility	Should have an audible and visual alarm with automatic pump stop function for the following : pressure drop, air standby, volume infused, door open, battery Pre-alarm, recall, invalid rate, empty etc
	Availability of Infusion mode setting(rate mode, drip mode, wait mode, time mode)	Yes
Protection against fluid ingress - IP*1 - Protected against vertically falling drops of water	YES	
Capability of Motioning of empty Intravenous bags or bottles	No	
Warranty in Years	1	
Dimensional & Material Parameters	Dimension (Excluding power cables)(mm x mm x mm)	280 x 210 x 130
	Weight(with clamp base)in kg	2.2 kilogram

	Material (Outer Shell)	ABS PLASTIC
Additional Parameters	Pole clamp Multi-function mounting clamp	YES
	Quick titration of rate or dose with volume timing programming	YES
	Compatible with any standard (PVC) infusion sets available in local indian market	YES
	Features :	compatible with all standard syringes (b) excellent injection function and operation, even small volume injection is accurate (c) dual cpu monitoring function (d)accurate and sensitive pressure sensor detects occlusion pressure accurately (e) smart pulsation compensation function
	No of infusion sets supplied with the single unit	0
	Packing (Individual)	YES
Reports	Type tests reports from a Central Govt lab OR International Laboratory Accreditation Cooperation (ILAC)or their worldwide affiliated/ recognized labs OR NABL approved lab	No
	Test Report No	NA
	Test Report Date	NA
	Name and complete address of the Lab	NA
	Copy of certificates to be provided to buyer on demand after placement of order (Applicable if availability of test report indicated as YES, otherwise put NA)	YES

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 21-10-2022

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.

9. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. **Software:** All software updates should be provided free of cost during warranty period.
12. **Any other Terms and Conditions** which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.