

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687752610297

अनुबंध तिथि | Generated Date : 28-Feb-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Autonomous मंत्रालय Ministry : - विभाग Department : Rajkot Municipal Corporation संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone: Dr Ambedkar Bhavan Dhebar Road Rajkot 360001	पद Designation : Dy Director IT संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : buycon41.rmc.gj@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : Dr Abmedkar Bhavan Dhebar Road Rajkot, RAJKOT, GUJARAT-360001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Dy Municipal Commissioner वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Dy Municipal Commissioner	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : Dy Director IT ईमेल आईडी Email ID : buycon41.rmc.gj@gembuyer.in जीएसटीआईएन GSTIN : 24AAALR0138G1ZD पता Address: Dr Abmedkar Bhavan Dhebar Road Rajkot, Rajkot, GUJARAT-360001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : SIRA220005794720 कंपनी का नाम Company Name : TECH SOLUTION संपर्क नंबर Contact No. : 09265407770 ईमेल आईडी Email ID : TECHSOLUTIONRJTGMAIL.COM पता Address : 2ND FLOOR, OFFICE NO. 1,,RAMESHWAR CHEMBER, 4- MANHAR PLOT CORNER,,MANGALA MIAN ROAD,,RAJKOT, Rajkot, GUJARAT-360002, - एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 24AAQFT6917M1ZG

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : HI FOCUS 4MP BULLET CAMERA ब्रांड Brand : HI FOCUS ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: HC-IPC-SDG30N3-4G एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	11,925	NA	47,700
कुल ऑर्डर मूल्य Total Order Value (in INR)						47,700

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Dy Director IT ईमेल आईडी Email ID : buycon41.rmc.gj@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Dr Abmedkar Bhavan Dhebar Road Rajkot, RAJKOT, GUJARAT-360001, India	HI FOCUS 4MP BULLET CAMERA	-	4	28-Feb-2024	14-Mar-2024

Product Specification for HI FOCUS 4MP BULLET CAMERA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	1 inch
	Camera Image Sensing capacity (Picture Mode)	4MP
	Resolution	4MP(2560×1440),4MP(30fps),Full HD (1920 x 1080 Pixel),D1 (704 x 480 Pixel),1080P (1920 x 1080),720P (1280 x 720)
	Day/Night Capable	Yes
	IR illumination Range(mtr)	50
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Fixed
	Focal Length(mm)	3,6
	Iris Control	Yes
	Focus Mode	Auto
VIDEO	Frame Rate (fps)	25,30,15,20
	Video Compression	H.264,H.265,H.265+
	Video Streaming	Dual compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	16X
AUDIO	Audio Support	Yes
	Audio Compression	G.711
	Audio Streaming	NA
	Number of Audio Input Channel	NA
	Number of Audio Output Channel	NA
	External Microphone Support	No
ALARM	Alarm Support	No
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.011 lux
	Electronic Shutter Speed(sec)	1/25 to 1/100,000
	WDR (Wide Dynamic Range)	120 dB
	SNR (Signal to Noise Ratio)	≥52 Db
	Auto Exposure	Auto Level Control
	White Balance (Indoor/Out door/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes

FEATURES	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	UDP,SNMP,IGMP,DHCP,RTP,RSTP,HTTP,SMTP,FTP,ICMP
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	Yes
	Wireless	Yes
	Simultaneous Connections	1
STORAGE	On Board SD Card Support	Yes
	SD Card Memory(GB)	256
HOUSING	Installation Type	Indoor,Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP67
	Vandal Resistant Housing	Yes
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	130 gram
	Dimensions (mm x mm x mm)	62.1 × 74.8 × 73.8
POWER SUPPLY	Power Input	12 V DC,PoE
	Power Consumption	9 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
OPERATING CONDITIONS	Operating Temperature Range	-10 to +50 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	N/A
	Name and Address of Test Lab	N/A
	Certification	FCC,CE,UL,BIS
उत्पाद का बीआईएस लाइसेंस BIS license of the product: 61001244		

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.