

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687736990214

अनुबंध तिथि | Generated Date : 27-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4537982](#)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central PSU मंत्रालय Ministry : Ministry of Coal विभाग Department : CENTRAL MINE PLANNING and DESIGN INSTITUTE Limited संगठन का नाम Organisation Name : CENTRAL MINE PLANNING and DESIGN INSTITUTE Limited कार्यालय क्षेत्र Office Zone: RI VI Singrauli Jayant	पद Designation : Dy MANAGER संपर्क नंबर Contact No. : 07505-277812- ईमेल आईडी Email ID : kushagra.nigam@nic.in जीएसटीआईएन GSTIN : 23AAACC7475N1ZC पता Address : Regional Director, CMPDI, RI-6, Jayant, SIDHI, MADHYA PRADESH-486890, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Regional Director, RI-VI वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: HOD(Fin)	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Assitant Manager ईमेल आईडी Email ID : kv.sagar400@nic.in जीएसटीआईएन GSTIN : - पता Address: Regional Director, CMPDI, RI-6, Jayant, SINGRAULI, MADHYA PRADESH-486890, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : A7C2180000642166 कंपनी का नाम Company Name : AUDITIVO HEARING SERVICES PRIVATE LIMITED संपर्क नंबर Contact No. : 09810112723 ईमेल आईडी Email ID : auditivohearing@gmail.com पता Address : 309,,Auditivo Hearing Services Pvt. Ltd,309,Oriental House,19,commercial Complex,Yusuf sarai, New Delhi,Yusuf sarai, New delhi, Delhi-110049, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-08-0002529 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 07AALCA7725L1Z8

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Pure Tone Audiometer ब्रांड Brand : Auditivo Hearing ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Pure Tone Audiometer (Diagnostic) (V2) - RBSK (Q3) मॉडल Model: Endeavor Advance एचएसएन कोड HSN Code: 90189042	1	pieces	85,050	NA	85,050
कुल ऑर्डर मूल्य Total Order Value (in INR)						85,050

क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : -					

1	ईमेल आईडी Email ID : kushagra.nigam@nic.in संपर्क Contact : 07505-277812- जीएसटीआईएन GSTIN : 23AAACC7475N1ZC पता Address : Regional Director, CMPDI, RI-6, Jayant, SIDHI, MADHYA PRADESH-486890, India	Pure Tone Audiometer	-	1	27-Feb-2024	13-Mar-2024
---	--	----------------------	---	---	-------------	-------------

Product Specification for Pure Tone Audiometer

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL FEATURES	Product Description	Pure Tone Audiometer (Diagnostic)
	Purpose	To measure hearing sensitivity
PRODUCT TECHNICAL FEATURES	Simple and convenient to operate	Yes
	Portable with Air Conductor (AC), Bone Conductor (BC), Speech and free field audiometer	Yes
	Signals and Channels can be mixed independently	No
	Number of channels	1
	Live speech tests through SD Memory, CD and microphone possible	Yes
	Provision for direct print out of the results possible	Yes
	Provision storage of results in PDF on USB memory stick	Yes
	Patient database for more than 1000 results	No
	FF (Free Field) Speakers	NA
	Insert ear phones	NA
	High frequency up to 10 KHz	NA
	Frequency range (Hz)	250 to 8000
	Hearing Level (dB)	-10 to 120
	Frequency deselect in the set up (Hz)	500
	Frequency Modulation	True Sinewave
	Input type	Tone 5 Hz
	Narrow band, White noise & speech noise masking upto 60dB	Yes
	Two speakers with inbuilt amplifier	NA
	Head phones with ear cushions	TDH 39/50
	Air and bone conduction facility along with Bone Vibrator	Yes
Additional Supra Aural head phone with supply	NA	
Microphone facility	Yes	
Bone conduction hearing threshold range with 5 dB steps (dB)	-10 to 60	
Accuracy (dB)	+/- 2	
Harmonic Distortion	≤ 10	
Type of Printer	Separate thermal printer	
DEVICE COMPATIBILITY FOR AUDIO TESTS	Short Increment Sensitivity Index (SISI)	Yes
	Tone decay test	NA
	Alternate Binatural Loudness Balance (ABLB) Test	No
USER'S INTERFACE	Type	NA
	Minimum RAM size	NA
	Minimum free available space in Hard disk	NA
	USB interface	NA
	Display	NA
	Operating System	Windows 7 or higher
ELECTRICAL FEATURES	Power supply	230 +/-10%, 50Hz AC single phase
	AC power adapter provided	Yes
ENVIRONMENTAL	Capable of being stored continuously in ambient storage conditions	0 deg C to 50 deg C, 15 to 90% RH

CONSIDERATIONS	Capable of being operating continuously in ambient conditions	10 deg C to 40 deg C, 15 to 90% RH
PACKING MODE	Packing kit contains Product operating manual, warranty card, Audiometer, Head Phone, Speaker, Printer, Dehumidifier, Cleaning brush, Cleaning cloth, Battery and carrying box	Yes
CERTIFICATIONS & REPORTS	Compliance to Medical Device Rules (MDR) 2017 as amended till date	Yes
	Availability of valid drug license for the product issued from the competent authority defined under Drugs and Cosmetic Act 1940 and Rules made there under as amended till date	Yes
	Valid Drug License Number	WL21B2022DL000950
	Manufacturing unit certification	ISO:13485 (Latest)
	Additional voluntary certification available	ISO 13485
	Electrical Safety Standards	IEC/EN 60601-1 or equivalent BIS Standard
	Availability of Test Report for each supplied batch/product as per Medical Device Rules (MDR) 2017 as amended till date	Yes
INSTALLATION & TRAINING	Supplier to perform installation, safety and operation checks before handover	Yes
	Training of users in operation and basic maintenance shall be provided	Yes
WARRANTY & MAINTENANCE	Warranty (Years)	2
	User technical and maintenance manual detailing complete maintaining schedule with routine maintenance should be provided	Yes
	Contact details of manufacturer, supplier and local service agent to be provided	Yes
Additional Requirement	Additional Requirement	NA

टिप्पणी | Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Pure Tone Audiometer

विनिर्देश Specification	मूल्य Value
Should have tests feature	Air conduction, Bone conduction, Narrow Band Masking, Wide Band Masking, Speech masking, Speech Audiometry, TONE DECAY, SISI
SHOULD BE SUPPLIED WITH ACCESSORIES: -	1. TDH -39 Head phone 2. Bone conduction B-71 3. USB Cable 4. Patient Response Button 5. SOFTWARE CD 6. User manual 7. Carrying Case 8. Audiogram PAD
Other technical requirement	? AC Frequency range: 250 Hz TO 8000 Hz ? BC Frequency range: 250 Hz TO 6000 Hz ? USB CONNECTIVITY WITH COMPUTER ? TONE: CONTINUOUS, FM, PULSE

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-02-14 13:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:1 effective from 31-07-2023

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules (including Medical Device Rule 2017) made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organization (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - In case of authorized resellers/distributors, it will be the legal & regulatory liability of the manufacturer to ensure that their resellers/distributors are operating in compliance with all relevant laws and regulations and are properly licensed to sell the manufacturer's products, including verifying the validity and authenticity of drug license held by them.
 - The price offered by the seller/bidder shall not, in any case exceed the DPCO/NPPA controlled price or price fixed by State Government, if any. The seller must reduce

the prices if there is any reduction in DPCCO/NPPA ceiling price or price fixed by State Government, if any.

5. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions (ATC) in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.
6. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
7. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
8. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
9. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
10. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
11. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
12. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
13. Software: All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Generic

Bidders are advised to check applicable GST on their own before quoting. Buyer will not take any responsibility in this regards. GST reimbursement will be as per actuals or as per applicable rates (whichever is lower), subject to the maximum of quoted GST %.

3.3 Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

3.4 Scope of Supply.

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.