

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687723594716

अनुबंध तिथि | Generated Date : 27-Feb-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central Autonomous	पद Designation :	Technical Assistant			
मंत्रालय Ministry :	Ministry of Science and Technology	संपर्क नंबर Contact No. :	-			
विभाग Department :	Department of Scientific and Industrial Research (DSIR)	ईमेल आईडी Email ID :	jyothi.v.neeri@nic.in			
संगठन का नाम Organisation Name :	Council of Scientific and Industrial Research (CSIR)	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	CSIR NEERI Nagpur	पता Address :	CSIR-NEERI Zonal Centre IICT Campus, Tarnaka Hyderabad-500007, HYDERABAD, TELANGANA-500007, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	FAO	भुगतान का तरीका Payment Mode:	Internet Banking			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	HOD	पद Designation :	CoFAO			
		ईमेल आईडी Email ID :	cofa.neeri@nic.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	Nehru Marg, Nagpur, Nagpur, MAHARASHTRA-440020, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	BCC9180000470516					
कंपनी का नाम Company Name :	DILIGENT TRADING CORPORATION					
संपर्क नंबर Contact No. :	07489657478					
ईमेल आईडी Email ID :	diligentlabsales@gmail.com					
पता Address :	1624,Hanumantal,Hanumantal Post Office,Jabalpur, Jabalpur, MADHYA PRADESH-482002, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-MP-24-0024523					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	23BDEPA2728M1ZS					
*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : contact number-9299203760 (Jyothi)						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Eutech Handheld Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty ब्रांड Brand : Eutech ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Water Quality Meters / Analyzers (Q3) मॉडल Model: PCSTEST35 एचएसएन कोड HSN Code: 9027	1	pieces	23,184	NA	23,184
कुल ऑर्डर मूल्य Total Order Value (in INR)						23,184
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Technical Assistant ईमेल आईडी Email ID : jyothi.v.neeri@nic.in संपर्क Contact : -	Eutech Handheld Water Quality Meter / Analyzer				

1	जीएसटीआईएन GSTIN : - पता Address : CSIR-NEERI Zonal Centre IICT Campus, Tarnaka Hyderabad-500007, HYDERABAD, TELANGANA-500007, India	Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty	-	1	27-Feb-2024	13-Mar-2024
---	---	--	---	---	-------------	-------------

Product Specification for Eutech Handheld Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer	Handheld
	Functional nomenclature	Multi Parameter Water Quality Analyzer
	Ingress Protection (Main Unit)	IP 67
	Calibration	Automatic
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)	No
	DO % Saturation	No
	Conductivity	Yes
	Resistivity	No
	Salinity	Yes
	Total Dissolved Solids (TDS)	Yes
	pH	Yes
	Oxidation Reduction Potential (ORP)	No
	Ammonium	No
	Nitrate	No
	Chloride	No
	Turbidity	No
	Depth	No
	Temperature	Yes
Atmospheric Pressure	No	
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle	NA
	Sensor / Probe/ Electrode Type	NA
	Measurement Range for DO Content (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	DO Accuracy (+/-)	0 percent
	Measurement Range for DO % Saturation (in %)	NA
	Resolution (in %)	NA
DO % Accuracy (+/-)	0 percent	
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle	Conductive (contacting)
	Sensor/ Probe/Electrode Type	NA
	Material of Electrode	NA
	Measurement Range (in $\mu\text{S}/\text{cm}$)	0-200000
	Resolution (in mho or $\mu\text{S}/\text{cm}$)	0.1
	EC Accuracy (+/-)	1 percent
MEASUREMENT OF RESISTIVITY	Resitivity measurement principle	NA
	Lowest Measurement Value for Resistivity (in ohm-cm)	NA
	Highest Measurement Value for Temperature (°C)	NA
	Resolution (in ohm-cm)	NA
	Resistivity Accuracy(+/-)	0 percent
MEASUREMENT OF SALINITY	Salinity measurement principle	Conductivity Conversion
	Measurement Range (in parts per thousand or g/l or PSU)	0-10
	Resolution (in g/l)	1
	Salinity Accuracy (+/-)	1 percent

MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)	TDS measurement principle	NA
	TDS Measurement Range (in parts per thousand or g/l)	NA
	Resolution (in g/l)	0.1,0.01
	TDS Accuracy (+/-)	1 percent
MEASUREMENT OF pH	pH measurement principle	Electro chemical
	Sensor / Probe / Electrode Type	Glass Electrode
	Number of Sensors / Electrodes	Combination Electrode (2 Electrode)
	pH Measurement Range	0-14
	Resolution (in pH number)	0.01
	pH Accuracy (+/-)	0.01 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	NA
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	0
	Highest Measurement Value for ORP (in mV)	NA
	Resolution (in \pm mV)	NA
	ORP Accuracy (+/-)	0 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	NA
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	NA
	Resolution (in FNU or FTU)	NA
	Turbidity Accuracy (+/-)	0 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	NA
	Lowest Measurement Value for Temperature ($^{\circ}$ C)	10
	Highest Measurement Value for Temperature ($^{\circ}$ C)	50
	Resolution ($^{\circ}$ C)	0.1
	Temperature Accuracy (+/-)	0.5 percent
MEASUREMENT OF PRESSURE	Sensor /Probe Type	NA
	Lowest Measurement Value for Pressure (in mmHg)	NA
	Highest Measurement Value for Pressure (in mmHg)	NA
	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
MEASUREMENT OF DEPTH	Measurement Method	NA
	Depth Measurement Range (in meters)	NA

	Length of Cable connecting probe (inclusive in the scope of supply)	0 meter
COMPENSATION / CORRECTION	Temperature correction	Automatically compensates for manual input value
	Salinity Correction	Automatically compensates for manual input value
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD
	Display Digit Size	2.7 centimeter
	Number of Digits in Display	3
	Number of parameters displayed simultaneously	5
	Memory (in Data Sets)	0
	Internal memory (GB)	0
	In-built GPS	No
	Date /time Stamp in Entries	No
POWER SOURCE	Connectivity interface	NA
	Power Source	Alkaline Batteries (Non-Rechargeable)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	NA
	Voltage of each Battery	1.5 Volt
	Number of Batteries required for operation	4
	Number of Batteries Inclusive in the Scope of Supply	4
	Battery Capacity (mAh)	6000
	Battery Life	150 hour
Suitable Adapter to be supplied to make the equipment Work on 230 V ± 10 %, 50 Hz	No	
GENERIC	Armour housing of Sensor / Probe	Stainless Steel
	Probe / Sensor / Electrode supplied with equipment	Yes
	Number of electrodes supplied	1
	Weight	90 gram
	Dimensions (mm x mm x mm)	18.5x6.5x5
	Carry Case included in the scope of supply	No
	Any other features	POCKET TESTER
	List of Items and Quantity of each item included in the offer	1
OPERATING CONDITIONS	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Operating Humidity, Rh at 40 deg C	65 percent
WARRANTY	Warranty on Equipment	1 year
	Warranty on Probe / Electrode	6 month
	Warranty on Cables for Connecting Probe	1 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.