## अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687739504393 अनुबंध तिथि|Generated Date : 27-Feb-2024

संगठन विवरण|Organisation Details

प्ररूप|Type : Central Autonomous मंत्रालय|Ministry : Ministry of Education

विभाग|Department : Department of School Education and Literacy

संगठन का नाम|Organisation Name : KENDRIYA VIDYALAYA SANGATHAN

कार्यालय क्षेत्र|Office Zone: Kendriya Vidyalaya Lakhanpur

खरीदार विवरण|Buyer Details

पद|Designation : PGT MATHS संपर्क नंबर|Contact No. : 01922-285123-ईमेल आईडी|Email ID : buyer-1660@kvs.gov.in

जीएसटीआईएन|GSTIN: -

P.O LAKHANPUR BASOLI ROAD,

KATHUA, JAMMU & KASHMIR-184152, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमित|IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO भुगतान का तरीका|

Payment Mode:

पद|Designation : PGT BIOLOGY

ईमेल आईडी|Email ID: p.authority-1660@kvs.gov.in

जीएसटीआईएन|GSTIN : -

पता|Address:
P.O LAKHANPUR BASOLI ROAD,
Kathua, JAMMU & KASHMIR-184152, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : KV8C210004767971 कंपनी का नाम|Company Name : KAVITA KITCHEN SYSTEMS

संपर्क नंबर|Contact No.: 09802707575

ईमेल आईडी|Email ID : kavitariddhi2@gmail.com

पता| Address : 328-D, AMBALA,DAYAL BAGH,DAYAL BAGH,Village/Town:- AMBALA, City:- AMBALA CANTT,

PRINCIPAL

PRINCIPAL

AMBALA, HARYANA-133001, India

एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-HR-01-0009419

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Female

जीएसटीआईएन|GSTIN: 06DGXPK2343L1ZU

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : Kindly Deliver the order by 5th March 24

## उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम  Product Name : Ajantaexports Graduated Scale for Vernier / Dial type Calipers Display Calipers ब्रांड  Brand : Ajantaexports ब्रांड प्रकार  Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है  Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्याश  Category Name & Quadrant : CALIPERS (Q4) मॉडल  Model: JSI_Vernier Caliper एचएसएन कोड  HSN Code: HSN not specified by seller	15	pieces	245	NA	3,675
क	ल ऑर्डर मल्य  Total Order Value (in INR)	•	-	-	•	3.675

## परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
1	पद  Designation : PGT MATHS ईमेल आईडी Email ID : buyer-1660@kvs.gov.in संपर्क Contact : 01922-285123- जीएसटीआईएन GSTIN : -	Ajantaexports Graduated Scale for Vernier / Dial type	-	15	27-Feb-2024	13-Mar-2024

	Address : P.O LAKH HUA, JAMMU & KAS	HMIR-184152, India	Calipers Display Calipers					
Product Specific	cation for Ajant	aexports Graduated Scale fo	or Vernier / Dial type Calipers I	Display Calipers				
विनिर्देश Specificati	on	उप-विनिर्देश Sub-Spec		मूल्य Value				
	Caliper Type			Vernier Calipers				
TYPE / MATERIAL		Jaw Type		Type B - With jaws on o	Type B - With jaws on one side for external and internal measurements			
THE TWINTERED CE		Provided with blade for depth measurement		Yes	Yes			
		Provided with Step-Measuring Faces		No	No			
		External Measurement Range (mn	n)	0-150				
		Minimum ID Measurement		5 millimeter	5 millimeter			
	ERFORMANCE	Least Count / Resolution		0.02 millimeter	0.02 millimeter			
PERFORMANCE		Accuracy (Maximum error in readi	acy (Maximum error in reading) at 20 deg C (±) 0.03 millimeter					
		Jaw Length		40 millimeter				
		Length of Faces (Knife edge ) for I	nternal measurement	15 millimeter				
		Range Per Revolution of the Dial, i	n case of Dial Caliper (mm)	NA for Vernier / Digital type Calipers				
		Type of Display		Graduated Scale for Ve	Graduated Scale for Vernier / Dial type Calipers			
DISPLAY / DATA OUT	/ DATA OLITRUIT	"Number of Digits in Display(May calipers)	indicate '0' for Veriner / Dial type	0	0			
		"Display digit Size(May indicate '0' for Veriner / Dial type calipers)		0 millimeter	0 millimeter			
		Data Output to other devices		No				
		Power Source		NA for Vernier / Dial ty	pe Calipers			
		Battery Size, if Non Rechargeable	Battery	NA for Vernier / Dial ty	pe Calipers			
BATTERY	Battery Chemistry		NA for Vernier / Dial ty	NA for Vernier / Dial type Calipers				
	Number of Batteries required for or Dial type Calipers )	operation (May Indicate '0' for Vernier	0					
	Number of Batteries supplied (May Indicate '0' for Vernier / Dial type Calipers )		0	0				
		Battery Life (Approx) under normal use (May Indicate '0' for Analog type micrometer)"		0 year	0 year			
SALIENT FEATURES /	ALIENT FEATURES / FUNCTIONS   Lisalient Features / Functions / Fun		Thumb Roller,Locking !	Thumb Roller,Locking Screw,Fine Adjustment Thumb Wheel				
ACCESSORIES		Standard accessories inclusive in t	he scope of supply	Carrying case	Carrying case			
		Material of the main parts of Callip measuring blade	pers such as beam, sliding jaw and dep	Hardened Stainless Steel				
	Quality of the main parts of Callipe measuring blade	of the main parts of Callipers such as beam, sliding jaw and depth ring blade  Generally conforming to		o IS: 3651 (latest) for metallic parts				
GENERIC		Finish		Polished				
GENERIC		Weight		500 gram				
		Dimensions (mm x mm x mm)		200X50X5				
		Additional features, if any		NA				
		List of Items and Quantity of each	item included in the offer	1				
	PERATING CONDITIONS / INGRESS ROTECTION	Minimum Operating Temperature		0 degree Celsius				
OPERATING CONDITI		Maximum Operating Temperature	2	50 degree Celsius				
PROTECTION		Maximum Operating Humidity at	40 deg C (Rh)	85 percent				
		Ingress Protection		IP 54				
WARRANTY		Warranty		1 year				
CALIBRATION		Calibration Certificate for each Midwith supplies	crometer Provided to the buyer along	Yes				
		Calibration Certificate issuing auth		OEM Certificate				

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are

being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.
ईपीबीजी विवरण   ePBG Detail
NA NA
नियम और शर्तें Terms and Conditions
1. General Terms and Conditions-
<ul> <li>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</li> <li>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</li> </ul>
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिटे आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.