अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687769589406 अनुबंध तिथि | Generated Date : 27-Feb-2024

संगठन विवरण | Organisation Details

Central Government प्ररूप|Type: मंत्रालय|Ministry: Ministry of Finance विभाग | Department : Department of Revenue संगठन का नाम|Organisation Name : Directorate of Enforcement

कार्यालय क्षेत्र|Office Zone: Headquarters खरीदार विवरण|Buyer Details

पद|Designation : ASSISTANT ENFORCEMENT OFFICER

संपर्क नंबर|Contact No. : 011-23339128-128 ईमेल आईडी|Email ID: krishansingh2288.ed@gov.in

जीएसटीआईएन|GSTIN :

A Block, Pravartan Bhawan, Dr. APJ Abdul Kalam Road, New

पता|Address : Delhi,

New Delhi, DELHI-110011, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमति IFD Concurrence : प्रशासनिक अनुमोदन का पदनाम| ADE(A)

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval:

ADE(A)

भुगतान प्राधिकरण विवरण|Paying Authority Details DDO

भुगतान का तरीका| PFMS Payment Mode: पद|Designation: Asstt Director ratishcm.g149401@gov.in ईमेल आईडी|Email ID:

जीएसटीआईएन|GSTIN :

Role:

Pravartan Bhawan, Dr. APJ Abdul Kalam Road, New Delhi -

पता|Address: 110011.

NEW DELHI, DELHI-110003, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID: 8BBE180000095538 कंपनी का नाम|Company Name : INDO-TECH ENTERPRISES

संपर्क नंबर|Contact No. : 09818990951

ईमेल आईडी|Email ID : indotech.enterprises786@gmail.com 3526, DARIBA PAN, PAHAR GANI, PAHAR GANI, पता| Address :

Central Delhi, DELHI-110055, -एमएसएमई पंजीकरण संख्या|MSME Registration number : UDYAM-DL-01-0021726

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

07AHBPJ5009N1ZB जीएसटीआईएन|GSTIN:

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Washer Front Load Single Phase, 50 Hz Washing Machines / Drying Machines ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्याश Category Name & Quadrant : Laundry Type Washing Machines / Drying Machines (Q3) मॉडल Model: SWX 52 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	55,000	NA	55,000
कुल	कुल ऑर्डर मूल्य Total Order Value (in INR)					

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	ावतरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : ASSISTANT ENFORCEMENT OFFICER	ļ				

संपर्क Conta 1 जीएसटीआईए पता Addres New Delhi,	Email ID : krishansingh2288.ed@gov.in ict : 011-23339128-128 त GSTIN : - is : A Block, Pravartan Bhawan, Dr. APJ Abdul Kalam Road, DELHI-110011, India	Front Loa 50 Hz Wa	nded Washer ad Single Phase, ashing Machines ng Machines	-	1	27-Feb-2024	28-Mar-2024
Product Specificat	ion for Unbranded Washer Front Load Single Pl	hase, 50) Hz Washing	Machines A	Drying Mach	nines	
विनिर्देश Specification	उप-विनिर्देश Sub-Spec		मूल्य Value				
	Type of Machine		Washer				
	Type of Usage of Machine		Commercial				
	Number of Duty Cycles per day - Nominal		6				
	Type of Mounting		"Soft Mount (No Grouting Required)"				
	Drive Type		Variable Frequency Direct Drive				
	Number of Tubs/Containers/Drums		Single Container				
TVDF	Container / Drum Position		Inclined				
TYPE	Type of Laundry Loading		Front Load				
	Laundry Processing		Fully Automatic				
	Type of Heating		Electrical Heating				
	Steam Source		NA				
	Provided with coin / currency operated Timer		No				
	Material of Top Panel		Galvanized Steel				
	Material of side Panel		Galvanized Steel				
	Washer System		Drum Type				
	Rated capacity of Washer (in kg)		50				
	"Washer Drum Volume		524 liter				
	"Washer Drum Dia		560 millimeter				
WASHER	"Washer Drum Height / Length		419.3 millimete	r			
WORLEN	Material of the Washer Drum		Stainless Steel				
	"Number of Preset Wash Programmes		20				
	"Normal Washing and Rinsing Cycle time		35 minute				
	Provided with Automatic Detergent dispensor with liquid sc pump/dosing meter	эар	YES				
	Type of Dryer		Hydro Extractor	(Spin Dryer)			
	Type of Tumble Dryer		NA				
	Rated capacity of Dryer (in kg)		50				
	Dryer Drum Volume		207 liter				
	"Dryer Drum Diameter "		663 millimeter				
	"Dryer Drum Height / Length"		570.6 millimete	r			
	"Dryer Spin Speed in rpm"		1200				
DRYER	Material of the Dryer Drum		Stainless Steel				
	Spin Speed Selection		Yes				
	Provided with Hot Air Blower		No				
	"Exhaust Blower / Fan motor Power Rating"		1.5 kiloWatt				
	Air Flow Rate (in cubic meter/hour		800				
	"Number of Preset Dryer Programmes"		4				
	"Normal Drying Cycle time"		35 minute				
	Steam Consumption (in kg/hour)		0				
	"Electric Heating Power Rating"		20000 Watt				
	Minimum Water inlet Pressure		0 bar				
	Maximum allowed Hardness (CaCO3) of inlet water (ppm)		300				
	"Steam Pressure"		0 bar				

1	į.	1
	Temperature Control / Selection	Yes
	Noise level	57 decibel
	connectivity	NA
GENERIC	Electrical Safety Provisions as per IS : 302 latest	NA
	Net Weight	2000 kilogram
	Overall Dimensions (mm x mm x mm)	1954X3430X767
	Features / Functions Functions	Pre Wash,Tub Wash,Rinse Only,Spin Only,Rinse and Spin,Gentle Wash,Turbo Wash,Quick Wash,Water Efficient Wash,Normal Wash,Hard Wash,Child Lock,Lint Filter
	Other features, if any	VARIABLE DRIVE MOTOR
	List of Items and Quantity of each item included in the offer	5 WASHER AND 5 DRYER
	Power Supply	Single Phase, 50 Hz
	Working Voltage	230 ± 10% V AC
POWER SUPPLY	Number of Motors	1
	Power Rating of each motor (kW)	0.3
	BEE Star Rating	NA
INSTALLATION &	Installatiion and Commissioning as per STC	Inclusive in the scope of Supply
COMMISSIONING / STC	Agreed to the STC of the Product	YES
	Minimum Rated Life Cycles	10000
GUARANTEE / WARRANTY	Warranty on Equipment	2 year
	Warranty on Electric Motor (s)	5 year
	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove the Minimum Guaranteed Life Cycles, etc	No
CERTIFICATION	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA
1		

হিম্মণী Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:1 effective from 04-05-2020
- $1.1\,The\,Scope\ of\ installation\ and\ Commissioning\ for\ Laundry\ Type\ Washing\ /\ Drying\ Machine\ (s),\ shall\ be\ as\ under:$
- 1.1.1 In addition to General Terms and Conditions of the GeM, the following Special T&C shall be applicable for "Laundry Type Washing / Drying Machines
- 1.1.1.1 SELER'S RESPONSIBILITIES:
- ${\bf 1.1.1.2}\,\hbox{CONSIGNEE}\,\hbox{/}\,\hbox{USER'S RESPONSIBILITIES:}$
- ${\bf 1.1.1.2.1\, Providing\, necessary\, Space,\, Water\, source,\, Electricity,\, Drainage,\, wherever\, required.}$
- ${\bf 1.1.1.2.2\,Civil\,work\,for\,Foundation\,and\,Electrical\,earthing,\,wherever\,required.}$
- 1.1.1.2.3 Plumbing work for water inlet connection within 1.5 meters from the Foundation of the Machine, wherever required.
- $1.1.1.2.4\,Plumbing\,work\,for\,water\,drain\,line\,connection\,within\,1.0\,meter\,from\,the\,Foundation\,of\,the\,Machine,\,wherever\,required.$
- 1.1.1.2.5 Exhaust Piping (for Dryer), wherever required.
- 1.1.1.2.6 Providing Consumables required for Washing / Drying.
- 1.1.1.2.7 Providing Rinse Booster Pump (for Washer), if the water inlet pressure is less than the Minimum water inlet pressure specified in the contract.
- 1.1.1.2.8 Providing Water softener (for Washer), if the water Hardness is more than the Maximum water hardness specified in the contract.
- 1.1.1.2.9 Necessary approvals from regulatory authorities, if any, for installation of the Machine.
- 1.2 The Scope of installation and Commissioning for Laundry Type Washing / Drying Machine (s), shall be as under:
- ${\bf 1.2.1\ Inclusive\ in\ the\ Scope\ of\ Installation\ \&\ Commissioning:}$
- 1.2.1.1 Foundation / Grouting is not required in case of Portable Type and Soft Mount Type Washing / Drying Machine(s).
- 1.2.1.2 The Supplier, on receipt of the order for Rigid Mount Washing / Drying Machine (s), shall immediately furnish the "Foundation Drawing" and the requirements of suitable earthing along with Electric circuit diagram to the consignee. The consignee shall make necessary arrangements for the civil work required for foundation and earthing as

per the drawings received.

- $1.2.1.3\,Mounting\,\textit{I}\,\textit{Fitting}\,\textit{of}\,\textit{the}\,\textit{Machine}, \textit{with}\,\textit{necessary}\,\textit{alignment}\,\textit{work}, \textit{on}\,\textit{the}\,\textit{already}\,\textit{made}\,\textit{foundation}, \textit{wherever}\,\textit{required}.$
- ${\bf 1.2.1.4\,Suitable\,Electrical\,Wiring\,upto\,2\,meters\,length\,between\,the\,Machine\,and\,Power\,Socke}$
- 1.2.1.5 Suitable water inlet Piping between the Machine and the water source upto 2 nos. of water inlet pipes of length 1.5 meters each.
- 1.2.1.6 Providing 1 no. of suitable Water outlet Pipe upto 1.0 meter length.
- 2. General Terms and Conditions-
- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.