

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687732773090

अनुबंध तिथि | Generated Date : 27-Feb-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4111457](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्रूरूप Type :	State Government	पद Designation :	Administrative Officer	संपर्क नंबर Contact No. :	0522-4331771-	ईमेल आईडी Email ID :
मंत्रालय Ministry :	-	जीएसटीआईएन GSTIN :	-	पता Address :	510/217, NEW HYDERABAD, NEAR POST OFFICE,, LUCKNOW, UTTAR PRADESH-226007, India	
विभाग Department :	Finance Department Uttar Pradesh	पद Designation :	Joint Director	ईमेल आईडी Email ID :	omprakash.3459@up.gov.in	जीएसटीआईएन GSTIN :
संगठन का नाम Organisation Name :	N/A	पद Designation :	PAO	भुगतान का तरीका Payment Mode:	Offline	भुगतान प्राधिकरण विवरण Paying Authority Details
कार्यालय क्षेत्र Office Zone:	Directorate Of Internal Accounts & Audit, Up	ईमेल आईडी Email ID :	gem@docketcare.com	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO	भुगतान का तरीका Payment Mode:	Offline	
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	OM PRAKASH	पद Designation :	Joint Director	ईमेल आईडी Email ID :	omprakash.3459@up.gov.in	
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	OM PRAKASH	ईमेल आईडी Email ID :	-	जीएसटीआईएन GSTIN :	-	
विक्रेता विवरण Seller Details		पता Address:				
जेम विक्रेता आईडी GeM Seller ID :	D8AD180000092769	भुगतान का तरीका Payment Mode:				
कंपनी का नाम Company Name :	DOCKET CARE SYSTEMS	पद Designation :	PAO	भुगतान का तरीका Payment Mode:	Offline	
संपर्क नंबर Contact No. :	07007017001	ईमेल आईडी Email ID :	gem@docketcare.com	पद Designation :	Joint Director	
ईमेल आईडी Email ID :	gem@docketcare.com	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	ईमेल आईडी Email ID :	omprakash.3459@up.gov.in	
पता Address :	C-6 Bhikampur colony,C-6 BHIKAMPUR COLONY PAPER MILL ROAD LUCKNOW 226 006,Nishtaganj, LUCKNOW, Uttar Pradesh-226006, -	जीएसटीआईएन GSTIN :	-	जीएसटीआईएन GSTIN :	-	
एमएसई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-50-0005818	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	
एमएसई सामाजिक श्रेणी MSE Social Category :	General	जीएसटीआईएन GSTIN:	09AABFD9990P1ZI	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	
एमएसई लिंग श्रेणी MSE Gender :	Male	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	
जीएसटीआईएन GSTIN:	09AABFD9990P1ZI	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	पता Address:	DIRECTORATE OF INTERNAL ACCOUNTS AND AUDIT , UP, 510/217, NEW HYDERABAD , LUCKNOW-226007, Lucknow, UTTAR PRADESH-226007, India	
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : hp Intel Core i5 All in One PC with 23.8 Inch Display/ Windows 11 Professional ब्रांड Brand : hp ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : All in One PC (Q2) मॉडल Model: HP 440 G9 AIO i5 12500 Win11P 8512SSD5 wifi 23.8" एचएसएन कोड HSN Code: HSN not specified by seller	10	pieces	99,927	NA	999,270
2	उत्पाद का नाम Product Name : hp CIS Sheet Fed & Flat Bed scanner, On Site OEM Warranty 3 year ब्रांड Brand : hp ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भासा Category Name & Quadrant : Scanner (V2) (Q2) मॉडल Model: HP Scanjet Enterprise Flow N6600 fnw1 एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	128,484	NA	256,968
3	उत्पाद का नाम Product Name : hp CIS Sheet Fed scanner, On Site OEM Warranty 3 year ब्रांड Brand : hp ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller	1	pieces	61,505	NA	61,505

	श्रेणी का नाम और चतुर्धारा Category Name & Quadrant: Scanner (V2) (Q2) मॉडल Model: HP ScanJet Pro 3000 s4 with 3 year warranty एचएसएन कोड HSN Code: HSN not specified by seller				
4	उत्पाद का नाम Product Name: hp Laser Mono Computer Printers for A4 paper size ब्रांड Brand: hp ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant: Computer Printers (Q2) मॉडल Model: HP LaserJet Managed E40040dn Printer एचएसएन कोड HSN Code: HSN not specified by seller	2	pieces	55,928	NA 111,856
5	उत्पाद का नाम Product Name: Uniline Line Interactive UPS with AVR of Rating 1.0 KVA With Warranty of 2 Years ब्रांड Brand: Uniline ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant: Line Interactive UPS with AVR (V2) (Q2) मॉडल Model: SMARTLINE एचएसएन कोड HSN Code: HSN not specified by seller	11	pieces	7,007	NA 77,077
6	उत्पाद का नाम Product Name: Uniline Online UPS of Rating 3.0 KVA With Battery Of Backup Time 30 Minutes ब्रांड Brand: Uniline ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्धारा Category Name & Quadrant: Online UPS (V2) (Q2) मॉडल Model: GREENLINE GLX - 3000 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	78,141	NA 78,141

कुल ऑर्डर मूल्य | Total Order Value (in INR)

1,584,817

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : rl.gupta9710@up.gov.in संपर्क Contact : 0522-4331771- जीएसटीआईएन GSTIN :- पता Address : 510/217, NEW HYDERABAD, NEAR POST OFFICE,, LUCKNOW, UTTAR PRADESH-226007, India	hp Intel Core i5 All in One PC with 23.8 Inch Display/ Windows 11 Professional	-	10	27-Feb-2024	12-Apr-2024
		hp CIS Sheet Fed & Flat Bed scanner, On Site OEM Warranty 3 year	-	2	27-Feb-2024	13-Mar-2024
		hp CIS Sheet Fed scanner, On Site OEM Warranty 3 year	-	1	27-Feb-2024	13-Mar-2024
		hp Laser Mono Computer Printers for A4 paper size	-	2	27-Feb-2024	13-Mar-2024
		Uniline Line Interactive UPS with AVR of Rating 1.0 KVA With Warranty of 2 Years	-	11	27-Feb-2024	13-Mar-2024
		Uniline Online UPS of Rating 3.0 KVA With Battery Of Backup Time 30 Minutes	-	1	27-Feb-2024	27-May-2024

Product Specification for hp Intel Core i5 All in One PC with 23.8 Inch Display/ Windows 11 Professional

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Motherboard	Chipset Series	Intel Q Series
	Chipset Number	Intel Q670
	Expansion Slots (M.2)	2
	Processor Make	Intel
	Processor Generation	12

Processor	Number of Cores per Processor	6
	Processor Base Frequency (GHz)	3
	Processor Description	Intel Core i5
	Processor Number	Intel Core i5 12500
	Out of Band Management	Intel vPro
	Cache (MB)	18
Graphics	Graphics Type	Integrated
	Graphic Card Description	UHD Graphics 770
	Size of Memory in Case of Dedicated Graphic Card (GB)	0
	Size of VRAM in case of Integrated Graphics (MB)	128
Operating System	Operating System (Factory Pre-Loaded)	Windows 11 Professional
	Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud,
	OS Certification	Windows
Memory	Type of RAM	DDR4
	RAM Size (GB)	8
	RAM Speed (MHz)	3200
	Total Numbers of DIMM Slots Available	2
	Number of DIMM Slots populated	1
	RAM Expandability up to(using spare DIMM Slots in GB)	64
Storage	Type of Drives used to populate the Internal Bays	SSD
	Number of Internal Bays populated with HDD	0
	Capacity of each HDD (GB)	NA
	Total HDD Capacity (GB)	0
	Number of Internal Bays populated with SSD	1
	Capacity of each SSD (GB)	512
	Total SSD Capacity (GB)	512
	Optane Memory (GB)	0
Display	Display Size (INCHES)	23.8
	Display Type	Non Touch
	Panel Technology	IPS
	Display Resolution (PIXELS)	1920x1080
	Availability of Webcam integrated with Display	Yes
	If yes, Resolution of Webcam	FHD
	Availability of Speakers integrated with Display	Yes
	If Yes, Number of Speakers available	2
Connectivity	Wireless Connectivity	Yes
	If Yes, Type of Wireless Connectivity	Wi-Fi 6 AX200 + Bluetooth 5.0
	Number of Ethernet Ports	1
	Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port
	Bluetooth Connectivity	Yes
	If Yes, Version of Bluetooth Available	5.3
Ports	Number of USB Version 2 Point 0 Ports	0
	Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports	2
	Number of USB Version 3 point 1, Gen 2 Ports	3
	Number of USB Type C Ports	1
	Number of Serial Ports	0

	Number of VGA Ports	0
	Number of HDMI Ports	1
	Number of DP Ports	1
Generic	Optical Drive	N/A
	Audio-in	No
	Audio-out	No
	Headphone out	Yes
	Microphone-in	Yes
	Stand	Standard
Power	Power Supply	External
	Power Supply Capacity (Watt)	150
	Minimum Power Efficiency Range (%)	85 - 90
Certification	BIS Registration under CRS of Meity	Yes
	BIS Registration Number and its Validity	R-61002135
	ROHS Compliance	Yes
	BEE / Energy Star for the given Model	Yes
	Other Certification Available	UL,CE,FCC
Input Devices	Mouse Connectivity	Wired
	Type of Mouse	Optical Scroll
	Keyboard Connectivity	Wired
	Type of Keyboard	Standard
Operating Conditions	Minimum Operating Temperature	5 degree Celsius
	Maximum Operating Temperature	35 degree Celsius
	Minimum Operating Humidity (%RH)	5
	Maximum Operating Humidity (%RH)	90
Warranty	On Site OEM Warranty (Year)	5

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for hp Intel Core i5 All in One PC with 23.8 Inch Display/ Windows 11 Professional

विवरण Specification	मूल्य Value
Display Size	Display size should be 23.8 inch or higher
MS OFFICE	License MS office 2021 should be delivered with each ALL IN ONE PCs
Antivirus	Licensed antivirus for 3 year should be delivered with each ALL IN ONE PCs.

Product Specification for hp CIS Sheet Fed & Flat Bed scanner, On Site OEM Warranty 3 year

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
	Scanner Type	Sheet Fed & Flat Bed
	Scanning Technology	CIS
	Document Size	A4
	Optical Resolution (Dpi)	1200
	Maximum Resolution (Dpi)	1200
	Simplex Monochrome Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	50
	Simplex Colour Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	50
	Duplex Monochrome Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	100
	Duplex Colour Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	100
	Colour Depth (Bits)	48
	Paper Weight Handling Capacity (GSM)	120
	Scanning Feature	Duplex

Specification	Paper Path	Straight & U both
	Multi Fed Detection Feature	Yes
	Automatic Document Feeder (ADF)	Available
	ADF Tray Capacity (Number of sheets)	100
	USB interface	Available
	Network Interface	Integrated Ethernet 10/100/1000
	Wi-fi Interface	Available
	If Wi-fi Interface available	Integrated
	OS Compatibility (Latest version)	Windows,Linux,Mac OS
	Daily Duty Cycle (Number of Pages)	7500
	Scan File Formats	PDF,JPEG,HTML,SPDF
	Bundled Softwares	WIA/Twain
	Power Consumption in Standby mode (Watts)	2
	Power Consumption in Operational mode (Watts)	23.9
	BIS Registration as per Compulsory Registration Scheme under Gazette of India Notification number SO 2357(E) dated 07/09/2012 issued by Department of Electronics and Information Technology	Yes
	BIS Registration Number and Its validity	R-41206334
	Minimum Operating Temperature (Degree C)	15
	Maximum Operating Temperature (Degree C)	55
	Minimum Operating Humidity (% RH)	15
	Maximum Operating Humidity (% RH)	80
	Dimensions (W x D x H) (mm x mm x mm)	536.5x442.6x387.42mm
	Weight (Kg)	6.1
	On Site OEM Warranty (Year)	3

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for hp CIS Sheet Fed & Flat Bed scanner, On Site OEM Warranty 3 year

विवरण Specification	मूल्य Value
Duty cycle	Should be 4000 pages (ADF), 100 pages flatbed
Bit depth	24-bits external 48 bits internal

Product Specification for hp CIS Sheet Fed scanner, On Site OEM Warranty 3 year

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
	Scanner Type	Sheet Fed
	Scanning Technology	CIS
	Document Size	A4
	Optical Resolution (Dpi)	600
	Maximum Resolution (Dpi)	1200
	Simplex Monochrome Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	40
	Simplex Colour Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	40
	Duplex Monochrome Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	80
	Duplex Colour Scan Speed for document @200dpi/@300dpi/@400dpi/@600 dpi/@1200dpi as applicable (ppm)	80
	Colour Depth (Bits)	48
	Paper Weight Handling Capacity (GSM)	210
	Scanning Feature	Duplex
	Paper Path	Straight

Specification	Multi Fed Detection Feature	Yes
	Automatic Document Feeder (ADF)	Available
	ADF Tray Capacity (Number of sheets)	50
	USB interface	Available
	Network Interface	Not Available
	Wi-fi Interface	Not Available
	If Wi-fi Interface available	Not Applicable
	OS Compatibility (Latest version)	Windows,Linux,Mac OS
	Daily Duty Cycle (Number of Pages)	4000
	Scan File Formats	PDF,JPEG,PNG
	Bundled Softwares	WIA/Twain
	Power Consumption in Standby mode (Watts)	1.1
	Power Consumption in Operational mode (Watts)	4.4
	BIS Registration as per Compulsory Registration Scheme under Gazette of India Notification number SO 2357(E) dated 07/09/2012 issued by Department of Electronics and Information Technology	Yes
	BIS Registration Number and Its validity	R-41206334
	Minimum Operating Temperature (Degree C)	15
	Maximum Operating Temperature (Degree C)	55
	Minimum Operating Humidity (% RH)	15
	Maximum Operating Humidity (% RH)	80
	Dimensions (W x D x H) (mm x mm x mm)	310 x 198 x 190
	Weight (Kg)	2.7
	On Site OEM Warranty (Year)	3

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for hp CIS Sheet Fed scanner, On Site OEM Warranty 3 year

विवरण Specification	मूल्य Value
USB	Should be 3.0
Certification	CECP, Energy star 3.0, EPEAT SILVER 2

Product Specification for hp Laser Mono Computer Printers for A4 paper size

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
	Printing Technology	Laser
	Cartridge Technology	Composite Cartridge
	Type of Printing	Mono
	Paper Size	A4
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	38
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0
	Resolution (Dpi)	1200x1200
	Memory (MB)	1024
	Hard Disk Capacity (GB)	0
	Processor Speed	800 MHz
	Duplexing Feature	Yes
	Duplex Print Speed (IPM)	30
	Network Connectivity	Yes
	Network Interface, if available	Ethernet 10/100/1000
	Wireless Connectivity	No
	If Yes, Type of Wireless Connectivity	NA

Specifications	USB Port	Yes
	Number of Main Paper Trays	1
	Each Main Paper Tray Capacity	250
	Bypass Tray Facility	Yes
	If Yes, Bypass Tray Capacity	100
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	3000
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	0
	Duty Cycle (No of Prints/month)	120000
	Minimum Operating Temperature (Degree C)	15
	Maximum Operating Temperature (Degree C)	32.5
	Minimum Operating Humidity (%RH)	10
	Maximum Operating Humidity (% RH)	80
	BIS Registration under CRS of Meity	Yes
	BIS Registration no	R-41016446
	Other Certifications Available	UL,CE
	Dimensions(In mm x mm x mm)	381 x 357x220mm
	Weight (In kg)	8.5
	On site OEM warranty (Years)	1

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 41016446

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for hp Laser Mono Computer Printers for A4 paper size

विवरण Specification	मूल्य Value
Duplex	Should be yes
Duty cycle	Should be 80000 pages or higher

Product Specification for Uniline Line Interactive UPS with AVR of Rating 1.0 KVA With Warranty of 2 Years

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Rating (in KVA)	1.0
	Technology	MOSFET-PWM
	Inverter Efficiency (%)	60% or better
	Minimum Guaranteed Battery Backup time (Minutes) on Full Load	30
	Warranty for Line Interactive UPS	2 Years
Battery/Backup Bank	Type of battery	SMF-VRLA confirming to JISC-8702 Pt 1,2 &3
	Location of Battery	Inside the Enclosure of UPS
	Battery capacity (Ah)	7Ah
	Minimum Guaranteed VAH provided to meet or exceed minimum guaranteed Back up time	168
	Battery Make (hint: Name of the Brand)	GLOBAL/UPWS/OKAYA
	Battery Model Number	GLOBAL/UPWS/OKAYA
	Number of Batteries	2
	Weight of the Battery (kg)	2

	Warranty for the battery from the date of delivery	1 Year
CONSTRUCTIONAL	Enclosure	ABS
	Degree of protection	IP 20
	Gross Weight (UPS+Battery) (kg)	8
	Rated Output (Volt) with Total Harmonic Distortion (%)	Single Phase Quasi Sinewave 230 V AC 50 Hz with Total Harmonic Distortion as <=40%
FEATURES	Input (Volt)	Single Phase AC (160-280V)
	Salient Features	Maximum 10 milliseconds Switching over time, Load Power Factor >/=0.6
	Variation in AVR output in AC mode (AVR Voltage regulation)	230 Volts +/-15%
	Protection	Under voltage Protection (Input Voltage <160 V), Low Battery
BUYER SPECIFIC REQUIREMENT	Environmental Test Report Requirements	NA
	Any Other Requirements	As per Meity (Government of India) guidelines UPS shall have valid IS16242-Part 1 CRS certification
CERTIFICATION / TEST REPORT	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	Certificate of Govt.Lab/NABL/ILAC accredited for UPS Testing
	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes

खरीदार परिभ्रष्ट अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Uniline Line Interactive UPS with AVR of Rating 1.0 KVA With Warranty of 2 Years

विवरण Specification	मूल्य Value
Isolation	Without isolation
NO. OF BATTERIES	3 Nos 28 AH, 36VDC

Product Specification for Uniline Online UPS of Rating 3.0 KVA With Battery Of Backup Time 30 Minutes

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
Generic	Rating in KVA	3.0 KVA
	Switching Technology	IGBT-PWM
	Input Voltage	AC Single phase 160V - 260V 50Hz
	Output Voltage	AC Single phase 230V +/-1% 50 Hz
	Warranty for UPS (Years)	2
Battery/Backup Bank	Battery/Backup Bank Provided with Online UPS (Hint: In case the UPS is supplied with battery, seller shall ensure compliance to the GST Rates as per recommendations made in the 45th Meeting of GST council dated 17th Sep 2021)	With Battery
	Type of Battery (hint: NA in case Battery not provided)	SMF-VRLA conforming to JISC:8702(Pt.I,II&III), Stationary Lead Acid Batteries (with tubular positive plates) in monobloc container conforming to IS:13369:1992 latest
	Backup time (Minutes) (hint: NA in case battery not provided)	30 Minutes
	Battery Make	HBL OR EQUIVALENT
	Battery Model Number	HBL OR EQUIVALENT
	Battery capacity (Ah)	42
	Weight of the Battery (kg)	12
	Number of Batteries	6
	Minimum Guaranteed VAH	1600 X Per KVA X Per hour of backup time
	Warranty for battery (Years) by Battery Manufacturer/Brand hint: NA in case battery not provided	2
Installation and Commissioning or Service	Accessories with Battery	NA
	Installation and Commissioning (Covered in the Scope of Supply)	Provided
	After sales service (Turn Around Time)	Within 48 hours
	Preventive Maintenance (Hint: Mention Timeline if provided, NA if not provided)	NA

	Other Services provided	PAN India service support on 24 x 7 basis
Performance / Functional	Inbuilt isolation transformer	Without
	Overall Efficiency (%)	>/=80% & <90% with Inbuilt isolation transformer
	Power Factor Load Supported	0.8 or better
	Overload limit	20% Overload for minimum 5 minute,50% Overload for minimum 3 seconds
	Total Harmonic Distortion(THD) (%)	3% Maximum @ 100% Linear Load
	Other Functional Features	Crest factor on full non-linear load is not less than 3:1
Accessories	Accessories	Rack for Batteries
Salient Features	Protection	Protection for under voltage at battery terminal,Protection of Over voltage,Short Circuit & over load at UPS output terminal,Over temperature protection
	Metering	Input Voltage,Output Voltage
	Alarms and Indications	Indicator for Mains presence,Indicator for Battery charging and discharging,Indicator for Output Over Load with Audible Alarm,Indicator for Low Battery Voltage with Audible Alarm,Alarm for Over temperature,Alarm for Low Battery
	Additional Features	Pure Sinewave AC Output
	Provide URL of the catalogue	www.unilineindia.com
Design / Construction	Type of Design / Construction	Floor Standing
	Form factor of UPS	NA (for Floor Standing)
	Enclosure (mm)	1.0 mm Minimum Thickness of M.S. Sheet duly powder coated
	Degree of Protection	IP20
	DC Bus Voltage (In Volts)	72
	Other Constructional Features	Mains ON/OFF MCB
Operating Conditions	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	45 degree Celsius
	Relative Humidity Non Condensing at 40 deg C	90 percent
Buyer Specific Requirement	Environmental Test Report Requirements	NA
	Battery Test Report	NA
	Intended Applications	Critical Infrastructure,Network IT Equipment
	Other Requirements	ROHS compliance,KW rating shall be 0.8 time of KVA rating
Reports And Certification	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
	Agree to provide all relevant documents Test Reports/supporting document /reports etc to the buyer at the time of bidding or on demand	Yes
	As per Meity (Government of India) guidelines UPS shall have valid BIS CRS certifications as applicable	Yes (For UPS rating upto 10KVA)

खरीदार परिभ्राष्टि अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Uniline Online UPS of Rating 3.0 KVA With Battery Of Backup Time 30 Minutes

विवरण Specification	मूल्य Value
PHASE	(1P-1P)
NO. OF BATTERIES	8 NOS 26 AH
ISOLATION	Without isolation , 72 VDC

शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया|Extended Upto : 2023-11-17 09:00:00

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	State Bank of India
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	1.00

नियम और शर्तें| Terms and Conditions

1. Special terms and conditions- Version:1 effective from 06-07-2022

1.1 In addition to General Terms and Conditions of GeM, the following Special T&C shall be applicable for Online UPS (Version 2.0) with reference to Installation and Commissioning.

Seller's Responsibility: Installation and Commissioning shall involve all the interconnections, any cabling between power source, switch boards within 3 metre range for input power and connecting Output power in the Scope of seller.

Buyer's Responsibility: Buyer will ensure well ventilated/covered site/room having requisite power points/distribution board to provide input power to UPS as well as to take out power from UPS within 3 metre of the location of UPS placement.

The above is not applicable for the stores supplied without installation and commissioning.

Note: The above is indicative and any incidental requirement related to above responsibilities shall also be considered in the responsibilities of Buyer/Seller as applicable.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Generic

Bidder financial standing: The bidder should not be under liquidation, court receivership or similar proceedings, should not be bankrupt. Bidder to upload undertaking to this effect with bid.

3.3 Generic

End User Certificate: Wherever Bidders are insisting for End User Certificate from the Buyer, same shall be provided in Buyer's standard format only.

3.4 Generic

Consortium: In case of Contracts, wherein the seller alone does not have necessary expertise, the seller can form consortium with other sellers for submission of the bid, with one of the consortium company as leader. However, each and every member of the consortium shall be equally responsible for the complete execution of the project contract. An undertaking to this effect is to be uploaded with bid.

3.5 Generic

Data Sheet of the product(s) offered in the bid, are to be uploaded along with the bid documents. Buyers can match and verify the Data Sheet with the product specifications offered. In case of any unexplained mismatch of technical parameters, the bid is liable for rejection.

3.6 Generic

Experience Criteria: The Bidder or its OEM {themselves or through reseller(s)} should have regularly, manufactured and supplied same or similar Category Products to any Central / State Govt Organization / PSU / Public Listed Company for 3 years before the bid opening date. Copies of relevant contracts to be submitted along with bid in support of having supplied some quantity during each of the year. In case of bunch bids, the primary product having highest value should meet this criterion.

3.7 Generic

Malicious Code Certificate:

The seller should upload following certificate in the bid:-

(a) This is to certify that the Hardware and the Software being offered, as part of the contract, does not contain Embedded Malicious code that would activate procedures to :-

- (i) Inhibit the desires and designed function of the equipment.
- (ii) Cause physical damage to the user or equipment during the exploitation.
- (iii) Tap information resident or transient in the equipment/network.

(b) The firm will be considered to be in breach of the procurement contract, in case physical damage, loss of information or infringements related to copyright and Intellectual Property Right (IPRs) are caused due to activation of any such malicious code in embedded software.

3.8 Generic

Manufacturer Authorization: Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

3.9 Generic

WORLD BANK TERMS AND CONDITIONS: Special Terms and Conditions as defined by world bank at [click here](#) will also be applicable. APPLICABLE ONLY IN CASE OF WORLD BANK FUNDED PROJECTS.

3.10 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

3.11 Turnover:

OEM Turn Over Criteria: The minimum average annual financial turnover of the OEM of the offered product during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the OEM is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria. In case of bunch bids, the OEM of CATEGORY RELATED TO primary product having highest bid value should meet this criterion.

3.12 Turnover:

Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

3.13 OEM:

IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.

3.14 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

3.15 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

3.16 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

3.17 Past Project Experience:

Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.
Proof for Past Experience and Project Experience clause: For fulfilling the experience criteria any one of the following documents may be considered as valid proof for meeting the experience criteria:a. Contract copy along with Invoice(s) with self-certification by the bidder that service/supplies against the invoices have been executed.b. Execution certificate by client with contract value.c. Any other document in support of contract execution like Third Party Inspection release note, etc.

3.18 Past Project Experience:

The Bidder / OEM {themselves or through reseller(s)}, should have executed project for supply and installation / commissioning of same or similar Category Products during preceding 3 financial years (i.e. current year and three previous financial years) as on opening of bid, as per following criteria:

- (i) Single order of at least 35% of estimated bid value; or
- (ii) Two orders of at least 20% each of estimated bid value; or
- (iii) Three orders of at least 15% each of estimated bid value.

Satisfactory Performance certificate issued by respective Buyer Organization for the above Orders should be uploaded with bid. In case of bunch bids, the Category related to primary product having highest bid value should meet this criterion

3.19 Buyer Added Bid Specific ATC:

Buyer Added text based ATC clauses

Additional terms and condition for antivirus-

-Three Year license

-Device Control-Anti-ransomware

-Detailed alert analysis/Root cause analysis

-OEM should have L1 support centre/Data Centre in India

-ICSA/DSCI Certificate

-ISO 27001 in Analysis, Design, Development, Testing and support services for computer security software products for end points, network and data protection and privacy, ISO 20000 certified Technical Support

3.20 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.