

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687783896841

अनुबंध तिथि | Generated Date : 27-Feb-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Power विभाग Department : NA संगठन का नाम Organisation Name : NTPC Limited कार्यालय क्षेत्र Office Zone : NTPC SIMHADRI ANDHRA PRADESH	पद Designation : SRMGREMD संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : buyer25.ntpc.korba@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : NTPC Ltd- Simhadri super thermal power station, P.O. Deepanjalinagar, Parawada mandal, Anakapalli Dist., VISAKHAPATNAM, ANDHRA PRADESH-531020, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : AGM वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : AGM	Role: BUYER भुगतान का तरीका Payment Mode: NTPC पद Designation : SRMGREMD ईमेल आईडी Email ID : buyer25.ntpc.korba@gembuyer.in जीएसटीआईएन GSTIN : 37AAACN0255D2ZW पता Address : NTPC Ltd- Simhadri super thermal power station, P.O. Deepanjalinagar, Parawada mandal, Anakapalli Dist., Visakhapatnam, ANDHRA PRADESH-531020, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 592D180000111374 कंपनी का नाम Company Name : SINETEC AUTOMATION PRIVATE LIMITED संपर्क नंबर Contact No. : 04222450063 ईमेल आईडी Email ID : sales.kerala@sinetecautomation.com पता Address : No.19,,No.19, 1st Floor Chinna Subbanna Layout Saibaba colony, Chinna Subbanna Layout, Saibaba Colony,, Coimbatore, TAMIL NADU-641011, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-TN-03-0005866 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN : 33AAWCS2984G2ZR

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : FLUKE Color LCD Thermal imager 14000 Pixel ब्रांड Brand : FLUKE ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : thermal imager (Q2) मॉडल Model : Fluke PTi120 Pocket Thermal Imager एचएसएन कोड HSN Code : 90303900	1	pieces	87,500	NA	87,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						87,500

परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By

पद | Designation : SRMGREMD

1	ईमेल आईडी Email ID : buyer25.ntpc.korba@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : NTPC Ltd- Simhadri super thermal power station,P.O.Deepanjalinagar,Parawada mandal,Anakapalli Dist., VISA KHAPATNAM, ANDHRA PRADESH-531020, India	FLUKE Color LCD Thermal imager 14000 Pixel	-	1	27-Feb-2024	13-Mar-2024
---	---	--	---	---	-------------	-------------

Product Specification for FLUKE Color LCD Thermal imager 14000 Pixel

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
LENS MEASUREMENTS FEATURES	Horizontal Field of View of Standard lens (degree)	41-50
	Vertical Field of View of Standard lens	35-40
	Horizontal Field of View of Telephoto lens	NA
	Vertical Field of View of Telephoto lens	NA
	IFOV of Standard lens (mRad)	NA
	IFOV of Telephoto Lens (mRad)	NA
	IFOV of (Spatial resolution) (mRad)	NA
PERFORMANCE FEATURES	Type	Hand held
	Detector Resolution (minimum) (pixel)	14000
	Temperature Range of Objects (Degree Celsius)	-20 to +250
	Temperature measuring accuracy of reading (or better)	± 2% °C
	Minimum Focus distance	20 centimeter
	Image capture frequency/ frame rate (Hz)	N ≥ 9
	Image Detector Type	Focal Plane Array (FPA) Uncooled Micro bolometer (for fever measurement & animal husbandry thermal imager)
	Thermal sensitivity (NETD)	0.06 degree Celsius
	User selectable Emissivity setting/correction	Between 0.01 and 1
	Infrared spectral band (micrometer)	Between 8 and 14
	Image Palettes	6
DISPLAY	Display Type	Color LCD
	Display size	3.5 inch
GENERAL FEATURES	Image capture, review and save mechanism	One handed image capture, review and save capability
	Storage medium	Mini SD card
	Size of USB stick	2 gigabyte
	File formats	JPEG,BMP,GIF,PNG,TIFF
	Built-in digital camera/ Visual Camera Resolution (Mpixel)	N ≥ 1
	Details of Operating functions	7.6mRad IFOV
	Facility for the adjustment/ selection of the time/date etc	yes
	Interface for image transfer	Mini SD card,WiFi,USB Cable with suitable drivers for downloading to PC
	Focus	NA
	other features	Fixed focus.
OPERATING CONDITION	Minimum Operating Temperature	-10 degree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Operating Humidity (RH)	95 percent
POWER REQUIREMENT	Power Requirements	Battery Operated
	chemistry of the battery	lithium ion
	Voltage of rechargeable Battery	3.7 Volt
	Capacity of rechargeable battery (milliAH)	3000
	Suitable charger/adapter provided	NA
	Battery Backup	3 hour
	Power Management	Automatic shut down /User Selectable
	On-screen battery level indicator	yes
CERTIFICATION &	IP Protection	IP54

SAFETY	Safety certification	UL,CE
GENERIC	Size/ dimension	89x 127x 25mm
	Weight (including batteries)	0.233 kilogram
	Automatic active temperature stabilization system of camera	yes
	Provision for through-the-lens direct temperature measurement capability	yes
TEST REPORT DETAILS & TESTS	The equipment supplied with calibration certificate	yes
	conformity to Dry Heat for 16 hrs at a maximum temp in accordance with IS:9000/part-3/section-5/1977 latest	Yes
	conformity to Cold Test for 4 hrs at a minimum temp in accordance with IS:9000/part-2/section-4/1977 latest	Yes
	conformity to Damp Heat (Cyclic)Test for 2 Cycles of 24 h each at a temp of 40 degree C & 95% RH	Yes
	Availability of the test report from Central Govt/ NABL/ ILAC accredited lab to prove conformity to the specification	Yes
	Test Report Number and date for the specification test (not a part of biddable parameter)	2345&9.1.2019
	Name and address of the Lab for the specification test (not a part of biddable parameter)	fluke,bhiwadi
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p>		
<p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		