

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687761494723

अनुबंध तिथि | Generated Date : 01-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Education Department Chandigarh संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone : GMSSS SECTOR 32 UNDER District Education Officer	पद Designation : JUNIOR ASSISTANT संपर्क नंबर Contact No. : 0172-2676004- ईमेल आईडी Email ID : buycon122.edc.ch@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : GMSSS 32, CHANDIGARH, CHANDIGARH-160031, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: PRINCIPAL वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : PRINCIPAL	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : LECTURER ईमेल आईडी Email ID : vp-gmsss32@chd.nic.in जीएसटीआईएन GSTIN : - पता Address: GMSSS 32, CHANDIGARH, CHANDIGARH-160031, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : Q6H8210004376793 कंपनी का नाम Company Name : FORTUNEXIS SYNERGIES LLP संपर्क नंबर Contact No. : 08283800079 ईमेल आईडी Email ID : fortunexis.synergies@gmail.com पता Address : 79,NAC,MANIMAJRA,NAC MANIMAJRA, CHANDIGARH, CHANDIGARH-160101, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-CH-01-0013878 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN: 04AAHFF1385N1Z7

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Impact By Honeywell 4MP DOME CAMERA ब्रांड Brand : Impact By Honeywell ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: UL 4MP DOME एचएसएन कोड HSN Code: HSN not specified by seller	19	pieces	8,500	NA	161,500
कुल ऑर्डर मूल्य Total Order Value (in INR)						161,500

परोक्ष विवरण Consignee Detail						
क्र.सं. S.No	परोक्ष Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : JUNIOR ASSISTANT ईमेल आईडी Email ID : buycon122.edc.ch@gembuyer.in संपर्क Contact : 0172-2676004- जीएसटीआईएन GSTIN : - पता Address : GMSSS 32,	Impact By Honeywell 4MP DOME CAMERA	-	19	01-Mar-2024	16-Mar-2024

Product Specification for Impact By Honeywell 4MP DOME CAMERA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	0.34 inch
	Camera Image Sensing capacity (Picture Mode)	4MP
	Resolution	D1 (704 x 480 Pixel),HD (1280 x 720 Pixel),Full HD (1920 x 1080 Pixel),3MP(2304x1296),3MP(30fps),4MP(2560x1440),4MP(30fps)
	Day/Night Capable	Yes
	IR illumination Range(mtr)	30
CAMERA TYPE	Type of Camera Housing	DOME CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Fixed
	Focal Length(mm)	2.8
	Iris Control	Yes
	Focus Mode	Auto,Zooming,One Push,Manual,NA,Auto back Focus
VIDEO	Frame Rate (fps)	20
	Video Compression	H.264,H.265,H.265+
	Video Streaming	Dual compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	NA
AUDIO	Audio Support	Yes
	Audio Compression	G711ulaw,G711alaw
	Audio Streaming	One-Way
	Number of Audio Input Channel	NA
	Number of Audio Output Channel	NA
	External Microphone Support	No
ALARM	Alarm Support	No
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.02 lux
	Electronic Shutter Speed(sec)	1/1 to 1/10,000
	WDR (Wide Dynamic Range)	DWDR
	SNR (Signal to Noise Ratio)	50-60
	Auto Exposure	Auto Level Control,Electronic Level Control
	White Balance (Indoor/Out door/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web	

FEATURES	based tool)	Yes
	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	Yes
	Presets	1
	Group Touring	1
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	HTTP,TCP/IP,UDP,ICMP,DHCP,DNS,NTP,IPv4
	IP Support	Static,Dynamic,NA
	Signal Processing	Digital Signal Process
	IPv6 ready	No
	Wireless	No
	Simultaneous Connections	2
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Indoor,Outdoor
	Material of the Housing construction	Plastic
	Protection	IP 66
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Ceiling Mounted
	Weight	340 gram
POWER SUPPLY	Dimensions (mm x mm x mm)	175x85x85mm
	Power Input	PoE
	Power Consumption	5 Watt
OPERATING CONDITIONS	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	NA
	Operating Temperature Range	- 30 to +60 deg C
WARRANTY / SERVICES	Relative Humidity Non Condensing (%)	95
	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	36 hour
ENVIRONMENTAL / CERTIFICATION	Supply of Compatible drivers and software included	Yes
	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	Yes
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	Yes
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	Yes
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	Yes
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	Yes
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	Yes
	Test Report Number and Date	MTL/2K22/0202
	Name and Address of Test Lab	Matrix Lab
Certification	BIS,CE,FCC,RoHS	

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 91008982

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.