

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687757381292

अनुबंध तिथि | Generated Date : 01-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4489769](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Central PSU	पद Designation :	DY Manager			
मंत्रालय Ministry :	Ministry of Power	संपर्क नंबर Contact No. :	88947-01214-			
विभाग Department :	POWER GRID Corporation OF INDIA Limited	ईमेल आईडी Email ID :	con2.pcil.banala@gembuyer.in			
संगठन का नाम Organisation Name :	POWER GRID Corporation OF INDIA Limited	जीएसटीआईएन GSTIN :	04AAACP0252G1Z1			
कार्यालय क्षेत्र Office Zone:	Corporate Office Gurgaon	पता Address :	POWER GRID CORPORATION OF INDIA LTD. Hallo Majra 220KV GIS SS, Hallo Majra Chandigarh-160002, CHANDIGARH, CHANDIGARH-160002, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम	CGM	भुगतान का तरीका	PGCIL			
Designation of Administrative Approval:		Payment Mode:				
वित्तीय अनुमोदन का पदनाम	CGM	पद Designation :	Executive Secretary1			
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao57.pgcl.hr@gembuyer.in			
		जीएसटीआईएन GSTIN :	01AAACP0252G1Z7 POWERGRID CORPORATION OF INDIA LIMITED, GRID BHAWAN, OB-26, RAIL HEAD COMPLEX, NEAR BAHU PLAZA, Jammu - 180012, JAMMU, JAMMU & KASHMIR-180012, India			
		पता Address:				
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	1A00200001112065					
कंपनी का नाम Company Name :	Techxpert					
संपर्क नंबर Contact No. :	09356322722					
ईमेल आईडी Email ID :	info.techxpert@yahoo.com					
पता Address :	60,AAbha Colony,Bharatwada road,kalamna,nagpur, Nagpur, MAHARASHTRA-440035, -					
एमएसएमई सत्यापित MSME verified :	No					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-MH-20-0065353					
एमएसई सामाजिक श्रेणी MSE Social Category :	OBC					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	27ACOPW1916F1ZA					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : STRAWBKIW Sanitary Napkins Incinetator Machine with Smoke Control Unit ब्रांड Brand : STRAWBKIW ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Sanitary Napkins Incinetator Machine with Smoke Control Unit (Q3) मॉडल Model : TX/AKR/GEM/PGCOIL/COG/24 एचएसएन कोड HSN Code : HSN not specified by seller	12	pieces	9,148	NA	109,776
2	उत्पाद का नाम Product Name : STRAWBKIW Automatic Sanitary Napkins Vending Machine ब्रांड Brand : STRAWBKIW ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Sanitary Napkins Vending Machines (Q3) मॉडल Model : TX/AKR/GEM/PGCOIL/COG/24 एचएसएन कोड HSN Code : HSN not specified by seller	12	pieces	8,109	NA	97,308
कुल ऑर्डर मूल्य Total Order Value (in INR)						207,084

प्रेषिती विवरण Consignee Detail						
क्र.सं. S.No	प्रेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : con949.pgcil.hr@gembuyer.in संपर्क Contact : -7398094532- जीएसटीआईएन GSTIN : - पता Address : Power Grid Corporation of India Ltd, 400/220kV Substation, Vill- Bhamboli, Ambala- jagadhari Road, PO- Mustafabad, Distt- Yamuna nagar (Haryana)-133103, YAMUNA NAGAR, HARYANA-133103, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
2	पद Designation :- ईमेल आईडी Email ID : con201.pgcil.jk@gembuyer.in संपर्क Contact : 01951-237563- जीएसटीआईएन GSTIN : 01AAACP0252G1Z7 पता Address : POWER GRID CORPORATION OF INDIA LIMITED, 400/220 kV Sub Station , Village Wagoora , Tehsil B.K.Pora , Distt. Budgam, J&K - 192121, PULWAMA, JAMMU & KASHMIR-192121, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
3	पद Designation :- ईमेल आईडी Email ID : con906.pgcil.ch@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Power Grid Corporation of India Limited 220/66 Kv Sub Stataion, Hallo Majra, Chandigarh 160002, CHANDIGARH, CHANDIGARH-160002, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
4	पद Designation :- ईमेल आईडी Email ID : con1038.pgcil.hr@gembuyer.in संपर्क Contact : 972-9872413- जीएसटीआईएन GSTIN : 06AAACP0252G1ZX पता Address : Power Grid Corporation of India Limited, Village Matana, Hisar Road, Fatehabad, Haryana-125050, FATEHABAD, HARYANA-125050, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
5	पद Designation :- ईमेल आईडी Email ID : con204.pgcil.jk@gembuyer.in संपर्क Contact : 01985-232182- जीएसटीआईएन GSTIN : 38AAACP0252G1ZQ पता Address : POWER GRID CORPORATION OF INDIA LTD, Haji Mubarak Manzil, Baghe-Khomeni, Near Govt. ITI, Kargil , Ladakh-194103, KARGIL, JAMMU & KASHMIR-194103, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
6	पद Designation :- ईमेल आईडी Email ID : buyer1.pgcil.juc@gembuyer.in संपर्क Contact : 1972-252007- जीएसटीआईएन GSTIN : 02AAACP0252G1Z5 पता Address : POWER GRID CORPORATION OF INDIA LIMITED, 400/220KV GIS Hamirpur substation at village Chowki Kankari, PO Didwin, Tehsil & District Hamirpur HP-177401, HAMIRPUR(HP), HIMACHAL PRADESH-177401, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
7	पद Designation :- ईमेल आईडी Email ID : con600.pgcil.jk@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : PowerGrid Corporation of India Limited, 220/66 Kv Substation, Phiyang, Leh, Ladakh 194101, LEH, JAMMU & KASHMIR-194101, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
8	पद Designation :- ईमेल आईडी Email ID : buycon2.pgcil.ldh@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : POWERGRID CORPORATION OF INDIA LIMITED, Nalagarh 400/220KV Sub station, Village and Post- Reru, Dist.-Solani, Tehsil Nalagarh, Himachal Pradesh-174101, SOLAN, HIMACHAL PRADESH-174101, India	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke Control Unit	-	2	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	2	01-Mar-2024	31-Mar-2024
	पद Designation :- ईमेल आईडी Email ID : con777.pgcil.pb@gembuyer.in संपर्क Contact : -	STRAWBKIW Sanitary Napkins Incinetaor Machine with Smoke	-	1	01-Mar-2024	31-Mar-2024

9	जीएसटीआईएन GSTIN : - पता Address : Power Grid Corporation of India Limited, Moga 800/400/220KV Substation, Urja Nagar, Kotkapura, Moga, Punjab-142001, MOGA, PUNJAB-142001, India	Control Unit				
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
10	पद Designation : - ईमेल आईडी Email ID : con951.pgcl.pb@gembuyer.in संपर्क Contact : -9501102320- जीएसटीआईएन GSTIN : - पता Address : POWERGRID CORPORATION OF INDIA LIMITED, 400/220KB Substation, Village- Faggan Majra, 13th KM, Patiala -Sirhind Road, PATIALA, Punjab-147001, PATIALA, PUNJAB-147001, India	STRAWBKIW Sanitary Napkins Incinertator Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024
11	पद Designation : - ईमेल आईडी Email ID : con782.pgcl.jk@gembuyer.in संपर्क Contact : -- जीएसटीआईएन GSTIN : 01AAACP0252G1Z7 पता Address : Power Grid Corporation of India Limited, 800/400/220kV Substation, Kishenpur manwal road, via Dansal, Kishenpur, Distt. Jammu, J&K-181224, JAMMU, JAMMU & KASHMIR-181224, India	STRAWBKIW Sanitary Napkins Incinertator Machine with Smoke Control Unit	-	1	01-Mar-2024	31-Mar-2024
		STRAWBKIW Automatic Sanitary Napkins Vending Machine	-	1	01-Mar-2024	31-Mar-2024

Product Specification for STRAWBKIW Sanitary Napkins Incinertator Machine with Smoke Control Unit

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL	Type	Wall Mountable
	Purpose	Burn used Sanitary Napkins to sterile ash and stop automatically
	Color	Elephant grey
	Operation Mode	Electronically operated, fully Automatic
	Loading Type	Front loading
	Stand provided	Yes
	Number of chambers	Two
	Trap Door available	Yes
	All MS parts Powder coated	Yes
	Spare parts should be available for Minimum 5 years from date of supply	Yes
	All electrical parts are ISI Marked	Yes
DIMENSIONS OF MAIN UNIT	Thickness of thermal Insulation material (mm)	25 millimeter
	Thickness of MS/SS sheet of housing cabinet (external) (mm)	1.2 millimeter
	Thickness of MS/SS sheet of burning chamber (internal) (mm) (Min)	3 millimeter
	Machine Width(mm)	200-300
	Machine Depth (mm)	201-300
	Machine Hight(mm)	501-700
	Machine Weight(kg)	5-15
	Door width(mm)	101-150
	Door height(mm)	101-150
	Thickness of door including insulation (mm)	20 millimeter
	Internal/burning chamber shape	Rectangular cubical
	Flexible emission Outlet pipe dia (mm)	25 millimeter
	Detachable ash tray length (mm)	100-150
	Detachable ash tray width (mm)	100-150
	Detachable ash tray height (mm)	5-15
	Stand Height (mm)	0 millimeter
	Stand Width (mm)	NA for wall mountable
	Stand Depth (mm)	NA for wall mountable
	Material of Housing cabinet (External)	Mild Steel(CRCA) sheet
	Material of Burning chamber (Internal)	Mild Steel(CRCA) sheet

MATERIAL OF MACHINE UNIT	Finish of MS parts of cabinet	Epoxy anti rust proof painting for superior finish
	Material of Thermal Insulation	High Density Ceramic Board
CONSTRUCTIONAL FEATURES	Thermal insulation of burning chamber housed in outer chamber	Yes
	Burning Chamber tray provided	Yes
	Emission Outlet pipe location	Top of machine
	Means of connecting the unit outlet with flue gas emission pipe	Clamped
	Type of door lock provided	Magnetic lock
CONTROL & FUNCTIONAL FEATURES	Temperature indicator provided	Yes
	Timer provided	Yes
	Auto cut-off temperature display	Yes
	Digital display to see actual and set temperature	Yes
	Minimum Burning temperature (degree C)	800
	Burning Capacity per day (Number of Napkins)	100-200
	Burning Capacity at a time (Number of Napkins)	1-15
	Residue Ash per Napkin (gms)	1 gram
	Burning time of full capacity Napkins/pads (minutes) (Max)	10 minute
	Skin temperature of the unit under operation (deg C)	0-15
	Installation, training, demonstration and plumbing included	Yes
ELECTRICAL AND SAFETY FEATURES	Automatic digital controller for time	Yes
	Automatic digital controller for temperature	Yes
	Equipment ON/OFF indicator provided	Yes
	Power supply	230v +/-10%, 50Hz, Single phase, AC supply
	Electrical Power Consumption(Watt)	500-1000
	Minimum length of power chord to be supplied along with machine (mtr)	2 meter
	Type of Heater	Ceramic heater containing coil
	Power saver (auto power cut-off)	Yes
	Safety MCB provided (16A to 30A)	Yes
	Protection against electric shock when checked as per IS:302-1/2008	Yes
	Minimum Insulation Resistance (IR) at 500 VDC (Mega Ohm)	2
	Maximum Electrical Insulation and Leakage current as per IS:302-1/2008, (mA)	0.21
	Maximum Earthing continuity test when tested as per IS:302-1/2008 (Ohm)	0.1
	HV test at 1000 V rms for 1 Sec when tested as per IS:302-1/2008	No breakdown shall occur during the test
SMOKE CONTROL UNIT (SCU)	Type of SCU (Smoke Control Unit)	Top mounted
	Material of housing of Smoke Control Unit (SCU)	Mild Steel(CRCA) cabinet
	Finish of MS parts of SCU cabinet	Epoxy anti rust proof painting for superior finish
	Overall height of SCU (mm)	300
	Overall width of SCU (mm)	100-300
	Overall depth of SCU (mm)	100-300
	Number of chambers for filtration of smoke emission	Two
	Both carbon Control and Foul odour Control Chambers for filtration of smoke emission	Yes
	Number of filters in Carbon control chamber	Two
	Type of filters in Carbon control chamber	Activated Carbon filter
	Number of filters in Odour control chamber	Two
	Type of filters in Odour control chamber	Activated Carbon filter
	Blower type	"Centrifugal, direct driven"

	Blower RPM	1800
	Power supply of SCU	230v +/-10%, 50Hz, Single phase, AC supply
	Minimum length of flexible emission outlet pipe to be supplied along with machine (mtr)	3
	Cost of additional flexible emission outlet pipe, if required on actuals to be paid by the user	Yes
EMISSION STANDARD FOR SMOKE	Conformity to CPCB, Min of Environment & Forests standard, Solid Waste Management Rules (SWM), 2016	Yes
	Particulates (Half hourly average) (mg/Nm3) (Max)	50
	HCl (Half hourly average) (mg/Nm3) (Max)	50
	SO2 (Half hourly average) (mg/Nm3) (max)	200
	CO (Half hourly average) (mg/Nm3) (Max)	100
	CO (Daily average) (mg/Nm3) (Max)	50
	Total Organic Carbon (Half hourly average) (mg/Nm3) (Max)	20
	HF (Half hourly average) (mg/Nm3) (Max)	4
	"Nox (NO and NO2 expressed as NO2) (Half hourly average) (mg/Nm3) (Max)"	400
	Total dioxins and furans (6 to 8 hours sampling basis, Please refer guidelines for 17 concerned congeners for toxic equivalence values to arrive at total toxic equivalence) (ng TEQ/Nm3) (Max)	0.1
	Cd + Th + their compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max)	0.05
	Hg and its compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max)	0.05
	Sb+As+Pb+Cr+Co+Cu+Mn+Ni+V+their compounds (Sampling time anywhere between 30 minutes and 8 hours) (mg/Nm3) (Max)	0.5
	Loss on ignition (max) (% dry weight of the material)	5
PACKING	Packing	Carton Box
MARKING AND INSTRUCTIONS	The appliance is marked as per IS:302-1/2008	Yes
CERTIFICATION	Submission of Test Report from Central Govt/CSIR Lab/NABL/ILAC accredited Lab specifically containing Electrical & Electronic parameters,Thermal insulation material of burning chamber in addition to declared specification parameter at time of supply	Yes
	Submission Test Report for equipment for compliance of Flue gas emission and ash upon combustion of Sanitary Napkins/Pads to Central Pollution Control Board (CPCB) norms from NABL accredited lab/CSIR Lab at the time of supply	Yes
	Certification Available	EU-CE,BIS,US-FDA,Other,CSIR-NEERI
	Certificate for Manufacturing premises available	ISO
	Compliance certificate is to be furnished after conducting comprehensive performance test by the supplier	Yes
	Submission of all the certifications to the buyer along with supplies	Yes
PERFORMANCE REQUIREMENTS	Warranty in Years (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	2
Product Specification for STRAWBKIW Automatic Sanitary Napkins Vending Machine		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERAL	Type of machine	Automatic
	Type of fitting	Wall Mountable
	Color	Pink
	Napkin Size for loading	Ultra-Thin
	Napkin Fold	Trifold
	Operating features	Free vending
	Multiple coins accepted	No
	Number of Napkins/pads provided/loaded with the vending machine	25
	Multiselection of Napkin type	Yes
	Number of selection options	1
	Vending option	Horizontal
	Accessibility for free vending utility service	NA
	Type of loading	Spiral

	Vending Napkin individually packed	Yes
	LED illumination provided for visibility of Napkins in the machine	Yes
	Visibility window	Yes
	Pre-programmable facility available	Yes
	Maximum Storage Capacity (Nos)(Nos)	10-25
	Digital counter for accounting	Yes
	"No stock" message display available	Yes
	Built-in program for automatic coin return/reject system when there is no stock or no power	Yes
	Built-in program for automatic currency block/reject system when there is no stock or no power	Yes
	Built-in price programming software for changing the price	Yes
	Sales data retrieval	No
	Any additional built-in features available	Portables Machine and Easy to Use
FUNCTIONAL FEATURES	Material of the outer body	Mild Steel(MS)
	Type of battery	Sealed Maintenance Free Lead Acid
	Built-in charger	Yes
	All MS parts are duly painted by	Powder coating
	Mode of function	Stand alone
	Operating Power source	Electronic
	Input Power supply	220v +/- 10%, 50Hz, Single Phase AC
	Battery Backup available	Yes
	Battery Backup time (hrs)	6-10
	Power Consumption(Watt)	8
DIMENSIONS	Width (mm)	100-200
	Depth (mm)	50-100
	Height (mm)	200-500
	Weight (kg)	10-20
	Thickness of SS/MS sheet (mm)	0.8
	Thickness of FRP/Plastic sheet (mm)	NA
PACKING	Type of Packing	Cartoon Box
CERTIFICATIONS	Submission of Test Report on form 39 or form Central Govt/NABL/ILAC accredited Lab or Manufacture's inhouse Test Report to prove the conformity to declared specification at the time of supply	Yes
	Certification Available	EU-CE
	Certification for Manufacturing Premises	ISO 9001:2015
	Submission of all the certifications to the buyer along with supplies	Yes
शुद्धिपत्र Corrigendum 1. तक बढ़ाया गया Extended Upto : 2024-02-06 09:00:00 ईपीबीजी विवरण ePBG Detail		
सलाहकार बैंक Advisory Bank :		NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):		NA
नियम और शर्तें Terms and Conditions		
1. Special terms and conditions- Version:2 effective from 03-11-2023 1.1 1. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as		

recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.

4. Packing and Marking:

Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination, . Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

3. Buyer Added Bid Specific Terms and Conditions-

3.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

3.2 Generic

Bidder shall submit the following documents along with their bid for Vendor Code Creation:

- Copy of PAN Card.
- Copy of GSTIN.
- Copy of Cancelled Cheque.
- Copy of EFT Mandate duly certified by Bank.

3.3 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#) .

नोट: यह सिस्टम जनरेटड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

