अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687768839255 अनुबंध तिथि | Generated Date : 01-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप|Type: State Autonomous

मंत्रालय|Ministry:

विभाग | Department : Department of Panchavati Rai संगठन का नाम|Organisation Name : SIRSA District Panchayats कार्यालय क्षेत्र|Office Zone: Gram panchayat Farwain Khurd खरीदार विवरण|Buyer Details

पद|Designation: gram sachiv

संपर्क नंबर|Contact No. :

ईमेल आईडी|Email ID: gpfarwainkhurd-hr@panchayat.gov.in

जीएसटीआईएन|GSTIN:

Gram panchayat Farwain Khurd, पता|Address: SIRSA, HARYANA-125060, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम| **GRAM PANCHYAT**

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम।

GRAM SACHIVE

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER भुगतान का तरीका|

Offline Payment Mode:

gram sachiv पद|Designation :

ईमेल आईडी|Email ID : gpfarwainkhurd-hr@panchayat.gov.in

जीएसटीआईएन|GSTIN :

Gram panchayat Farwain Khurd, पता|Address: Sirsa, HARYANA-125060, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : G8ND210004626271 कंपनी का नाम|Company Name : Santos Kanwar संपर्क नंबर|Contact No. : 07413048148

ईमेल आईडी|Email ID : iamsantoskanwar@gmail.com

108,RAJPUROHITO KA BAS,Post- Kerla,Dharamdhari, पता| Address :

Pali, RAJASTHAN-306401, -

एमएसएमई पंजीकरण संख्या|MSME Registration number : जीएसटीआईएन|GSTIN:

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : SunLite 6 20 Watt White LED type ब्रांड Brand : SunLite ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थाश Category Name & Quadrant : Solar Street Lighting System (NTPC) (Q3) गॉडल Model: SUNLITE 20 WATT SOLAR STREET LIGHT एचएसएन कोड HSN Code: HSN not specified by seller	24	pieces	14,223.39	NA	341,361.36
कु	कुल ऑर्डर मूल्य Total Order Value (in INR)					341,361.36

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : gram sachiv ईमेल आईडी Email ID : gpfarwainkhurd-hr@panchayat.gov.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : Gram panchayat Farwain Khurd, SIRSA, HARYANA-125060, India	SunLite 6 20 Watt White LED type	-	24	01-Mar-2024	16-Mar-2024

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Description of store	Solar Street Light (LED based) consist of white LED luminaire (LED + Driver) rating as per configuration along with Solar Modules and LiFePo4 battery of given capacity, necessary control electronics, interconnecting wires / cables, module mounting structures, etc. to operate from dusk to dawn
	Type of PV Module	Only indigenous modules of IEC Tested used. Crystalline high power/efficiency cells used in the solar photovoltaic modules.
	Power output of PV Module	≥ 75 Wp at 16.4 ±0.2 Volt at STC
	PV Module Efficiency	≥ 14%.
PV MODULE	The open circuit voltage of the PV modules under STC (in volts)	21
	Certification / Report	Certified by MNRE/NABL authorized test center as per latest edition of IEC 61215 edition II / IS 14286.
	BIS CRS compliance for PV Module	as per IEC 61215 Edition II / BIS 14286 from NABL or IECQ accredited Laboratory
	Mnimum warranty period for PV Modules (in Years)	PV module warranted for output wattage ≥ 90% at the end of 10 years and 80% at the end of 25 years
	Type of Battery	Lithium Ferro Phosphate battery (LiFePo4). Operating from dusk to dawn first four hour full brightness, rest of the time a lower level, with motion sensor
BATTERY	Battery capacity	≥ 12.8 V (nominal), 30 Ah at STC (1 day autonomy)
	Cycle/ Current	Battery cycle life 2000 cycle at 80 % discharge
	Type of LED (Light source)	20 Watt White LED type
	LED chip Efficacy (Lumen/watt)	≥135
	Luminaire System Efficacy - Lumen output - (Lumen/watt)	≥120
LIGHT SOURCE	The color temperature of white LEDs used in the system	5500 degree K – 6500 degree K.
	The temperature of heat sink	≤ 20 degree centigrade above ambient temperature during operation
	CRI	> 70 %
	Lighting quality	Free from glare, flickering and UV
	Wattage	Power consumption of the LED Luminaire / Lighting unit ≤ 30W (including LED and Driver power loss)
	Ingress protection	IP65 or better
	Certification/ Test report	Yes test certificate from MNRE/ NABL accredited labs
	Provision of Fuses	Fuses provided to protect against short circuit conditions
	Protection	Full protection against open circuit, accidental short circuit and for reverse polarity provided.
ELECTRONIC COMPONENTS	The self consumption of the charge controller	≤ 20 mA at rated voltage and rated current
	Indicators on the system	Provided with 2 LED indicators: a green light to indicate charging in progress and a red LED to indicate deep discharge condition of the battery. The green LED glow only when the battery is actually being charged.
	Total electronics efficiency	≥ 90 %
	A corrosion resistant metallic frame structure to hold the SPV module	Yes. Provided
	Provision on frame structure	Frame structure have provision that the module can be oriented at the suitable tilt angle
	Conformity of the specification for Steel tube for street light pole	as per IS:1161:2014 latest
MECHANICAL COMPONENTS	Hot dip galvanized condition the zinc coating on the tubes	as per IS:4736 latest
	Nominal bore size of tube /	40 mm / 4 mm

Battery box	Outside the luminaire enclosure in a vented, acid proof and corrosion resistant, hot dip galvanized metallic box (IP65 or better) with anti-theft locking arrangement for outdoor use
Certification/ Test report for mechanical components	Yes test certificate from MNRE/ NABL accredited labs

হিম্মণী Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.