

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687769532382

अनुबंध तिथि | Generated Date : 01-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of Labour and Employment
विभाग | Department : Employees State Insurance Corporation
संगठन का नाम | Organisation Name : Employees State Insurance Corporation
कार्यालय क्षेत्र | Office Zone : ESIC Hospital Raipur Chhattisgarh

खरीदार विवरण | Buyer Details

पद | Designation : IMO Grade II
संपर्क नंबर | Contact No. : 0771-2990526-
ईमेल आईडी | Email ID : dr.satish.barik@esic.nic.in
जीएसटीआईएन | GSTIN : 22JBPE01266G1DZ
पता | Address : ESIC Hospital, Rawabhata, Raipur (C.G.),
RAIPUR, CHHATTISGARH-493221, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval : MEDICAL SUPERINTENDENT
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval : DEPUTY DIRECTOR FINANCE

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : Dy Director
ईमेल आईडी | Email ID : bc.meena@esic.nic.in
जीएसटीआईएन | GSTIN : -
पता | Address : ESIC Hospital, Rawabhata, Raipur (C.G.),
Raipur, CHHATTISGARH-493221, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 736A180000518565
कंपनी का नाम | Company Name : REUBENS HOSPITECH PRIVATE LIMITED
संपर्क नंबर | Contact No. : 09820092030
ईमेल आईडी | Email ID : hospitechoffice@gmail.com
पता | Address : PLOT - 76, RADHA KRISHNA NIWAS, 2ND LANE, HINDU COLONY DADAR EAST,
Mumbai, MAHARASHTRA-400014, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-MH-19-0050034
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Male
जीएसटीआईएन | GSTIN : 27AAICR9432Q1ZI

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Hospitech Trolley mounting Anesthesia Machine ब्रांड Brand : Hospitech ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Anesthesia Machine (Q3) मॉडल Model : Major Plus एचएसएन कोड HSN Code : HSN not specified by seller	1	pieces	300,000	NA	300,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						300,000

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : Pharmacy Officer ईमेल आईडी Email ID : kirshnak.jha@esic.nic.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : ESIC Hospital, Rawabhata, Raipur (C.G.),	Hospitech Trolley mounting Anesthesia Machine	-	1	01-Mar-2024	16-Mar-2024

Product Specification for Hospitech Trolley mounting Anesthesia Machine

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standards	Conformity to standards	BIS/CDSCO
	Certification date and number	01-02-2020 MD/L7000019.1
	Conformity to manufactures certification	ISO 9001 & ISO 13485
	Conformity to medical electrical safety standards	IEC60601-2-13 and BS EN 6060-1-1
Performance Parameters	Purpose of anesthesia machine	Anesthetic machine in used to provide an accurate and continuous supply of medical gases mixed and deliver this to the patient at a safe pressure and flow.
	Provision for Vaporizer	Yes
	Type of mounting	Trolley mounting
Gas Delivery System	Availability of Pin index yokes for gases	Oxygen and Nitrous oxide
	Availability of Separate Pin index yokes for gases	Oxygen , Nitrous oxide
	Availability of flow meters	O2, N2O and Air
	Mode of gas mixing	Pneumatic
	Availability of rotameter control guards in anesthesia machine	Yes
	Availability of pressure gauges for cylinder and pipelines in anesthesia machine	Yes
	Availability of audible and visual oxygen failure alarms	Yes
	Minimum emergency oxygen flow in litre per minute	35-70
	Type of hypoxic guard with automatic cutoff of N2O	Mechanical
Vaporizer	Vaporizer	Yes
	Number of quick mount type vaporizer for easy interchangeability at a time	2
	Number of selectable back bar	2
	Facility of interlock for vaporizer	Yes
	Volume percentage of delivery range	0 to 10
	Minimum agent capacity for free volatile anesthetic agent in ml	225
	Sensor connection shall be internal to prevent disconnection	Yes
	Vaporizer compatible to gases	Sevoflurane,Isoflurane,Helothane
	The vaporizer design should be maintenance free	Yes
	Vaporizer calibration requirement	After every five years
Breathing System	Breathing system should have fresh gas de-coupled / compensation , closed circle absorber system	Yes
	Range of pressure relief valve in mbar of breathing system	5 to 70
	Inbuilt absorber heater	No
	Number of steps in change over from spontaneous to bag ventilation	Single step
	Number of bair circuit (adult) supplied with workstation	10
	Number of Jackson Rees circuit for pediatric patients supplied with workstation	10
	Volume capacity of breathing system in litres	1.5
	Reusable flow sensors covered in warranty	Yes
	Breathing system should have leak and compliance test	Yes
Alarms	Number of alarms	2
	Alarms shall be adjustable to high / low limits with audio and visual alarms	Yes
Power Supply	Length of main cable in meter with power socket of standard indian make to be provided	5
	Inbuilt battery backup in hrs	2 hrs
	Power supply	220-240VAC, 50Hz Single phase
Accessories	Transparent re-usable silicon face mask size 0,1,2,3,4 & 5	2 each
	Breathing bag 2 Litre & 500 ml	2 each
	Mox regulator with 3 meter high Pressure tubing	1

Miscellaneous Parameters	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3
	Number of installations of the CMS in Central /State/PSU Govt Hospitals(Note: Seller should supply a performance certificate of the device to the buyer if demanded after placement of order)	More than 3
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Demonstration of equipment and training to be provided after completing supplies & Installation before acceptance	Yes
	The Principal Manufacturer must have direct Presence/approved service center In India	Yes
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 21-10-2022

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address,telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled.Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
 - Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.
OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
 - Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
 - Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
 - Software:** All software updates should be provided free of cost during warranty period.
 - Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions

(ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.