

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687788819458

अनुबंध तिथि | Generated Date : 01-Mar-2024

| | | | | | | |
|--|--|--|--|-------------------------------------|---|---|
| संगठन विवरण Organisation Details | | खरीदार विवरण Buyer Details | | | | |
| प्ररूप Type : | State Autonomous | पद Designation : | PURCHASE OFFICER | | | |
| मंत्रालय Ministry : | - | संपर्क नंबर Contact No. : | 0135-8193099- | | | |
| विभाग Department : | Science and Technology Department Uttarakhand | ईमेल आईडी Email ID : | purchase-ucost@uk.gov.in | | | |
| संगठन का नाम Organisation Name : | UCOST | जीएसटीआईएन GSTIN : | - | | | |
| कार्यालय क्षेत्र Office Zone: | DEHRADUN | पता Address : | vigyan dham, jhajra, dehradun, DEHRADUN, UTTARAKHAND-248007, India | | | |
| | | | | | | |
| वित्तीय स्वीकृति विवरण Financial Approval Detail | | भुगतान प्राधिकरण विवरण Paying Authority Details | | | | |
| आईएफडी सहमति IFD Concurrence : | Yes | Role: | PAO | | | |
| प्रशासनिक अनुमोदन का पदनाम | Director General | भुगतान का तरीका | Offline | | | |
| Designation of Administrative Approval: | | Payment Mode: | | | | |
| वित्तीय अनुमोदन का पदनाम | Director General | पद Designation : | ACCOUNT OFFICER | | | |
| Designation of Financial Approval : | | ईमेल आईडी Email ID : | accounts-ucost@uk.gov.in | | | |
| | | जीएसटीआईएन GSTIN : | - | | | |
| | | पता Address: | vigyan dham, jhajra, dehradun, Dehradun, UTTARAKHAND-248007, India | | | |
| | | | | | | |
| | | | | | | |
| विक्रेता विवरण Seller Details | | | | | | |
| जेम विक्रेता आईडी GeM Seller ID : | DFAF180000093169 | | | | | |
| कंपनी का नाम Company Name : | SUPEREQ SYSTEMS PRIVATE LIMITED | | | | | |
| संपर्क नंबर Contact No. : | 09810178482 | | | | | |
| ईमेल आईडी Email ID : | supereq2005@gmail.com | | | | | |
| पता Address : | S-42,SITE-IV SAHIBABAD,KAR KAR VILLAGE, Ghaziabad, UTTAR PRADESH-201010, - | | | | | |
| एमएसएमई पंजीकरण संख्या MSME Registration number : | UDYAM-UP-29-0005459 | | | | | |
| एमएसई सामाजिक श्रेणी MSE Social Category : | General | | | | | |
| एमएसई लिंग श्रेणी MSE Gender : | Male | | | | | |
| जीएसटीआईएन GSTIN: | 09AAACS1604F1ZS | | | | | |
| * जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer | | | | | | |
| वितरण निर्देश Delivery Instructions : NA | | | | | | |
| उत्पाद विवरण Product Details | | | | | | |
| # | आइटम विवरण Item Description | आइटम विवरण Ordered Quantity | इकाई Unit | इकाई मूल्य (INR) Unit Price (INR) | कर विभाजन (INR) Tax Bifurcation (INR) | मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR) |
| 1 | उत्पाद का नाम Product Name : SUPEREQ SYSTEMS (P) LTD RIME Executive Table with One side E.R.U unit ब्रांड Brand : SUPEREQ SYSTEMS (P) LTD RIME ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल Model: SE-15 एचएसएन कोड HSN Code: 9403 | 4 | pieces | 32,200 | NA | 128,800 |
| कुल ऑर्डर मूल्य Total Order Value (in INR) | | | | | | 128,800 |
| | | | | | | |
| परिप्रेषी विवरण Consignee Detail | | | | | | |
| क्र.सं. S.No | परिप्रेषी Consignee | वस्तु Item | लॉट नंबर Lot No. | मात्रा Quantity | दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After | वितरण पूरा कब तक करना है Delivery To Be Completed By |
| 1 | पद Designation : PURCHASE OFFICER ईमेल आईडी Email ID : purchase-ucost@uk.gov.in संपर्क Contact : 0135-8193099- जीएसटीआईएन GSTIN : - | SUPEREQ SYSTEMS (P) LTD RIME Executive Table with One side | - | 4 | 01-Mar-2024 | 15-Apr-2024 |

| | | | | | | |
|--|--|---|--|--|--|--|
| | पता Address : vigyan dham, jhajra, dehradun, DEHRADUN, UTTARAKHAND-248007, India | E.R.U unit | | | | |
| Product Specification for SUPEREQ SYSTEMS (P) LTD RIME Executive Table with One side E.R.U unit | | | | | | |
| विनिर्देश Specification | उप-विनिर्देश Sub-Spec | मूल्य Value | | | | |
| GENERIC | Structure /Frame of table | Four legs with modesty panel | | | | |
| | Frame type | Freestanding | | | | |
| | Accessories /Optional requirement for table | Metal Cable Tray with cut-outs for Face Plates below the table top and Snake Riser wherever required | | | | |
| | The type of Storage provided | One side E.R.U unit | | | | |
| | Keyboard tray | Not provided | | | | |
| | Footrest | Not Provided | | | | |
| | Mode of supply | Knocked Down To Be Assembled At Consignee Site By The Seller | | | | |
| MATERIAL | Tabletop Material | Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates | | | | |
| | Thickness of table top material (± 1 mm) | 25 mm | | | | |
| | Gable end material | Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest | | | | |
| | The thickness of the gable end | 18 mm | | | | |
| | Modesty panel material | Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest | | | | |
| | The thickness of the modesty panel material | 18 mm | | | | |
| | Gable end and modesty panel plain side | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue | | | | |
| | Table top edges | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue | | | | |
| | Leg Material | Mild Steel (MS) ERW | | | | |
| | The thickness of the Leg material | NA | | | | |
| | Beam Material | NA | | | | |
| | Number of buffers provided | 6 Numbers at the bottom | | | | |
| DIMENSION | Width of tabletop ±10 mm | 1500 mm | | | | |
| | Depth of table ±10 mm | 750 mm | | | | |
| | Height of table ±10 mm | 750 mm | | | | |
| | Size (L x W) /diameter of leg material ± 5 mm | NA | | | | |
| EXTENDED RETURN UNIT | ERU unit consists of | 1 storage unit without shutter | | | | |
| | ERU top material | NA | | | | |
| | ERU top material thickness ± 2 mm | 19 mm | | | | |
| | Width of ERU unit ± 10 mm | 900 mm | | | | |
| | Depth of ERU unit ± 5 mm | 400 mm | | | | |
| | Height of ERU unit ± 5 mm | 750 mm | | | | |
| | ERU side panel material | NA | | | | |
| | ERU side panel Thickness ± 2 mm | 18 mm | | | | |
| | Number of lockable castors at the bottom | NA | | | | |
| | Size of lockable castors ± 2 mm | NA | | | | |
| | Type of storage lock system | NA | | | | |
| | Drawer /storage shutter pull-up mechanism | Chrome plated handle | | | | |
| | ERU outer Surface Finish | Laminate in color with matt finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side | | | | |
| | ERU shade | Dark walnut | | | | |
| | Total Number of drawers /storage in Pedestal units | Three drawers | | | | |
| | Complete body facia and drawer material in Pedestal Unit | NA | | | | |

| | | |
|---------------------------------------|---|---|
| PEDESTAL UNIT | Thickness of the complete body fascia & drawer material | NA |
| | Material for back panel in pedestal unit | NA |
| | Back Panel Thickness in Pedestal Unit | NA |
| | Drawer Bottom Material | NA |
| | Drawer Bottom Material Thickness | NA |
| | Provision of Castor in Pedestal unit | Without |
| | Lock provided (for pedestal unit) | NA |
| | Pedestal handle material | NA |
| | Pedestal outer finish | NA |
| | Pedestal shade | NA |
| | Width of Pedestal unit in mm (±10 mm) | NA |
| | Depth of pedestal unit ±10mm | NA |
| | Height of pedestal unit ±5mm | NA |
| KEYBOARD TRAY | Material of keyboard tray and Right angle L-type supporting bracket | NA |
| | Material thickness of keyboard tray ±1mm | NA |
| | Fixing of supporting bracket | NA |
| | Length of telescopic channel ± 10 mm | NA |
| | Keyboard height±10mm | NA |
| | Keyboard front width±10mm | NA |
| | Keyboard depth±10mm | NA |
| FOOTREST | Material of footrest | NA |
| | Material thickness of footrest ±2mm | NA |
| | Height of footrest ±10mm | NA |
| | Width of footrest ±10mm | NA |
| | Depth of footrest ±10mm | NA |
| COLOUR AND FINISH | Table top finish | Laminate in color with matt finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side |
| | Tabletop shade | Dark walnut |
| | Table /ERU /Pedestal Panel Plain Side | Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue |
| WARRANTY | Warranty period | 3 Years |
| CERTIFICATION | Test reports to be furnished to the buyer on demand | No |
| | The product has BIFMA certification | No |
| | OEM of the offered product is ISO 9001:2015 certified | Yes |
| | OEM of the offered product is ISO 14001:2015 certified | Yes |
| | OEM of the offered product is ISO 45001:2 018 certified | Yes |
| | The product has GREENGUARD certification | Yes |
| | The product has Green Pro certification | No |
| ईपीबीजी विवरण ePBG Detail | | |
| NA | | |
| नियम और शर्तें Terms and Conditions | | |

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.