

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687749664381

अनुबंध तिथि | Generated Date : 01-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4463698](#)

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details	
प्ररूप Type :	State Autonomous	पद Designation :	CHAIRMAN
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-
विभाग Department :	Co-operative Department Bihar	ईमेल आईडी Email ID :	buycon2229.cd.bh@gembuyer.in
संगठन का नाम Organisation Name :	Co-operative Department	जीएसटीआईएन GSTIN :	-
कार्यालय क्षेत्र Office Zone:	DANDARI BLOCK	पता Address :	AT-RAJOPUR, PO-KATARMALA, PS-DANDARI, PANCHAYAT-RAJOPUR, BLOCK-DANDARI, DISTRICT-BEGUSARAI, BEGUSARAI, BIHAR-851130, India

वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राप्तिकरण विवरण Paying Authority Details	
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO
प्रशासनिक अनुमोदन का पदनाम	PACS MANAGEMENT	भुगतान का तरीका	Offline
Designation of Administrative Approval:	PACS MANAGEMENT	Payment Mode:	
वित्तीय अनुमोदन का पदनाम	PACS MANAGEMENT	पद Designation :	MANAGER1
Designation of Financial Approval :		ईमेल आईडी Email ID :	pao2805.cd.bh@gembuyer.in
		जीएसटीआईएन GSTIN :	-
		पता Address:	AT-RAJOPUR, PO-KATARMALA, PS-DANDARI, PANCHAYAT-RAJOPUR, BLOCK-DANDARI, DISTRICT-BEGUSARAI, Begusarai, BIHAR-851130, India

विक्रेता विवरण Seller Details	
जीम विक्रेता आईडी GeM Seller ID :	SBVN220007526070
कंपनी का नाम Company Name :	SHIV PRIYA ENTERPRISES
संपर्क नंबर Contact No. :	09931663997
ईमेल आईडी Email ID :	lovely.barhaiya@gmail.com
पता Address :	BIRPUR,WARD NO 10,BIRPUR EAST,BIRPUR, Begusarai, BIHAR-851127, -
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-BR-06-0016326
एमएसई सामाजिक श्रेणी MSE Social Category :	General
एमएसई लिंग श्रेणी MSE Gender :	Female
जीएसटीआईएन GSTIN:	10JLPK0516F1ZN

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश Delivery Instructions : NA						
--	--	--	--	--	--	--

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Non-Revolving and Non-Tilting chair with Armrest ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Chair Office (V2) (Q3) मॉडल Model: STEEL CHAIR एचएसएन कोड HSN Code: HSN not specified by seller	13	pieces	2,300	NA	29,900
2	उत्पाद का नाम Product Name : Unbranded Computer Table consists of Computer table with key board drawer and table top ब्रांड Brand : Unbranded ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्भास Category Name & Quadrant : Computer Table (Q3) मॉडल Model: MAHA DEVI एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	11,000	NA	11,000
3	उत्पाद का नाम Product Name : TRIVENI Almirah Steel shelving cabinets ब्रांड Brand : TRIVENI ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM	1	pieces	19,000	NA	19,000

श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Almirah Steel (V2) (Q3) मॉडल Model: KADAMBARI एचएसएन कोड HSN Code: HSN not specified by seller					
कुल ऑर्डर मूल्य Total Order Value (in INR)					59,900
परेष्टी विवरण Consignee Detail					
क्र.सं. S.No	परेष्टी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After
1	<p>पद Designation :- ईमेल आईडी Email ID : buycon2229.cd.bh@gembuyer.in संपर्क Contact :- जीएसटीआईएन GSTIN :- पता Address : AT-RAJOPUR, PO-KATARMALA, PS-DANDARI, PANCHAYAT-RAJOPUR, BLOCK-DANDARI, DISTRICT-BEGUSARAI, BEGUSARAI, BIHAR-851130, India</p>	Unbranded Non-Revolving and Non-Tilting chair with Armrest	-	13	01-Mar-2024
		Unbranded Computer Table consists of Computer table with key board drawer and table top	-	1	01-Mar-2024
		TRIVENI Almirah Steel shelving cabinets	-	1	01-Mar-2024
Product Specification for Unbranded Non-Revolving and Non-Tilting chair with Armrest					
विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value			
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest			
	Chair frame type	Legs			
	Armrest type	Moulded armrest continuously fitted with seat bottom to backrest			
	Armrest front side	Bended			
	Seat type	Padded			
	Backrest type	Padded			
	Shoe/Studs material	PVC			
FABRICATION	Seat Fitted	Over flat size in depth-wise of the frame on both sides with minimum 3 screws			
	Backrest Fitted	By round head screws 3 Nos. (minimum) on each side			
	Armrest Fitted	With round steel screws 3 Nos. (minimum) on each side			
CHAIR FRAME	Frame Material Configuration	Two Piece			
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)			
	The shape of tubular section of frame	Round			
	Section Size (Diameter/Sides) of frame	25 mm			
	Frame section wall thickness	1.2 mm			
ARMREST FABRICATION	The armrest material	Cushion pad fixed on frame material			
	Armrest Padded with	Foam			
	Armrest upholstered with	Leatherette			
	Armrest material thickness	20 mm			
SEAT FABRICATION	Seat material	Moulded Plywood			
	Seat material thickness	30 mm			
	Seat padded	Yes			
	Density of Polyurethane foam used in seat (± 2 Kg/Cub Meter)	32			
	Seat upholstered with	Leatherette			
	GSM of seat cover (± 3 GSM)	80 GSM			
	Polyurethane foam thickness (for seat)	40 mm			
	Color of Seat cover	Black			
	Backrest material	Single piece of Cold Reduced Carbon Steel Sheet Confmg. to grade CRO			

		of IS:513 part 1 (with Latest amendment)
BACKREST FABRICATION	Backrest Material thickness	40 mm
	Backrest padded	Yes
	Density of Polyurethane foam used in Backrest (±2 Kg/Cub Meter)	32
	Backrest upholstered with	Leatherette
	GSM of Backrest cover (± 3 GSM)	80 GSM
	Polyurethane foam thickness (for backrest)	30 mm
	Colour of Backrest cover	Black
DIMENSION	Seat Depth (± 5 mm)	450 mm
	Seat Width (± 5 mm)	480 mm
	Seat height from floor surface (± 5 mm)	475 mm
	Backrest width (± 5 mm)	450 mm
	Backrest height from seat (± 5 mm)	480 mm
	Arm Length (± 5 mm)	200 mm
	Arm Width (± 2 mm)	30 mm
COLOUR AND FINISH	Paint Type	Chrome Paint
	Polish Type	Wax Polish
	Colour of Paint	As per Buyer's Requirement (to be indicated during bid creation)
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	No
	Test reports to be furnished to buyer on demand	N.A
	Test Report Number and Date (Write NA if test report not available)	N.A
	Name and Address of the Lab(Write NA if test report not available)	N.A
	BIFMA certification	No
	OEM of offered product is ISO 9001:2015 certified	No
	OEM of offered product is ISO 14001:2015 certified	No
	OEM of offered product is ISO 45001:2018 certified	No

टिप्पणी|Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for Unbranded Computer Table consists of Computer table with key board drawer and table top

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERIC	Type of Computer Table	Computer table with key board drawer and table top
	Construction of Computer / Printer Table	Steel members duly welded and rigid fixed table top,with slideable key board tray,drawer,modesty panel,foot rest and also with another shelf at the bottom side for placing CPU and other peripherals
	Top Extended by	50 mm on all sides over the steel frame
	Edge of Top	banded with 1.5 mm thick PVC tapes of some shade as that of tape
	Placing of modesty panel	covering full back side of frame end suitably welded with two side members of the from in such a way that it's top surface having 17 mm width,flushes with top surface two side members and joining front angle member
	Packing	Gutta Packing
	Mode of Supply of modular table	Assembled Ready To Use
STRUCTURE	Frame Material Size	Hollow Rectangular Section Of Size 50 X 25 X 1.6 Mm Thick
	Frame material of foot rest	Hollow Rectangular Section Size 50 X 25 X 1.6 Mm Thick
	Joining of Frame	two side member of the frame identical in shape joined with welding at bottom with a footrest angularly welded
	Welding of Modesty Panel	A modesty panel of size 200 mm X 17 mm X 0.8 mm thick CRC sheet to be welded
	Making of Frame	To be rigid in construction
	Welding at top and Back	At The Top In Front Side Welded With An Angle Size 17 Mm X 17 Mm X 3 Mm And At The Back On The Top Side Of The Frame

MATERIAL	Guides Thickness (for drawer)	2 mm thick minimum from mild steel sheet
	Material of Table Top, Key board and drawer	MDF board of Grade SBG II of IS 12406 Latest
	Bottom side of top	should have balancing sheet of requisite thickness of same colour as top laminate
	Thickness of Table Top etc	18.0 millimeter
	Lock of Drawer	Yes
	Type of lock	N.A
	Sliding of Key board	provided with two telescopic channels with balls
	Material of Modesty Panel	CRC sheet conforming to IS:513/Latest
	Welding of screws to make capable to adjustable level upto 10 mm in height	four level screws, having smooth bottom flat surface of minimum 50 mm diameter, be welded under the bottom of two side members of frame
DIMENSION	Size of Computer Table ± 10 mm (LXBXH)	NA
	Size of Printer Table ± 10 mm (LXBXH)	NA
	Size of Computer Cum Printer Table ± 10 mm (LXBXH)	NA
	Outside Drawer Size (L X B X H) ± 5 mm	NA
	Size of key board tray ± 5 mm	N.A
	Size of Modesty panel	200 mm X 17 mm X (0.8 mm thick)
COLOUR & FINISH	Phosphating treatment of MS parts after Pick	as per IS:3618/Latest
	Primer for coating on M S parts	Redoxide
	Putty for filling	conforming to IS:110/Latest
	Paint	exposed steel sections to be painted with black in colour with powder coating 40-50 micron thickness
	Powder Coating	conforming to IS:13871/Latest
	Colour of Top	brown
WARRANTY	Warranty period in number of years	1.0
CERTIFICATION	Test reports to be furnished to buyer on demand	YES

टिप्पणी|Note: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

Product Specification for TRIVENI Almirah Steel shelving cabinets

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
GENERAL REQUIREMENT	Technical specification of Almirah steel	Generally conforming to BIS specification IS: 3312:2021 (with latest amendment)
	Type of Almirah steel	Almirah Steel shelving cabinets
	Construction type	Welded
	Installation	Free standing
	Pedestal	Yes
	Pedestal fitted with	3 mm Teflon Bush
	Pedestal height (± 5 mm)	125 mm
	Locker required	No
	Door type	Hinged
	Number of door	2
	Number of hinges (for each door)	3
	Door stiffener up to full door height provided	No
	Mirror fitted	No mirror
	Number of drawers required	No Drawer

Shelves required	Fixed	
Number of shelves	4	
Uniformly distributed load (UDL) for shelves	60 Kgs.	
Wardrobe by style	No wardrobe	
Tie Hanger	No	
Colour of finish	As per Buyer's Requirement (to be indicated during bid creation)	
MATERIAL	Steel sheet material	CRCA sheets conforming to grade CRI of IS 513(part-1):2016 (with latest amendment)
	Sheet rounds and flats	Conforming to grade E250 of IS 2062
	Screws	Conforming to IS 1365
	Hanging rod material	No hanging rod
	Mirror frame made out of (if provided)	No mirror frame
	Tie hanger made out of	N.A
	Stiffener material	MS sheet
DIMENSION	Almirah height(excluding the height of pedestal) \pm 5 mm	1980 mm
	Almirah width \pm 5 mm	910 mm
	Almirah depth \pm 5 mm	430 mm
	Locker inside height \pm 5 mm	No locker
	Locker inside width \pm 5 mm	N.A
	Locker inside depth \pm 5 mm	N.A
	Drawer height	N.A
	Drawer width	N.A
	Drawer depth	N.A
	Mirror sizes	N.A
	Shelves lipped flange	35 mm
	Side sheet thickness	0.8 mm
	Back sheet thickness	0.8 mm
	Top sheet thickness	0.8 mm
	Bottom sheet thickness	0.8 mm
	Shelves sheet thickness	0.8 mm
	Shelves supporting bracket thickness	1.6 mm
	Door metal stiffener thickness	0.8 mm
	Pedestal sheet thickness	0.8 mm
	Hinges sheet thickness	1.25 mm(double folded)
	locker door sheet thickness	N.A
	Drawer sheet thickness	N.A
	Hanging rod wall thickness	N.A
	Hanging rod diameter \pm 2 mm	N.A
	Mirror frame sheet thickness	N.A
	Mirror frame border width	N.A
	Tie hanger sheet thickness	N.A
	Width of stiffener	115 mm
	Stiffener sheet thickness	0.8 mm
	Number of glass sheet fixed	N.A
	Handle size	12 cm
	Steel Almirah lock/locker lock	Six lever lock
	Material of lock	Finish having brass levers and MAZAK/ZAMAK bolt having Zinc plated finish along with MAZAK/ZAMAK hable
	Duplicate keys (for each)	Yes

LOCKS AND LOCKING ARRANGEMENT	Keys material (for each lock)	Keys made of MAZAK/ZAMAK having nickel plated finish
	Steel Almirah locking mechanism	A three way bolting device controlled by a lock
	Door handle material for almirah lock	Stainless steel
	Handle material for locker	N.A
	Lockers locking mechanism	N.A
	Drawer lock	N.A
FINISH	All the mild steel parts shall be given phosphating treatment	Conforming to Class c of IS 3618
	The process of application of phosphate coating	Accordance with IS 6005
	Finish coat with enamels	N.A
	Powder coating	With 50 micron thickness minimum
TESTING AND CERTIFICATION	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report Number and Date	NA
	Name and Address of the Lab	NA
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

टिप्पणी|Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें| Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

2.2 Service & Support:

Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

2.3 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

2.4 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

2.5 Warranty:

Successful bidder will have to ensure that adequate number of dedicated technical service personals / engineers are designated / deployed for attending to the Service Request in a time bound manner and for ensuring Timely Servicing / rectification of defects during warranty period, as per Service level agreement indicated in the relevant clause of the bid.

2.6 Warranty:

Warranty period of the supplied products shall be 2 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

2.7 Warranty:

Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 5 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to

get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imberse the cost of such service / rectification to the Buyer.

2.8 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file.](#)

2.9 Generic

Actual delivery (and Installation & Commissioning (if covered in scope of supply)) is to be done at following address

PACS GODOWN, RAJOPUR PACS,
VILL+PO-RAJOPUR,
PS+BLOCK-DANDARI,
DIST-BEGUSARAI, BIHAR,
PIN -851130

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट शुगातान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.