

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687719718902

अनुबंध तिथि | Generated Date : 01-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : State Government
मंत्रालय | Ministry : -
विभाग | Department : Home Department Odisha
संगठन का नाम | Organisation Name : Directorate General of Fire Service Home Guards & Civil Defence Odisha
कार्यालय क्षेत्र | Office Zone: bhubaneswar

खरीदार विवरण | Buyer Details

पद | Designation : STATION OFFICER
संपर्क नंबर | Contact No. : 0674-2560784-
ईमेल आईडी | Email ID : buycon1.dgfsr.or@gembuyer.in
जीएसटीआईएन | GSTIN : 21BBNO01174F1DT
पता | Address : ODISHA FIRE AND DISASTER RESPONSE ACADEMY
BARAMUNDA,
KHORDA, ODISHA-751003, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: Principal
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval: Principal

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: PAO
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : Fire Officer
ईमेल आईडी | Email ID : principal-ofdra.od@gov.in
जीएसटीआईएन | GSTIN : -
पता | Address: ODISHA FIRE AND DISASTER RESPONSE ACADEMY
BARAMUNDA,
Khurda (khordha), ODISHA-751003, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : E82T210004731091
कंपनी का नाम | Company Name : GARVIT ENTERPRISES
संपर्क नंबर | Contact No. : 07001525854
ईमेल आईडी | Email ID : sanchitajalan19@gmail.com
पता | Address : PLOT NO-2513,BISWANATH LANE,BALU BAZAR,CHANDNI CHOWK,
Cuttack, ODISHA-753002, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-OD-07-0018014
एमएसई सामाजिक श्रेणी | MSE Social Category : General
एमएसई लिंग श्रेणी | MSE Gender : Female
जीएसटीआईएन | GSTIN: 21AYMPJ7285L1ZX

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : FIREX Automatic Fire Ball for Fire-Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg ब्रांड Brand : FIREX ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Automatic Fire Ball for Fire - Extinguishing (Q3) मॉडल Model: automatic fire ball एचएसएन कोड HSN Code: HSN not specified by seller	20	pieces	1,245	NA	24,900
कुल ऑर्डर मूल्य Total Order Value (in INR)						24,900

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : STATION OFFICER ईमेल आईडी Email ID : buycon1.dgfsr.or@gembuyer.in	FIREX Automatic Fire Ball for Fire-				

1	संपर्क Contact : 0674-2560784- जीएसटीआईएन GSTIN : 21BBNO01174F1DT पता Address : ODISHA FIRE AND DISASTER RESPONSE ACADEMY BARAMUNDA, KHORDA, ODISHA-751003, India	Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg	-	20	01-Mar-2024	16-Mar-2024
Product Specification for FIREX Automatic Fire Ball for Fire-Extinguishing of Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg						
विनिर्देश Specification		उप-विनिर्देश Sub-Spec	मूल्य Value			
GENERIC	Automatic Fire Ball for Fire-Extinguishing		Fire extinguishing balls are portable extinguishers for a preliminary fire and typically designed in the round shapes with the soft shell to contain the extinguishing agent (Dry Chemical Powder for Fighting A,B,C, Class Fires duly UL Listed), and the fire ignition material (fuse).			
	Automatic activation Mechanism		The activation of the unit is achieved thermally by the use of the Pyrotechnic activator.			
CONSTRUCTIONAL	Size of fire extinguishing balls		Medium size - the weight of the agent is not less than 1.0 kg but less than 1.8 kg			
	General Appearance of Fire extinguishing balls		must not have any cracks, tears or leakage of the extinguishing agent on their shell			
	Outer Shell Construction		Spherical in shape made of EPS (Thermocole Material) of minimum 10 mm thickness completely combustible and CFC free.			
	Automatic Activation Mechanism		Net of activation ignition chords with 4 – 10 sensor points, connected with Paper Fuses, which shall be atleast 02 in numbers to afford redundancy			
	Fire extinguishing agent (Dry Chemical Powder) weight		1 kilogram			
	Gross Weight of Fire Ball without stand		1.5 kilogram			
	Outer Diameter of Fire Ball		6 millimeter			
	Mounting for Automatic Fire Ball		Stand made from 6 mm GI Wire Rod of suitable diameter which looks like basketball ring			
PERFORMANCE	Self life Test for Extinguishing agent contained inside fire extinguishing balls		The ball with the age of one year or more must be tested By taking out the soft shell of the fire extinguishing ball, the chemical powder can be examined. It must not agglomerate.			
	Moisture aging Test of the chemical powder		To test moisture aging of the chemical powder, a Desiccator or similar functional device is used. This can be conducted by filling water at the bottom of the device, hanging the ball above the water, and then sealing and keeping the device at the room temperature for 14 days. By taking out the soft shell of the fire extinguishing ball, the chemical powder can be examined. It must not agglomerate.			
	Thermal resistance test after condetioning at 85 °C for 24 h ± 15 min		Fire extinguishing balls must not have any cracks, tears or leakage of the extinguishing agent on their shell, which is tested by the inspection.			
	Test for Burst effect		The ball container with dimension of 56x56x56 cm constructed from the strong frame and 5 mm thick normal glasses for 4 sides by opening the top and the bottom .On igniting the ball by poring flammable liquid on the ball.The glasses used in the test must not be cracked or broken.			
	Sound level test		When fire extinguishing balls are tested for the sound pressure level emitted from the burst , it must not be more than 140 dBA.			
	Resistance to compression		Fire extinguishing ball must not have any cracks, tears or leakage of the extinguishing agent on their shell.			
	Drop test		When fire extinguishing balls are tested by dropping them to the ground height of 2.5 m from a cement floor , must not have any cracks, tears or leakage of the extinguishing agent on their shell.			
	Marking and Labeling		(1) Name labeled 'Fire Extinguishing Ball' in both Hindi and English languages. (2) Size of fire extinguishing balls and the weight of dry chemical powder. Symbol for the class or classes for which fire extinguishing balls are effective.			
	Design application Density of compound (Extinguishing application density, including 30% safety factor , required for system design purposes) (gm/ml)		30			
	Activation Temperature Range (Thermally activated Fire Extinguisher)		90 degree Celsius			
	Operational discharge time at a define activation temperature		10 second			
	Effective coverage Volume for one Fire Ball (in m³)		3 cubic meter			
CERTIFICATION	Product lifespan period		60 month			
	Pyrotechnic Activator Certification Approval		PESO Certified			
	Fire Ball suitability for marine applications with wheel mark		Yes			
	Source of Type Approval of complete Product to prove the conformity of the		ILAC Accredited Laboratory			

	product for declared parameters	
	Test Report No and Date	18243360012/11/2018
	Name and Address of the Lab	SGSCSTC GUANGZHOU
	Test Reports to be furnished for the buyer on demand	Yes
	Availability of any other certification	CE
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
<hr/>		
1. General Terms and Conditions-		
1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
<hr/>		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		
<hr/>		