

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687754139751

अनुबंध तिथि | Generated Date : 02-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
मंत्रालय | Ministry : Ministry of Education
विभाग | Department : Department of School Education and Literacy
संगठन का नाम | Organisation Name : Navodaya Vidyalaya Samiti
कार्यालय क्षेत्र | Office Zone: JNV PITHORAGARH

खरीदार विवरण | Buyer Details

पद | Designation : PGT HISTORY
संपर्क नंबर | Contact No. : -
ईमेल आईडी | Email ID : buyer178.nvs.ua@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : MARSOLIBHAT. AATHGAONSHILLING, PITHORAGARH, PITHORAGARH, UTTARAKHAND-262530, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: PRINCIPAL
वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval: PRINCIPAL

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Payment Mode: Offline
पद | Designation : PGT HISTORY
ईमेल आईडी | Email ID : buyer178.nvs.ua@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address: MARSOLIBHAT. AATHGAONSHILLING, PITHORAGARH, Pithoragarh, UTTARAKHAND-262530, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : DZFZ220006684083
कंपनी का नाम | Company Name : PHOOLA DEVI
संपर्क नंबर | Contact No. : 09408751257
ईमेल आईडी | Email ID : dphoola599@gmail.com
पता | Address : 64, PANDEYPUR, SIKRARA, ALISHAPUR JAUNPUR UP, Jaunpur, UTTAR PRADESH-222131, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN: NA

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : JNV Polyester Blended With Viscose Woven Track Suits – Sports ब्रांड Brand : JNV ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model: TARCK SUITS एचएसएन कोड HSN Code: HSN not specified by seller	120	pieces	420	NA	50,400

कुल ऑर्डर मूल्य | Total Order Value (in INR)

50,400

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : JSA ईमेल आईडी Email ID : con131.nvs.ua@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : MARSOLIBHAT. AATHGAONSHILLING, PITHORAGARH, PITHORAGARH, UTTARAKHAND-262530, India	JNV Polyester Blended With Viscose Woven Track Suits – Sports	-	120	02-Mar-2024	17-Mar-2024

Product Specification for JNV Polyester Blended With Viscose Woven Track Suits – Sports		
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric (Composition)	Polyester Blended With Viscose
	Percentage of Blending (in case of Blended Fabric)	Polyester 65 % and Viscose 35 %
	Mass (gram per square mtrs)	180 gram
	Fabric Construction	Woven
	Weave (In case of Woven Fabric)	Plain
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	na
	Knitting (In case of knitted Fabric)	Interlock Knitted
	Ends per dm	na
	Picks per dm	na
	Courses per dm	na
	Wales per dm	na
	Count of knitting yarn	na
	Raising at inner side of Main Fabric	No
	Upper Lining	Yes
	Lower Lining	Yes
	Lining Material	100% Polyester Mesh
	Mass of Lining (Gram per Square Meter)	Not Applicable
	Netting mesh No of holes on base & bias within 625 Square millimeter	Not Applicable
	Technical Requirements of Slide Fastener for Upper Closing	No
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)	No
	Slide Fastners are BIS Marked	No
	Width of Tape Elastic at Waist of Trouser	3.5 cm
	Width of Tape Elastic at Bottom of Upper	3.5 cm
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest
	Waist Draw Cord	Nylon Cord of 4mm dia
	Draw Cord Ends	Fused
	Breaking Strength of Draw Cord	340 N minimum
	Sleeve Ends (Cuff)	Elastic Tape
	Upper provided with Piping	Yes
	Lower provided with Piping	Yes
	Piping Fabric- Composition	Any other material as per buyer's requirements
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	YES
	Piping Fabric Mass (gram per square mtrs)	80
	Embroidery Thread	Rayon
SIZE	Size	Large (L)
DIMENSIONS OF UPPER	Width Across Chest 25 mm below under arm	55.0 cm (Large)
	Width Across Bottom Opening (relaxed)	46 cm (Medium)
	Length at front from top of collar to bottom	68 cm (Large)
	Sleeve length (from center of back to bottom of sleeve	84.5 cm (Medium)
	Sleeve opening relaxed (Cuff) Width	10 centimeter
	Front Neck Drop	9 centimeter
	Back Neck Drop	2 centimeter
	Length of Slide Fastener	66 cm(Large)

DIMENSIONS OF LOWER	Side Seam Length	104.5 cm (Medium)
	Waist relaxed (Width Across)	43 cm (Medium)
	Waist stretched (Width Across)	52.5 cm (Medium)
	Seat/ Hip (15 cm below waist band)	52.5 cm (Medium)
	Thigh (at Crotch) (Width Across)	36 cm (Medium)
	Bottom Opening (Width Across)	22 centimeter
	Front rise including waist band	27 cm (Small)
	Back rise including waist band	38 cm (Medium)
	Length of Waist Tying Cord	154 centimeter
	Bottom Fold (Hem) with full turn in(cm)	2.0
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	No
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	All Pockets without Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	Shoulder
	Position and Dimensions of Piping on Lower	both sides
STITCHING	Sewing Thread	125 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in two rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in two rows with chain stitch on the elastic
	Lining seams	Not Applicable
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	No
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm (min)	36
COLOUR/ PRINT	Colour	Navy Blue
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	yes
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	yes
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	White
	Any other colour of Mesh Lining as per buyer's requirements	yes
	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable

	Colourfastness to perspiration (IS 971)- Mesh Lining	Not Applicable
	Colour of Piping Material	White
	Any other colour as per buyer's requirements	yes
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	1
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	yes
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	no
	Test Report Date	no
	Name of the Lab	no
	Address of the Lab	no
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		
नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।		
Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.		