

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687794114521

अनुबंध तिथि | Generated Date : 02-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	Constitutional bodies	पद Designation :	AAOGD			
मंत्रालय Ministry :	Comptroller and Auditor General (CAG) of India	संपर्क नंबर Contact No. :	0532-2622562-			
विभाग Department :	NA	ईमेल आईडी Email ID :	dhajveers.ald.pdac@cag.gov.in			
संगठन का नाम Organisation Name :	Accountant General , Uttar Pradesh	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	O/o The Principal Accountant General (gssa), Uttar Pradesh, Allahabad	पता Address :	O/o PAG(G&SSA), Satyanishtha Bhawan, 15-A Dayananda Marg, Prayagraj, UTTAR PRADESH-211001, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	SDAG	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	SDAG	पद Designation :	Sr Audit Officer			
		ईमेल आईडी Email ID :	saocash.up2.au@cag.gov.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	O/o PAG(G&SSA), Satyanishtha Bhawan, 15-A Dayananda Marg, ALLAHABAD, UTTAR PRADESH-211001, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	D69I230008723361					
कंपनी का नाम Company Name :	LAAVIN HOMES PRIVATE LIMITED					
संपर्क नंबर Contact No. :	08765182254					
ईमेल आईडी Email ID :	TIRTHESH.TRIPATHI@GMAIL.COM					
पता Address :	0, HOUSE No - 119A,sadar allahabad,LUKARGANJ,LUKARGANJ, Allahabad, UTTAR PRADESH-211016, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	-					
जीएसटीआईएन GSTIN:	09AAFCL2509K1ZD					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Duaco 2-Bay Sprocket Chain Drive Mechanism Mobile Storage Compactors ब्रांड Brand : Duaco ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Mobile Storage Compactors (Q3) मॉडल Model: Duaco 2Bay 16 Body एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	485,008	NA	485,008
कुल ऑर्डर मूल्य Total Order Value (in INR)						485,008
परिष्ठी विवरण Consignee Detail						
क्र.सं. S.No	परिष्ठी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : AAOGDM2 ईमेल आईडी Email ID : amits.up2.au@cag.gov.in संपर्क Contact : 0532-2454545- जीएसटीआईएन GSTIN : 09ALDP00790G1DX	Duaco 2-Bay Sprocket Chain Drive Mechanism	-	1	02-Mar-2024	16-Apr-2024

पता | Address : O/o PAG (Audit-I), Satyanishtha Bhawan, 15-A
Dayananda Marg,
Prayagraj, UTTAR PRADESH-211001, India

Mobile Storage
Compactors

Product Specification for Duaco 2-Bay Sprocket Chain Drive Mechanism Mobile Storage Compactors

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Category Note	Compactors i.e. Mobile / Movable Storage Systems of configuration as per detailed specifications. One quantity / piece of offered configuration include specified / offered number of Rows of Single Faced Fixed end unit, Single Faced Movable end Unit and double sided / double faced movable Dual unit covering all bays. Prices quoted are for the entire solution comprising of end units and specified numbers of movable units and the corresponding quantities of Rails, Drive Mechanisms and all other components necessary to make the Compactor / Mobile Storage System operational. The price includes the cost of installation and commissioning of the entire unit at consignee site (excluding the cost of Civil Work which would be got done by the Consignee at his own cost as per design and layout plan provided by the seller).
	Number of Bays (One bay represents one storage almirah / body in one row - Please see representative layout diagram for understanding) (=A)	2-Bay
	Type of Drive	Sprocket Chain Drive Mechanism
	Number of Single Faced Fixed / Static Rows (=B) (Units / Cabinets open at one side (with or without doors) and closed on other side - covering all bays) - (Please see representative layout diagram for understanding)	1
	Number of Single Faced Movable Rows (=C) (Units / Cabinet open at one side (with or without doors) and closed on other side covering all bays) (Please see representative layout diagram for understanding)	1
	Number of Double Faced / Dual / Twin Movable Rows (= D) (open on both sides (with or without doors) covering all bays) (Total number of available Bodies /Almirahs = $A \times (B + C + 2D)$)	3
GENERIC	Number of Shelves in Each Almirah / Body of the single faced fixed / static bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the double faced movable bodies	4 Shelves/5 Compartments
	Number of Shelves in Each Almirah / Body of the single faced movable bodies	4 Shelves/5 Compartments
	Load Carrying Capacity of Each Shelf of the single faced fixed / static bodies in Kg	50 kg
	Load Carrying Capacity of Each Shelf of the Movable bodies in Kg	50 kg
	Load bearing capacity of under structure and base frame	1200 Kg
	Delivery Condition of Movable Storage System File	Knock down
	Free Assembly and Installation Commissioning of knocked down supply	Yes
	Shelves in the cabinets	Adjustable
	Wheels / Bearings - Every Base frame fitted with (The bearing used should be heavy	Anti frictional ball bearing

	duty - self aligning	
	Number of pairs of Wheels in Every Base frame	2
	Minimum number of pairs of Bearings in Every Base frame	2
	Drive cover included on Body	YES
	Indexing arrangement	2 MM thick clear transparent acrylic sheet and having other dimension of 155MM/106MM
	Anti rust treatment	YES
	Stud	N.A
GUIDE RAIL	Number of guide rail rows	2
	Number of 915 mm Rail Pieces per Rail Row	1
	Number of 1830 mm Rails Pieces per Rail Row	0
	Number of 2745 mm Rails Pieces per Rail Row	1
	Guide rail provided with	Square bar Stopper (to stop derailment of unit)
DOORS and LOCKING	Separate Door Provided with each Cabinet / Body / Almirah	NO
	Total Number of Almirahs / Bodies	12
	Total Number of Almirahs / Bodies with Door	0
	Central Locking System for locking entire compactor unit	YES
	Safety Lock for each Movable Body	YES
	Separate door lock for each section	NO
	Fitting of stopper	Fitted to the rail
	Handle	High Quality polyurathene(PU) with three attractive arms, Wheel Type
MATERIAL	M S Sheet Thickness of the Cabinet Body (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Shelf Panels (mm)	0.8 mm thick CRC sheet conforming to Grade D of IS 513/2008 latest
	M S Sheet Thickness of the Door Panels (mm)	N.A.
	Height of base frame ± 2 (mm)	65 mm
	Height of track and moving clearance ± 2 (mm)	35 mm
	Material of Stud	NA
	Material of base frame – should be one piece welded frame (proper antirust surface treatment)	Hot Rolled Sheet 2MM thick confmg. to IS: 1079/Latest
	Material of guide rail	Consists of J-Section 2MM thick H R Sheet and 25MM thick square bright bar both connected by screws
	Material of 'C' Channel	H R Sheet 2MM thick confmg. to IS:1079/Latest
	Drive cover material	0. 8 mm thick CRC sheet conforming to grade D of IS 513/2008 latest and box type construction
	Number of Folds in Shelf Panels	10 Nos.
	Overall Height of the Cabinet from the ground in mm ± 20 (mm)	2080 mm
	Depth of the single faced fixed / static bodies Cabinet ± 10 (mm)	450 mm
	Depth of the single faced movable bodies Cabinet ± 10 (mm)	450 mm

DIMENSION	Depth of the movable bodies Cabinet ±10(mm)	450 mm
	Width of the single faced fixed / static bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Width of the movable bodies Cabinet in mm (± 5 mm) - THIS IS WIDTH OF EACH SECTION OR EACH BAY) Overall width of entire compactor will be this width multiplied by number of bays	915 mm
	Minimum Excess Rail Length in addition to Filing Cabinet Covering (For Aisle working) (mm)	915 mm
	Pitch of all the shelves (+/- 2 MM)	25.4 mm
	Aisle space inside of units	760 mm
	Height of Drive cover unit ± 10 mm	N.A
	Depth of Drive cover unit ± 10 mm	N.A.
	Width of Drive cover unit of single faced fixed/movable ± 10 mm	N.A
	Width of Drive cover unit of Double faced movable ± 10 mm	N.A
PAINT	Paint	Powder Coating
	Colour of Paint	AS PER BUYER CHOICE
WARRANTY	Warranty Period IN NUMBER OF YEARS	2 - Years
CERTIFICATION	Test reports to be furnished to buyer on demand	NO
	OEM of offered product having BIFMA membership	YES
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	YES
	OEM of offered product is ISO 18001:2007/45001:2018 certified	YES
	Green guard certification	YES
विक्रेता विशिष्टता दस्तावेज़ Seller Specification Document:		
1. Applicable Drawing Document	mkp.gem.gov.in/uploaded_documents/cms/tp/home_offi_of64586874_orga_mobi/51/16/877/CategorySc hema/gem_dgsnd_drawing_document/2019/1/16/representative-drawing-of-mobile-storage_2019-01-16-10-39-16_9d6a2f10ff69cd78478c2958c64018ae.pdf	
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.