

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687744730552

अनुबंध तिथि | Generated Date : 02-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	qm 26BN			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-			
विभाग Department :	Home Department Uttar Pradesh	ईमेल आईडी Email ID :	compac26@up.nic.in			
संगठन का नाम Organisation Name :	Uttar Pradesh Police	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	Adg Pac	पता Address :	26 BN PAC, GORAKHPUR, UP, GORAKHPUR, UTTAR PRADESH-273014, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	commandant 26bn	भुगतान का तरीका Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	commandant 26bn	पद Designation :	qm 26BN			
		ईमेल आईडी Email ID :	compac26@up.nic.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	26 BN PAC, GORAKHPUR, UP, Gorakhpur, UTTAR PRADESH-273014, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	8985180000519098					
कंपनी का नाम Company Name :	UTTAR PRADESH UTTAR RAKSHA EVAM PUNARVASAN KENDRA					
संपर्क नंबर Contact No. :	09889626589					
ईमेल आईडी Email ID :	areebarehman772@gmail.com					
पता Address :	112/95-A,BENA JHABAR, Kanpur Nagar, UTTAR PRADESH-208002, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-43-0015540					
एमएसई सामाजिक श्रेणी MSE Social Category :	SC					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	09AAATU1217H2ZL					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Consignee						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded As per BIS specification No Is 7609- 1988 ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Shouldary Double Fly Tent (Q3) मॉडल Model: Shouldary Double Fly Tent INNER ONLY 4.88M X 4.88M एचएसएन कोड HSN Code: 6306	1	set	35,574	NA	35,574
कुल ऑर्डर मूल्य Total Order Value (in INR)						35,574
परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : qm 26BN ईमेल आईडी Email ID : compac26@up.nic.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : 26 BN PAC, GORAKHPUR, UP,	Unbranded As per BIS specification No Is 7609-1988	-	1	02-Mar-2024	17-Mar-2024

Product Specification for Unbranded As per BIS specification No IS 7609- 1988

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
DESCRIPTION	Description of Product	Shouldary Double Fly Water Repellant Tent
CONSTRUCTION	Construction	Tents shall be in double fly. It shall consist of an outer fly with hoods and an inner fly provided with overlapping purdahs at each end and walls.
	General Requirements for Tents	As per BIS specification No IS 7609- 1988
OUTER FLY	Construction of Outer Fly	The outer fly (including Hood) shall be composed of 2 folds of cloth.
	Exterior Layer of Outer Fly	Fabric 410 GSM OG WP PV Dope Dyed Rip Stop as per specification No - PROV/S/4369/FWP PV/RIP/TC-11/1
	Interior Layer of Outer Fly	Drill Cotton Dyed Blue as per IS: 177-1989, amds 3, (V. No. 3). The face side of Drill cotton shall be visible from outside
	Outer Fly Strengthening	Outer Fly shall be strengthened with 75mm Newar and 8 mm dia Cotton Rope piping all around. The rope piping shall be enclosed by an extra Newar 50mm.
	Hood	Outer Fly shall have a hood at each end. The size of hood shall be 0.76 m X 1 m. The edges of the hoods shall be strengthened with 50mm Newar placed between folds of cloths. It shall be broader by 0.6 m at the bottom edge than the inner fly. It shall be 0.45 m above the ground level. It shall be provided with Guy ropes. The Guy ropes at the ends will pass through the point of each hood, one end spliced round the cap and the other end passing through the point of each hood and placed between two pieces of 50 mm Newar. A small circular tab will be fixed at the point of each hood.
	Ridge of Outer Fly	A strip of 75 mm Newar with 8 mm dia Cotton Rope laid above it shall be inserted between folds of cloths connecting two Ridge Caps. The side edges of Newar shall be stitched to the folds of cloths and the newar and rope shall be well within the ridge cap and secured by quilting. The rope shall form a loop round the cap and secured tightly.
INNER FLY	Construction of Inner Fly	The Inner fly shall be composed of 2 folds of cloth.
	Exterior Layer of Inner Fly	Fabric 410 GSM OG WP PV Dope Dyed Rip Stop as per specification No - PROV/S/4369/FWP PV/RIP/TC-11
	Interior Layer of Inner Fly	Drill cotton dyed yellow (printed) as per IS: 177-1989, amds 3, (V. No. 3). The face side of Drill cotton shall be visible from outside
	Ventilators	The inner fly should be provided with 2 ventilators 45 cm X 30 cm, with the square mesh mosquito netting Bleached (as per IS 1143- 1973, amds 2), and two vertical and one horizontal Newar 40 mm, machine stitched on the netting. The ventilators should be positioned on the either side of the central strengthening tape at equal distances.
	Ridge of Inner Fly	The ridge of inner fly shall be formed by inserting a strip of 100 mm Newar along with 8 mm dia Cotton Rope between the folds of Cloths. The Cotton Rope shall be so laid on the underside of the ridge and over the middle tape between the caps that the cloth of the fly and centre strip of Newar shall be doubled over the rope and sewn together with 3 mm line cotton to form a beading. Loops made of 2 folds of 50 mm Newar shall be stitched to the ridge for suspending it from the ridge pole. The rope shall form a loop round the cap and secured tightly.
	Walls of Inner Fly	The inside layer of the walls shall be in continuation of the fly. Aluminium dees shall be provided at the bottom of walls and purdahs on each strengthening Newar. All corners should be kept open and provided with eyelets and lacing loops to close or open as required.
	Purdahs (Flaps)	As per clause 3.5 of IS 7609- 1988
	Bottom Edges of Walls and Pardahs (Flaps)	A 50 mm Newar shall be sewn over the folds of cloth at the bottom edges of the walls and purdahs of the inner fly so that the cloth does not make direct contact with the ground when pitched.
Inner Fly Strengthening	Inner Fly shall be strengthened with 75 mm Newar and 8 mm dia Cotton Rope piping all around. The rope piping shall be enclosed by an extra Newar 50 mm.	
ROPES AND NEWAR	Technical Requirements of Ropes	Ropes Cotton un dyed as per BIS Specification No IS 2452- 1985
	Technical Requirements of Newar	Cotton Newer un dyed as per BIS Specification No IS 1895- 1982, amds 1
STITCHING	Stitching	Minimum two layers of stitching should be given using cotton sewing thread 165 dtex X 6, as per IS 1720- 1978, (V. No. 28).
SIZE	Dimensions and Other Requirements (Hint- Size Specific requirements)	As per Specification Document (Dimensions and Other Requirements)
	Size	4.88 m X 4.88 m
ACCESSORIES	Accessories	HDPE bag for the flies; HDPE bag for steel pins; HDPE bag for wooden pins; Iron Hammer (1 Kg weight); Wooden Mallet; Bamboo standing poles, Bamboo ridge poles, steel pins and wooden pegs
ADVANCE SAMPLE	Agree to provide Advance Sample(s) (swatches of basic fabrics) for buyer's approval before commencement of supply	No
	Availability of Test Report from Designated AHSP / NABL / ILAC accredited or Central Government Lab to	No

TEST REPORT	prove conformity of products to the specification	
	Test Report No	NA
	Test Report Date	NA
	Name of the Lab	NA
	Address of The Lab	NA
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

विक्रेता विशिष्टता दस्तावेज़ | Seller Specification Document:

1. [Applicable Drawing Document](#)

mkp.gem.gov.in/uploaded_documents/cms/tp/home_spor_camp_camp_shou/51/16/877/CategorySchema/gem_dgsnd_drawing_document/2021/7/30/dimensions-other-requirements_2021-07-30-17-42-29_f517d8c2b88a29eb5af9decf5ec8cee0.pdf

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.