

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687774020494

अनुबंध तिथि | Generated Date : 04-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Rural Development and Panchayat Raj Department संगठन का नाम Organisation Name : N/A कार्यालय क्षेत्र Office Zone: Panchayat Samiti Akkalkuwa	पद Designation : GRAMVIKAS ADHIKARI संपर्क नंबर Contact No. : 02599-220551- ईमेल आईडी Email ID : gptalamba-mh@panchayat.gov.in जीएसटीआईएन GSTIN : - पता Address : Grampanchayat Office Bhagalpur, Taluka: Akkalkuwa, Distt: Nandurbar-425415 Maharashtra, NANDURBAR, MAHARASHTRA-425415, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: BDO वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Gramvikas Adhikari	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : GRAMVIKAS ADHIKARI ईमेल आईडी Email ID : gptalamba-mh@panchayat.gov.in जीएसटीआईएन GSTIN : - पता Address: Grampanchayat Office Bhagalpur, Taluka: Akkalkuwa, Distt: Nandurbar-425415 Maharashtra, Nandurbar, MAHARASHTRA-425415, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : HQWM230008198436 कंपनी का नाम Company Name : RAKESH LEEVA PADVI संपर्क नंबर Contact No. : 09404374715 ईमेल आईडी Email ID : rvelectrical25@gmail.com पता Address : 08, Shriji Residency, KK wagh Education, Adgaon, Nashik, MAHARASHTRA-422003, - एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 27EVGPP4594D1Z6

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Grade-C Hollow And Solid Concrete Blocks ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Hollow and Solid Concrete Blocks as per IS 2185 (Q3) मॉडल Model: Hollow And Solid Concrete Blocks (400x200x200) एचएसएन कोड HSN Code: HSN not specified by seller	4,898	pieces	20.01	NA	98,008.98
कुल ऑर्डर मूल्य Total Order Value (in INR)						98,008.98

परोक्षिती विवरण Consignee Detail						
क्र.सं. S.No	परोक्षिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : GRAMVIKAS ADHIKARI ईमेल आईडी Email ID : gptalamba-mh@panchayat.gov.in संपर्क Contact : 02599-220551- जीएसटीआईएन GSTIN : -	Unbranded Grade-C Hollow And Solid	-	4,898	04-Mar-2024	19-Mar-2024

पत्ता | Address : Grampanchayat Office Bhagalpur, Taluka: Akkalkuwa,
Distt: Nandurbar-425415 Maharashtra,
NANDURBAR, MAHARASHTRA-425415, India

Concrete Blocks

Product Specification for Unbranded Grade-C Hollow And Solid Concrete Blocks

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Dimensions and Tolerances	Concrete masonry building units shall be made in sizes and shapes to fit different construction needs They include stretcher, comer, double comer or pier, jamb, header, bull nose, and partition block, and concrete floor units	YES
	Concrete Block : Concrete block, hollow (open or closed cavity) or solid shall be referred to by its nominal dimensions The term nominal means that the dimension includes the thickness of the mortar joint Actual dimensions (length and depth only) shall be 10 mm short of the nominal dimensions	YES
Minimum Face Shell and Web Thickness	Nominal block width,(mm)	150-200
	Face shell thickness,Min,(mm)	25
	Thickness of web,Min,(mm)	25
	Total web thickness per course in any 200 mm length of wall,Min,(mm)	25
Physical Requirements	General : All units shall be sound and free of cracks or other defects which interfere with the proper placing of the unit or impair the strength or performance of the construction Minor chipping resulting from the customary methods of handling during delivery, shall not be deemed grounds for rejection Where units are to be used in exposed wall construction, the face or faces that are to be exposed shall be free of chips, cracks, or other imperfections, except that if not more than 5 percent of a consignment contains slight cracks or small chippings not larger than 25 mm, this shall not be deemed grounds for rejection	YES
	Compressive Strength : The minimum compressive strength at 28 days being the average of eight units, and the minimum compressive strength at 28 days of individual units	YES
	Water Absorption : The water absorption, being the average of three units, when determined in the manner prescribed in Annex E shall not be more than 10 percent by mass	YES
	Drying Shrinkage : The drying shrinkage of the units when unrestrained being the average of three units, shall be determined in the manner described in Annex F and shall not exceed 0 point 06 percent	YES
	Moisture Movement : The moisture movement of the dried blocks on immersion in water, being the average of three units, when determined in the manner described in Annex G, shall not exceed 0 point 09 percent	YES
	Grade	Grade-C
	Type	Hollow (open and closed cavity) load bearing uni
	Density of Block,(kg/m ²)	Not less than 1800
	Minimum Average Compressive Strength of Units,(N/mm ²)	3.5
Minimum Compressive Strength of Individual Units,(N/mm ²)	2.8	
Materials	"Cement : Cement complying with any of the following Indian Standards may be used: a) 43 grade ordinary Portland cement, conforming to IS 8112, b) Portland slag cement conforming to IS 455, c) Portland pozzalana cement, fly ash based conforming to IS 1484 (Part 1), d) Portland pozzolana cement, calcined clay based conforming to IS 1484 (Part 2), e) Supersulphated cement conforming to IS 6909, f) Rapid hardening Portland cement conforming to IS 8041, g) White Portland cement conforming to IS 8042, h) Hydrophobic Portland cement conforming to IS 8043, and j) 53 grade ordinary Portland cement conforming to IS 12269"	YES
	"Water : The water used in the manufacture of concrete masonry units shall be free from matter harmful to concrete or reinforcement, or matter likely to cause efflorescence in the units and shall conform to the requirements of IS 456"	YES
	"Additives or Admixtures : Additives or admixtures may be added either as additives to the cement during manufacture, or as admixtures to the concrete mix Additives or admixtures used in the manufacture of concrete masonry units may be: a) accelerating, water reducing, air-entraining and super plasticizer conforming to IS 9103, b) Waterproofing agents conforming to IS 2645, and c) Colouring pigments Where no Indian Standards apply; the additives or admixtures shall be shown by test or experience, to be not detrimental to the durability of the concrete "	YES
	"When cement conforming to IS 269 or IS8112 or IS 12269 is used, replacement of cement by fly ash conforming to IS 3812 (Part 1) may be permitted up to a limit of 25 percent However, it shall be ensured that blending of fly ash with cement is as intimate as possible, to achieve maximum uniformity	YES
	"Aggregates : a) The aggregates used in the manufacture of blocks at the mixer or the mixing platform shall be clean and free from deleterious matter and shall conform to the requirements of IS 383 b) The grading of the combined aggregates shall conform as near as possible to the requirements indicated in IS 383	YES
	Fly Ash : Fly ash conforming to IS 3812 (Part 2) may be used for part replacement of fine aggregate upto a limit of 20 percent	YES
Manufacturer's Certificate	The manufacturer shall satisfy himself that the masonry units conform to the requirements of this standard and, if requested, shall supply a certificate to this effect to the purchaser or his representative	YES
	"When cement conforming to IS 269 or IS8112 or IS 12269 is used, replacement of cement by fly ash conforming to IS 3812 (Part 1) may be permitted up to a limit of 25 percent However, it shall be ensured that blending of fly ash with cement is as intimate as possible, to achieve maximum uniformity "	YES

	"Aggregates : a) The aggregates used in the manufacture of blocks at the mixer or the mixing platform shall be clean and free from deleterious matter and shall conform to the requirements of IS 383 b) The grading of the combined aggregates shall conform as near as possible to the requirements indicated in IS 383"	YES
	Fly Ash : Fly ash conforming to IS 3812 (Part 2) may be used for part replacement of fine aggregate upto a limit of 20 percent	YES
Independent Tests	"a) If the purchaser or his representative requires independent tests, the samples shall be taken before or immediately after delivery, at the option of the purchaser or his representative and the tests shall be carried out in accordance with this standard b) The manufacturer shall supply free of charge the units required for testing "	YES
Cost of Testing	"Unless otherwise specified in the enquiry or order, the cost of the tests shall be borne as follows: a) By the manufacturer in the event of the results showing that the blocks do not conform to this specification, or b) By the purchaser in the event of the results showing that the blocks conform to this specification"	YES
Certification	Conforming to IS:2185 (Latest)	YES
	Whether ISI Marked	NO
	CM/L Number (Must declare if ISI Marked)	YES
Test Report Details	Availability of Test Report from Central Govt/ State Govt/NABL/ILAC accredited lab (hint: Must be declared)	NO
	Test Report to be furnished to the Buyer on demand(Must be declared, write NA if Test Report is not available)	NA
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. General Terms and Conditions-</p>		
<p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		