

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687751650746

अनुबंध तिथि | Generated Date : 04-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2023/B/4177929](#)

अनुसूची नाम | Schedule Name: Schedule 3, Schedule 1

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central PSU मंत्रालय Ministry : Ministry of Petroleum and Natural Gas विभाग Department : INDIAN OIL CORPORATION LIMITED संगठन का नाम Organisation Name : IOCL- Panipat Refinery कार्यालय क्षेत्र Office Zone : IOCL- Panipat Refinery	पद Designation : RAHUL KUMAR संपर्क नंबर Contact No. : 0180-2526394 ईमेल आईडी Email ID : buyer7.iocl.panipat@gembuyer.in जीएसटीआईएन GSTIN : 06AAACI1681G3ZR INDIANOIL CORPORATION LTD. PANIPAT REFINERY , PO. पता Address : BOHALI , PANIPAT, PANIPAT, HARYANA-132140, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: SMTM and DGM Mat वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: SMTM and DGM Mat	Role: PAO भुगतान का तरीका Payment Mode: Internet Banking पद Designation : ACCOUNTS OFFICER ईमेल आईडी Email ID : pao4.iocl.panipat@gembuyer.in जीएसटीआईएन GSTIN : N INDIANOIL CORPORATION LTD. PANIPAT REFINERY , PO. पता Address : BOHALI , PANIPAT, PANIPAT, HARYANA-132140, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : CFB7180000434445 कंपनी का नाम Company Name : Itech Services संपर्क नंबर Contact No. : 09830363905 ईमेल आईडी Email ID : itech.services@yahoo.in पता Address : 34,Khardah,34, P.N Mukherjee Road, S. S Nagar, Kolkata - 700116, Khardah South Kulin Para,Khardah Shyam Sundar Nagar, Kolkata, West Bengal-700116, - एमएसएमई सत्यापित MSME verified : No एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-WB-14-0004462 एमएसएमई सामाजिक श्रेणी MSE Social Category : General एमएसएमई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 19AVWPM7850R1Z4

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Digisol Yes RJ45 Yes CAT 6 Information outlet ब्रांड Brand : Digisol ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : CAT 6 Information outlet (Q3) मॉडल Model: DIGISOL DGC-K56UWH-A एचएसएन कोड HSN Code: HSN not specified by seller	200	pieces	132.3	NA	26,460
2	उत्पाद का नाम Product Name : Digisol Grey CAT6 U/UTP Cable for Indoor use 305 mtrs. ब्रांड Brand : Digisol ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Cat 60 Cable for Indoor use (Q2) मॉडल Model: DIGISOL DGCE-SC6U4L-3GB एचएसएन कोड HSN Code: HSN not specified by seller	12,200	meter	23.76	NA	289,872
कुल ऑर्डर मूल्य Total Order Value (in INR)						316,332

परोषिती विवरण | Consignee Detail

क्र.सं. S.No	परोषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :- ईमेल आईडी Email ID : buycon129.ipr.hr@gembuyer.in संपर्क Contact : 180-2526387- जीएसटीआईएन GSTIN : 06AAAC11681G3ZR पता Address : INDIANOIL CORPORATION LTD. PANIPAT REFINERY , PO. BOHALI , PANIPAT, PANIPAT, HARYANA-132140, India	Digisol Yes RJ45 Yes CAT 6 Information outlet	-	200	04-Mar-2024	03-May-2024
		Digisol Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.	-	12,200	04-Mar-2024	03-May-2024

Product Specification for Digisol Yes RJ45 Yes CAT 6 Information outlet

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Cate 6 Information outlet with faceplate (Single/Dual/Quad) conforming to ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes
	Type of information outlet	U/UTP (Unshielded)
	Connector type	RJ45
	No. of ports (RJ 45)	One port
	Dust protection for Face Plate or Information Outlet	Yes
	Back Box (3x3 inches)	Yes
	Termination type	Tool-less
CONSTRUCTIONAL	Applications: 0BASE-T, 100BASE-TX Fast Ethernet, 1000BASE-T (IEEE802.3) , 100VG-AnyLAN (IEEE802.12), 250 MHz Broadband Video, Voice, T1, ISDN, 155/ 622 Mbps ATM , Power over Ethernet (POE, POE+, 4 PPOE)	Yes
	Plug insertion durability	≥ 750 mating cycles
CERTIFICATIONS	Category 6 information outlet shall have valid verified certificate in channel from ETL /3P /GHMT /Delta/UL/Intertek as per CAT 6 standards ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes
	If "Yes" Certificate number must declare	ETL103406316CRT-001a
	Availability of complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory as per Governing Specification	Yes
	Test report number - Must declare	ETL103406316CRT-001a
	Report date - Must declare	13 March 2018
	Name and address of lab - Must declare	DIGISOL
All the test reports shall furnish to the buyer/consignee on demand	Yes	

खरीदार परिभाषित अतिरिक्त विशेषता के लिए | Buyer Defined Additional Specification for Digisol Yes RJ45 Yes CAT 6 Information outlet

विनिर्देश Specification	मूल्य Value
Information Outlet Box : complete accessories, Faceplate with Box, & information Outlet etc	Noted and accepted

Product Specification for Digisol Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
GENERIC	Cate 6 cable conforming to ANSI/TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes
	Cable category: Category 6 Unshielded/Unshielded twisted pair or Category 6 Foiled/Unshileded twisted pair or Category 6 Shielded /Foiled Twisted Pair	CAT6 U/UTP
	Cable colour	Grey
	Conductor diameter	0.57 mm (23 AWG)
	Conductor count (in Nos.,)	8
	Length of cable in a bundle (Mtrs)	305 mtrs.
	"CAT6 Cable can transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz and suitable for 10BASE-T, 100BASE-TX Fast Ethernet and 1000BASE-T / 1000BASE-TX (Gigabit Ethernet)."	Yes
	Maximum DC resistance - in Ohm/Km	Max. 100 Ohm/Km

CONSTRUCTIONAL	Conductor Materail	Bare Copper
	Conductor Insulation Material	Polyethylene
	Cable jacket material	Low Smoke zero halogen (LSZH)
	Conductor stranding	Solid
	Cable should have internal cross separator	Yes
	Storage temperature range	minus 20 degree C to plus 60 degree C
	Operating temperature range	minus 20 degree C to plus 60 degree C
	Each meter printed with sequential length counter of cable apart from marking requirement as per relevant specifications and certifications	Yes
CERTIFICATIONS	Category 6 cable shall have valid verified certificate from ERTL/ETL /Intertek/3P /GHMT /Delta/UL as per CAT 6 standards ANSI//TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Yes
	If "Yes" Certificate Number - Must declare	E487261
	UL Marking on Cable	Yes
	Availability of complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory to conformity of the Specification	Yes
	Test report Number	E487261
	Report date	14/9/2016
	Name and address of Lab	UL LLC
	All the test reports and certificates shall furnish to the buyer/consignee on demand	Yes

खरीदार परिभाषित अतिरिक्त विशिष्टता के लिए | Buyer Defined Additional Specification for Digisol Grey CAT6 U/UTP Cable for Indoor use 305 mtrs.

विनिर्देश Specification	मूल्य Value
CAT6 Cable can transmit data at 1000 Mbps (~1 Gigabit per second) with a frequency of 250 MHz and suitable for 10BASE-T, 100BASE-TX Fast Ethernet and 1000BASE-T / 1000BASE-TX (Gigabit Ethernet)."	Noted and Accepted
1. Maximum DC resistance - in Ohm/Km : Max. 100 Ohm/Km 2. Conductor Material : Bare Copper 3. Conductor Insulation Material: Polypropylene	Noted and Accepted
1. Conductor count (in Nos.) : 8 2. Conductor stranding: Solid 3. Cable should have internal cross separator	Noted and Accepted
Category 6 patch cord shall have valid verified certificate in channel from ETL /3P /GHMT /Delta/Intertek /UL as per CAT 6 standards ANSI//TIA/EIA-568 C.2 latest or ISO/IEC:11801 latest	Noted and Accepted
Bidder to submit complete and satisfactory type test Report from Central Government / NABL/ ILAC accredited laboratory to conformity of the Specification	Noted and Accepted

ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक Advisory Bank :	NA
ईपीबीजी प्रतिशत (%) ePBG Percentage(%):	NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2. Buyer Added Bid Specific Terms and Conditions-

2.1 Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2.2 Buyer Added Bid Specific ATC:

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.