

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687781383778

अनुबंध तिथि | Generated Date : 04-Mar-2024

<b>संगठन विवरण   Organisation Details</b>		<b>खरीदार विवरण   Buyer Details</b>				
प्रकार   Type :	State PSU	पद   Designation :	Assistant Engineer			
मंत्रालय   Ministry :	-	संपर्क नंबर   Contact No. :	-			
विभाग   Department :	Power Development Department Jammu and Kashmir	ईमेल आईडी   Email ID :	arshidhusmon.87126@jk.gov.in			
संगठन का नाम   Organisation Name	Jammu and Kashmir State Power Development Corporation	जीएसटीआईएन   GSTIN :	-			
कार्यालय क्षेत्र   Office Zone:	Exhibition Ground PDD Complex Srinagar	पता   Address :	CMD LJHP Gantamulla Baramulla, BARAMULLA, JAMMU & KASHMIR-193101, India			
<b>वित्तीय स्वीकृति विवरण   Financial Approval Detail</b>		<b>भुगतान प्राधिकरण विवरण   Paying Authority Details</b>				
आईएफडी सहमति   IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval:	LJHP	भुगतान का तरीका   Payment Mode:	Offline			
वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval :	LJHP	पद   Designation :	Assistant Engineer			
		ईमेल आईडी   Email ID :	arshidhusmon.87126@jk.gov.in			
		जीएसटीआईएन   GSTIN :	-			
		पता   Address:	CMD LJHP Gantamulla Baramulla, Baramulla, JAMMU & KASHMIR-193101, India			
<b>विक्रेता विवरण   Seller Details</b>						
जेम विक्रेता आईडी   GeM Seller ID :	57A4200001512595					
कंपनी का नाम   Company Name :	NASEEB TRADERS					
संपर्क नंबर   Contact No. :	07006858787					
ईमेल आईडी   Email ID :	naseeb.hygam@gmail.com					
पता   Address :	OPP. HIGHER SECONDARY SCHOOL, HYGAM SOPORE, BARAMULLA, JAMMU & KASHMIR-193202, -					
एमएसएमई पंजीकरण संख्या   MSME Registration number :	-					
जीएसटीआईएन   GSTIN:	01BCOPM55121JZO					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा   GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश   Delivery Instructions : NA						
<b>उत्पाद विवरण   Product Details</b>						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : OMKARA SPORTS Polyester Blended with Cotton Woven Track Suits - Sports ब्रांड   Brand : OMKARA SPORTS ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल   Model: OS 11 एचएसएन कोड   HSN Code: HSN not specified by seller	54	pieces	2,777	NA	149,958
कुल ऑर्डर मूल्य   Total Order Value (in INR)						149,958
<b>परोक्ष विवरण   Consignee Detail</b>						
क्र.सं.   S.No	परोक्ष   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation : Finance Assistant ईमेल आईडी   Email ID : owais.maqbool@jk.gov.in संपर्क   Contact : 01954-200000- जीएसटीआईएन   GSTIN : - पता   Address : CMD LJHP Gantamulla Baramulla, BARAMULLA, JAMMU & KASHMIR-193101, India	OMKARA SPORTS Polyester Blended with Cotton Woven Track Suits - Sports	-	54	04-Mar-2024	19-Mar-2024

**Product Specification for OMKARA SPORTS Polyester Blended with Cotton Woven Track Suits – Sports**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric ( Composition )	Polyester Blended with Cotton
	Percentage of Blending ( in case of Blended Fabric )	Polyester 50 % and Viscose 50 %
	Mass ( gram per square mtrs )	180 gram
	Fabric Construction	Woven
	Weave ( In case of Woven Fabric )	Plain
	Any other weave as per buyer's requirements ( in case weave is other than already mentioned above )	-
	Knitting ( In case of knitted Fabric )	Interlock Knitted
	Ends per dm	-
	Picks per dm	-
	Courses per dm	-
	Wales per dm	-
	Count of knitting yarn	-
	Raising at inner side of Main Fabric	No
	Upper Lining	No
	Lower Lining	No
	Lining Material	Not Applicable
	Mass of Lining (Gram per Square Meter)	55
	Netting mesh No of holes on base & bias within 625 Square millimeter	155
	Technical Requirements of Slide Fastener for Upper Closing	Light Duty as per IS 14181 Latest
	Technical Requirements of Slide Fastener for Pocket Closing ( For Pockets with Slide Fastner for closing )	Light Duty as per IS 14181 Latest
	Slide Fastners are BIS Marked	Yes
	Width of Tape Elastic at Waist of Trouser	3.5 cm
	Width of Tape Elastic at Bottom of Upper	3.5 cm
	Technical Requirements of Waist Band	No
	Waist Draw Cord	Polypropylene Cord of 4mm dia
	Draw Cord Ends	Fused
	Breaking Strength of Draw Cord	340 N minimum
	Sleeve Ends ( Cuff )	Elastic Tape
	Upper provided with Piping	No
	Lower provided with Piping	No
Piping Fabric- Composition	100 percent Polyester	
Piping Fabric- Any other material as per buyer's requirements ( Other than mentioned above )	-	
Piping Fabric Mass ( gram per square mtrs )	80	
Embroidery Thread	Polyester	
SIZE	Size	Extra Large (XL)
DIMENSIONS OF UPPER	Width Across Chest 25 mm below under arm	57.5 cm ( Extra Large )
	Width Across Bottom Opening (relaxed)	50 cm ( Extra Large )
	Length at front from top of collar to bottom	70 cm ( Extra Large )
	Sleeve length (from center of back to bottom of sleeve	89.5 cm ( Extra Large )
	Sleeve opening relaxed ( Cuff ) Width	9 centimeter
	Front Neck Drop	8 centimeter
	Back Neck Drop	1 centimeter
	Length of Slide Fastener	68 cm ( Extra Large )

DIMENSIONS OF LOWER	Side Seam Length	109.5 cm ( Extra Large )
	Waist relaxed ( Width Across )	47 cm ( Extra Large )
	Waist stretched (Width Across )	57.5 cm ( Extra Large )
	Seat/ Hip ( 15 cm below waist band)	57.5 cm ( Extra Large )
	Thigh (at Crotch) ( Width Across )	38 cm ( Extra Large )
	Bottom Opening ( Width Across )	21 centimeter
	Front rise including waist band	30 cm ( Extra Large )
	Back rise including waist band	40 cm ( Extra Large )
	Length of Waist Tying Cord	154 centimeter
	Bottom Fold (Hem) with full turn in(cm)	1.5
POCKETS	Number of Pockets (Upper)	2 Side Pockets
	Size of Side Pockets-Upper ( Length X Width ) ( cm )	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	No
	Number of Pockets (Lower)	2 Side Pockets
	Size of Side Pockets - Lower ( Length X Width ) ( cm )	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Side Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	With Canvas Reinforcement
SLEEVE	Sleeve Type	Reglan Sleeve
PIPING	Position and Dimensions of Piping on Upper	-
	Position and Dimensions of Piping on Lower	-
STITCHING	Sewing Thread	145 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in single rows with chain stitch on the elastic
	Sleeve Bottom (Cuff ) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in single rows with chain stitch on the elastic
	Lining seams	Not Applicable
	Bartack Stitching ( Reinforcement Stitching ) at stress bearing areas	No
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm ( min )	36
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	-
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	-
	Colourfastness to Light ( IS 2454 )	5
	Colourfastness to Washing ( IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing ( IS 766 )	Dry- 4 / Wet- 3
	Colourfastness to perspiration ( IS 971 )	4
	Colour of Mesh Lining	Same as colour of the base fabric
	Any other colour of Mesh Lining as per buyer's requirements	-

	Colourfastness to Washing ( IS/ISO 105-C10, Test- C (3))- Mesh Lining	Not Applicable
	Colourfastness to perspiration ( IS 971 )- Mesh Lining	Not Applicable
	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	-
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max ( IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	1
	Number of Logos on Lower	1
	Size, Design and Location of Logo as per buyer's requirement	-
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	-
	Test Report Date	-
	Name of the Lab	-
	Address of the Lab	-
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	No
<p><b>टिप्पणी   Note::</b> Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p><b>ईपीबीजी विवरण   ePBG Detail</b></p>		
<p><b>NA</b></p>		
<p><b>नियम और शर्तें   Terms and Conditions</b></p>		
<p><b>1. General Terms and Conditions-</b></p>		
<p>1.1 This contract is governed by the <a href="#">General Terms and Conditions</a>, conditions stipulated to this Product/Service as provided in the Marketplace.</p>		
<p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p>		
<p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		