

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687745695954

अनुबंध तिथि | Generated Date : 06-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : Central Autonomous मंत्रालय Ministry : Ministry of Health and Family Welfare विभाग Department : Department of Health and Family Welfare संगठन का नाम Organisation Name : Regional Institute of Medical Sciences Imphal Manipur कार्यालय क्षेत्र Office Zone : Lamphelpat, Imphal	पद Designation : Section Officer संपर्क नंबर Contact No. : 0385-2414625-392 ईमेल आईडी Email ID : sopur.rims-mn@gov.in जीएसटीआईएन GSTIN : 14SHLR00683E1DP पता Address : Lamphelpat, IMPHAL WEST, MANIPUR-795004, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : Yes प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: Director RIMS वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : Chief Accounts Officer/FA	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : Accounts Officer ईमेल आईडी Email ID : aco.rims-mn@gov.in जीएसटीआईएन GSTIN : N पता Address: Lamphelpat, IMPHAL WEST, MANIPUR-795004, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 816C190000979870 कंपनी का नाम Company Name : XINGU TECHNOLOGIES PRIVATE LIMITED संपर्क नंबर Contact No. : 07005123256 ईमेल आईडी Email ID : xingutechnologies@gmail.com पता Address : Kongba Nandeibam Leikai, near Sunlight Club Opp., Kongba, Imphal East, MANIPUR-795008, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-MN-05-0009074 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 14AAACX2559E1ZI

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : Delivery of products

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Secureye 5MP BULLET CAMERA ब्रांड Brand : Secureye ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Camera for CCTV System (Q2) मॉडल Model: S-IP-W5-VF एचएसएन कोड HSN Code: HSN not specified by seller	4	pieces	7,200	NA	28,800
कुल ऑर्डर मूल्य Total Order Value (in INR)						28,800

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : CONSIGNEE ईमेल आईडी Email ID : sysadmin.rims-mn@gov.in संपर्क Contact : 0385-2411484- जीएसटीआईएन GSTIN : - पता Address : Lamphelpat,	Secureye 5MP BULLET CAMERA	-	4	06-Mar-2024	21-Mar-2024

Product Specification for Secureye 5MP BULLET CAMERA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
IMAGE SENSOR	Image Sensor Type	CMOS
	Image Sensor Size	0.357 inch
	Camera Image Sensing capacity (Picture Mode)	5MP
	Resolution	5MP(2592×1944),4MP(2560×1440),2048x 1536
	Day/Night Capable	Yes
	IR illumination Range(mtr)	50
CAMERA TYPE	Type of Camera Housing	BULLET CAMERA
	IP Camera	Yes
	PTZ Camera	No
OPTICS	Lens Type	Varifocal
	Focal Length(mm)	2.8 - 12
	Iris Control	DC- iris
	Focus Mode	Manual
VIDEO	Frame Rate (fps)	30,25,15
	Video Compression	H.264,H.265
	Video Streaming	Triple compressed stream
PAN / TILT / ZOOM	Panning Range	NA
	Pan Speed (deg/sec)	NA
	Tilt Range below horizontal (deg)	NA
	Tilt Range above horizontal (deg)	NA
	Tilt Speed (deg/sec)	NA
	Optical Zoom	NA
	Digital Zoom	NA
AUDIO	Audio Support	No
	Audio Compression	NA
	Audio Streaming	NA
	Number of Audio Input Channel	NA
	Number of Audio Output Channel	NA
	External Microphone Support	No
ALARM	Alarm Support	No
	Number of Alarm Digital Input	NA
	Number of Alarm Relay Output	NA
	Pre/Post Alarm Buffer	No
SECURITY	Multi Level User ID/Password	Yes
	IP Address Filtering	Yes
	Encrypted Data Transmission	HTTPS (SSL/TSL)
PERFORMANCE	Minimum Illumination for Capturing Color Image	0.01 lux
	Electronic Shutter Speed(sec)	1/3 to 1/10000
	WDR (Wide Dynamic Range)	DWDR
	SNR (Signal to Noise Ratio)	50-60
	Auto Exposure	Electronic Level Control
	White Balance (Indoor/Out door/Manual Selectable)	Yes
	Auto Gain Control (On/Off selectable)	Yes
	Back Light Compensation	Yes
	Remote Administration (Remote configuration and status using web based tool)	Yes

FEATURES	Remote System Update Over Network	Yes
	PC Client (PC application client with a channel recording feature support)	Yes
	Web Client (Viewer through HTTP system configuration)	Yes
	On Screen Display in English	Yes
	ONVIF Support	(Profile S and G)
	Presets	0
	Group Touring	0
	Privacy Zones	4
NETWORK AND INTERFACE	Supported Protocols	DHCP,IGMP,RTP,SMTP,HTTP,ICMP,HTTPS,DNS,DDNS,RTSP,RTCP,NTP,UPnP,TCP/IP,Bonjour,IPv6
	IP Support	Static,Dynamic
	Signal Processing	Digital Signal Process
	IPv6 ready	Yes
	Wireless	No
	Simultaneous Connections	2
STORAGE	On Board SD Card Support	No
	SD Card Memory(GB)	NA
HOUSING	Installation Type	Outdoor
	Material of the Housing construction	Alluminium
	Protection	IP67
	Vandal Resistant Housing	No
	If Yes, IK rating	NA
	Mounting bracket	Wall Mounted
	Weight	400 gram
	Dimensions (mm x mm x mm)	-
POWER SUPPLY	Power Input	12 V DC,PoE
	Power Consumption	8.5 Watt
	Suitable Adapter Shall be Supplied to Make the Equipment Work on 230 V (+/- 10 %), 50 Hz	Yes
OPERATING CONDITIONS	Operating Temperature Range	- 30 to +60 deg C
	Relative Humidity Non Condensing (%)	95
WARRANTY / SERVICES	Warranty	2 year
	Time for Replacement of Defective Product During Warranty Period	72 hour
	Supply of Compatible drivers and software included	Yes
ENVIRONMENTAL / CERTIFICATION	Availability of facility & infrastructure for verification of all parameters, features, and capability with Seller	No
	Availability of facility to test signal to noise ratio of camera at 0-01 lux	No
	Conformity to Dry Heat test at 55 degree C for 16 hours as per IS :9000 latest	No
	Conformity to Damp heat at 40 degree C - 95% RH (cyclic test): two cycles of 16+8 hours as per IS: 9000 latest	No
	Conformity to Cold test at -10 / -20 degree C for 4 hours as per IS: 9000 latest, as applicable	No
	BIS Registration for safety general requirements as per IS 13252 (Part 1):latest	Yes
	Availability of Type Test Report from Central Govt /NABL/ILAC accredited lab to prove conformity to specification	No
	Test Report Number and Date	-

Name and Address of Test Lab	-
Certification	NIL

उत्पाद का बीआईएस लाइसेंस | BIS license of the product: 81005835

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.