

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687795288633

अनुबंध तिथि | Generated Date : 07-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : Central Autonomous मंत्रालय Ministry : Ministry of Agriculture and Farmers Welfare विभाग Department : Department of Agricultural Research and Education (DARE) संगठन का नाम Organisation Name : Indian Council of Agricultural Research (ICAR) कार्यालय क्षेत्र Office Zone: Indian Agricultural Research Institute, New Delhi	पद Designation : Assistant Administrative Officer संपर्क नंबर Contact No. : - ईमेल आईडी Email ID : buyer113.icari.dl@gembuyer.in जीएसटीआईएन GSTIN : - पता Address : IARI Pusa Campus New Delhi 110012, NEW DELHI, DELHI-110012, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: PI of the Project (24-830) वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : PI of the Project	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : Assistant Administrative Officer ईमेल आईडी Email ID : buyer113.icari.dl@gembuyer.in जीएसटीआईएन GSTIN : - पता Address: IARI Pusa Campus New Delhi 110012, NEW DELHI, DELHI-110012, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 58F4180000110799 कंपनी का नाम Company Name : Biolinkk संपर्क नंबर Contact No. : 09811459417 ईमेल आईडी Email ID : biolinkk@gmail.com पता Address : Third Floor, Block B1,, Plot no.25, Community Centre,,(Near Post Office),Janakpuri, Delhi, DELHI-110058, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-DL-03-0003373 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Female जीएसटीआईएन GSTIN: 07AAHFB7021M1ZE

*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Bioprep Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty ब्रांड Brand : Bioprep ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Water Quality Meters / Analyzers (Q3) मॉडल Model: BP-MW151 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	46,000	NA	46,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						46,000

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिलीवरी के बाद डििलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : Assistant ईमेल आईडी Email ID : con96.icari.dl@gembuyer.in संपर्क Contact : -	Bioprep Bench Type Water Quality Meter / Analyzer Measuring				

1	जीएसटीआईएन GSTIN : - पता Address : IARI Pusa Campus New Delhi 110012, NEW DELHI, DELHI-110012, India	Multi Parameter Water Quality Analyzer 1 year Year Warranty	-	1	07-Mar-2024	22-Mar-2024
Product Specification for Bioprep Bench Type Water Quality Meter / Analyzer Measuring Multi Parameter Water Quality Analyzer 1 year Year Warranty						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
TYPE / NOMENCLATURE / PROTECTION	Type of Meter / Analyzer	Bench Type				
	Functional nomenclature	Multi Parameter Water Quality Analyzer				
	Ingress Protection (Main Unit)	NA				
	Calibration	Automatic				
MEASURED WATER QUALITY PARAMETERS	Dissolved Oxygen (DO)	No				
	DO % Saturation	No				
	Conductivity	Yes				
	Resistivity	No				
	Salinity	No				
	Total Dissolved Solids (TDS)	Yes				
	pH	Yes				
	Oxidation Reduction Potential (ORP)	No				
	Ammonium	No				
	Nitrate	No				
	Chloride	No				
	Turbidity	No				
	Depth	No				
	Temperature	Yes				
Atmospheric Pressure	No					
MEASUREMENT OF DISSOLVED OXYGEN (DO) / DO % Saturation	Dissolved Oxygen (DO) measurement Principle	NA				
	Sensor / Probe/ Electrode Type	NA				
	Measurement Range for DO Content (in ppm or mg/l)	0-20				
	Resolution (in ppm or mg/l)	NA				
	DO Accuracy (+/-)	0 percent				
	Measurement Range for DO % Saturation (in %)	NA				
	Resolution (in %)	NA				
DO % Accuracy (+/-)	0 percent					
MEASUREMENT OF CONDUCTIVITY (EC)	Conductivity measurement principle	Conductive (contacting)				
	Sensor/ Probe/Electrode Type	NA				
	Material of Electrode	NA				
	Measurement Range (in μ S/cm)	0-1500				
	Resolution (in mho or μ S/cm)	0.01				
	EC Accuracy (+/-)	0.5 percent				
MEASUREMENT OF RESISTIVITY	Resistivity measurement principle	NA				
	Lowest Measurement Value for Resistivity (in ohm-cm)	NA				
	Highest Measurement Value for Temperature (°C)	NA				
	Resolution (in ohm-cm)	NA				
	Resistivity Accuracy(+/-)	0 percent				
MEASUREMENT OF SALINITY	Salinity measurement principle	Conductivity Conversion				
	Measurement Range (in parts per thousand or g/l or PSU)	0-100				
	Resolution (in g/l)	0.01				

	Salinity Accuracy (+/-)	0.5 percent
MEASUREMENT OF TOTAL DISSOLVED SOLIDS (TDS)	TDS measurement principle	Conductivity Conversion
	TDS Measurement Range (in parts per thousand or g/l)	0-800
	Resolution (in g/l)	0.01
	TDS Accuracy (+/-)	0.5 percent
MEASUREMENT OF pH	pH measurement principle	Electro chemical
	Sensor / Probe / Electrode Type	Glass Electrode
	Number of Sensors / Electrodes	Single Electrode
	pH Measurement Range	0-14
	Resolution (in pH number)	0.01
	pH Accuracy (+/-)	0.5 percent
MEASUREMENT OF OXIDATION REDUCTION POTENTIAL (ORP)	ORP measurement principle	NA
	Sensor / Probe/ Electrode Type	NA
	Number of Sensors /Electrodes	NA
	Lowest Measurement Value for ORP (in mV)	NA
	Highest Measurement Value for ORP (in mV)	NA
	Resolution (in ± mV)	NA
	ORP Accuracy (+/-)	0 percent
MEASUREMENT OF AMMONIUM	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Ammonium Accuracy (+/-)	0 percent
MEASUREMENT OF NITRATE	Sensor / Probe/ Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Nitrate Accuracy (+/-)	0 percent
MEASUREMENT OF CHLORIDE	Sensor/Probe/Electrode Type	NA
	Measurement Range (in ppm or mg/l)	NA
	Resolution (in ppm or mg/l)	NA
	Chloride Accuracy (+/-)	0 percent
MEASUREMENT OF TURBIDITY	Turbidity measurement principle	NA
	Light Source	NA
	Measurement of scattered light	NA
	Lowest Measurement Value for Turbidity (in FNU or NTU)	NA
	Highest Measurement Value for Turbidity (in FNU or NTU)	10
	Resolution (in FNU or FTU)	NA
	Turbidity Accuracy (+/-)	0 percent
MEASUREMENT OF TEMPERATURE	Sensor/Probe Type	Semi Conductor Based Thermister
	Lowest Measurement Value for Temperature (°C)	0
	Highest Measurement Value for Temperature (°C)	95
	Resolution (°C)	0.005
	Temperature Accuracy (+/-)	0.005 percent
MEASUREMENT OF PRESSURE	Sensor /Probe Type	NA
	Lowest Measurement Value for Pressure (in mmHg)	200
	Highest Measurement Value for Pressure (in mmHg)	NA

	Resolution (in mmHg)	NA
	Pressure Accuracy (+/-)	0 percent
MEASUREMENT OF DEPTH	Measurement Method	NA
	Depth Measurement Range (in meters)	0-10
	Length of Cable connecting peobe (inclusive in the scope of supply)	0 meter
COMPENSATION / CORRECTION	Temperature correction	Automatic
	Salinity Correction	Automatic
	Barometric Pressure correction	NA
DISPLAY / STORAGE	Type of Display	LCD with Backlight
	Display Digit Size	7 millimeter
	Number of Digits in Display	3
	Number of parameters displayed simultaneously	3
	Memory (in Data Sets)	100
	Internal memory (GB)	0
	In-built GPS	No
	Date /time Stamp in Entries	No
	Connectivity interface	USB
POWER SOURCE	Power Source	Mains (230 ±10 Volts / 50 Hz AC)
	Battery Size, if Non Rechargeable Battery	NA
	Battery Chemistry, if Rechargeable Battery	NA
	Voltage of each Battery	0 Volt
	Number of Batteries required for operation	0
	Number of Batteries Inclusive in the Scope of Supply	0
	Battery Capacity (mAh)	0
	Battery Life	0 hour
	Suitable Adapter to be supplied to make the equipment Work on 230 V ± 10 %, 50 Hz	Yes
GENERIC	Armour housing of Sensor / Probe	Glass
	Probe / Sensor / Electrode supplied with equipment	Yes
	Number of elctrodes supplied	1
	Weight	2 kilogram
	Dimensions (mm x mm x mm)	20*20*20
	Carry Case included in the scope of supply	No
	Any other features	Built-in microprocessor chip has Intelligent functions such as automatic calibration,Auto check, ATC, data storage, Auto end point mode, Real time graphic,clock display,USB output, function settings and self-diagnosis information
	List of Items and Quantity of each item included in the offer	pH electrode, Compatible Conductivity electrode Temperature probe Electrode holder Power adapter Manual
OPERATING CONDITIONS	Minimum Operating Temperature	0 degree Celsius
	Maximum Operating Temperature	55 degree Celsius
	Operating Humidity, Rh at 40 deg C	85 percent
WARRANTY	Warranty on Equipment	1 year
	Warranty on Probe / Electrode	0 month
	Warranty on Cables for Connecting Probe	0 year
CERTIFICATION	Availability of Test Reports from Central Govt / NABL approved / ILAC accredited Lab to prove conformity to the specification	No
	If Yes, Test Report to be furnished to the Buyer on demand	NA
	Test Report No and Date	NA
	Name of the Lab and Address	NA

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.