

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687714580614

अनुबंध तिथि | Generated Date : 08-Mar-2024

संगठन विवरण | Organisation Details

प्ररूप | Type : Central PSU
मंत्रालय | Ministry : Ministry of Finance
विभाग | Department : Department of Financial Services
संगठन का नाम | Organisation Name : Punjab National Bank (PNB)
कार्यालय क्षेत्र | Office Zone : Zonal Office Hyderabad

खरीदार विवरण | Buyer Details

पद | Designation : CHIEF MANAGER IT
संपर्क नंबर | Contact No. : 0866-2428174-
ईमेल आईडी | Email ID : buycon281.pnbp.ap@gembuyer.in
जीएसटीआईएन | GSTIN : -
पता | Address : CIRCLE OFFICE, PUNJAB NATIONAL BANK, #9-35, 1st Floor, Kavuri Towers, Kamayya Thopu Centre, Kanuru, Vijayawada, Krishna Dist. - Pin code 520 007, KRISHNA, ANDHRA PRADESH-520007, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence :
प्रशासनिक अनुमोदन का पदनाम |
Designation of Administrative Approval:
वित्तीय अनुमोदन का पदनाम |
Designation of Financial Approval :

No :
DGM
CIRCLE HEAD

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
भुगतान का तरीका | Offline
Payment Mode:
पद | Designation : CHIEF MANAGER IT
ईमेल आईडी | Email ID : buycon281.pnbp.ap@gembuyer.in
जीएसटीआईएन | GSTIN : 37AACP0165G1Z0
पता | Address : CIRCLE OFFICE, PUNJAB NATIONAL BANK, #9-35, 1st Floor, Kavuri Towers, Kamayya Thopu Centre, Kanuru, Vijayawada, Krishna Dist. - Pin code 520 007, Krishna, ANDHRA PRADESH-520007, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 7302180000095682
कंपनी का नाम | Company Name : SIDHARTH SYSTEMS
संपर्क नंबर | Contact No. : 08800989555
ईमेल आईडी | Email ID : sidharthsystems1@gmail.com
पता | Address : 2/190 2 ND FLOOR, SUBHASH NAGAR, West Delhi, DELHI-110027, -
एमएसएमई पंजीकरण संख्या | MSME Registration number : -
जीएसटीआईएन | GSTIN: 07AKXPB6926B1Z3

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुक्र और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Voltas Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star ब्रांड Brand : Voltas ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भास्ति Category Name & Quadrant : Split Air Conditioner Including Green AC, Wall Mount Type (Q2) मॉडल Model: VOLTAS SPLIT INVERTER AC 1.5 TON 5 STAR, 185V एचएसएन कोड HSN Code: HSN not specified by seller	12	pieces	41,600	NA	499,200
कुल ऑर्डर मूल्य Total Order Value (in INR)						499,200

परेष्टी विवरण | Consignee Detail

क्र.सं. S.No	परेष्टी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : CHIEF MANAGER IT ईमेल आईडी Email ID : buycon281.pnbp.ap@gembuyer.in					

1	<p>संपर्क Contact : 0866-2428174- जीएसटीआईएन GSTIN : - पता Address : CIRCLE OFFICE, PUNJAB NATIONAL BANK, #9-35, 1st Floor, Kavuri Towers, Kamayya Thopu Centre, Kanuru, Vijayawada, Krishna Dist. - Pin code 520 007, KRISHNA, ANDHRA PRADESH-520007, India</p>	<p>VoltaS Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star</p>	-	12	08-Mar-2024	23-Mar-2024
---	---	---	---	----	-------------	-------------

Product Specification for VoltaS Split Air Conditioner, Wall Mount Type 1.5 Ton 5 Star

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
STANDARDS	Description of stores	Split Air Conditioner Including Green AC, Wall Mount Type
	Split Air Conditioner conforming to	IS 1391 (Part 2)
	Availability of BIS/ISI Mark Certification for Split AC Wall mount type	Yes
	BEE star rating plan	As per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022
GENERIC	Air Conditioner Compliance	AC
	Technology of air conditioner	Inverter AC - Variable Speed
	Nominal Marketing capacity as per BEE Star Rating Label (hint: 1 Ton = 3000 Kcal/Hr, Tolerance +/- 10%) (in Ton)	1.5
	Rated cooling capacity (in Watts) as per IS:1391 (Part 2) (Cooling Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	3501 ≤ 5200
	BEE Star rating of the product (Central Ministries/Depts while procuring shall ensure that the items carry 5 star(under normal conditions where annual usages is expected to be >1000 hrs),3 Star(where usage is Limited)or higher Star Rating of BEE)	5
	ISEER (Wh/Wh) values for compliance of Green AC	For Non Green AC as per Gazette Notification No. S.O. 3897 (E) dated. 29th October 2019 and as per BEE Notification dated 19th April 2022
	Rated voltage (in Volts)	230 V, 1 Phase, 50 Hz, AC
REFRIGERANTS	Tolerance Value for Rated Voltage	As per IS 1391 (Part 2)
	Eco-friendly Refrigerant	Yes
	Refrigerant designation	R 32
	Refrigerant Global warming potential (GWP)	675 (for R32)
CONSTRUCTION	Refrigerant Ozone Depletion Potential is Zero	Yes
	Classification by function	Cooling only (Cooling and dehumidification during cooling mode)
	Heating capacity (in Watts) (Heating Capacity Value should match with respect to their Nominal Marketing Capacity in Tonnage)	Not applicable for Cooling only (Cooling and dehumidification during cooling mode)
	Unit type	Single split (Single Indoor and Single outdoor)
	Marking on the Split AC	As per IS 1391 (Part 2)
	Additional requirement	Not Applicable
MATERIAL	Compressor Type	Rotary Type
	Material of Evaporator	Copper
	Material of Condenser	Copper
	Material of Air Filter (on indoor unit)	Synthetic Fiber
GENERAL FEATURE	Reusable air filter	Yes
	AC Modes	Turbo Mode,Power Saving Mode,Self Diagnosis Mode,Convertible for energy consumption,Swing,Timer
	Remote Control Features	Timer,Swing,Fan speed control,On/OFF
ENVIRONMENTAL FEATURE	Additional Features	Anti Bacteria Filter,Sleep mode,Auto Restart,Indoor Temperature Indicator,Dust Filter,Works Even at 52 degree C ambient
	Noise level	As per Table 5, Cl 9.13 of IS 1391 (Part 2) 2023
	Environmental Friendly Paint (Environmental Friendly Paint means Paint does not contain heavy metals or their compounds include mercury (Hg), lead (Pb), cadmium (Cd) and hexavalent chromium (Cr))	Yes
	Recycled Plastic Components	<80% by weight of total plastic components in product

ACCESSORIES	Supply cord and the interconnecting cord between the indoor and outdoor unit	3 m (PVC Insulated sheathed cables as per IS:694)
	Standard accessories included for each air conditioners	3 m Cu pipe, Remote with battery, User Manual, Warranty card
WARRANTY	AC Machine warranty (in Year)	1
	Warranty on compressor (in Years)	10
INSTALLATION	Installation	Without installation(installation not offered)
	Not included in the scope of supply	As per STC attached

उत्पाद का बीजाईएस लाइसेंस | BIS license of the product: 8300140610

विक्रेता विशिष्टता दस्तावेज़ | Seller Specification Document:

1. Applicable Specification Document	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchemha/qr_spdn_document/2023/5/3/document-for-cms_2022-07-05-17-50-30_c3b90df06e58a7_2023-05-03-10-58-17_0cd9e0d5e516735de899c5dc95b3af0.pdf
2. Verified and Signed Tp document	mkp.gem.gov.in/uploaded_documents/cms/tp/home_dist_heat_cool_sp37313731/51/16/877/CategorySchemha/tp_document/2024/1/3/green_rac_2024-01-03-13-19-26_a782a2a5976948d5bcffe835d1111e2b.pdf

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें| Terms and Conditions

1. Special terms and conditions- Version:2 effective from 11-12-2023

1.1 STC FOR SPLIT AIR CONDITIONER

Central Ministries/ Departments while procuring electrical appliances notified by the Department of Expenditure (DoE) shall ensure that they carry the notified threshold or higher Star Rating of the Bureau of Energy Efficiency (BEE). In this regard, DoE OM No.26/6/2012-PPD dated 21.01.2013 may also be referred to wherein appliances and threshold star ratings have been circulated.

Scope of installation and Commissioning for Wall Mount / High wall Split AC

- (1) Mounting/Fitting of indoor and outdoor units at the respective locations.
- (2) Laying of refrigerant piping and connecting with indoor and outdoor units after drilling hole/holes in the wall (all type of walls), if required.
- (3) Checking / Charging Refrigerant gas in the unit.
- (4) Suitable electric wiring between indoor units and switch upto 3 meters in length.
- (5) Testing for satisfactory working without any abnormal noise as well as leakage test of the entire system.

The following are not included in the scope of supply for Wall Mount / High wall Split AC

- (1) Chiselling / Ducting / grooving for concealing the Refrigerant piping/cabling
- (2) Switches/ Sockets / Plug Tops / Voltage Stabilizer/Stand for ODU/Drain pipe/Angles.

Note to Buyer: Buyer are advised to apply filters/ selections allowing all the values which are considered meeting or are better than their technical requirements e.g. if the requirement is 5 years compressor warranty; Buyer should select other superior values, i.e. 10years warranty as well. Such selection will act as 5 years or better (in L1 buying). For any violation of the above advisory if resulting into limited competition or higher cost to the ex-chequer, the Buyer shall be solely responsible.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का पिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.