## अनुबंध|Contract



अनुबंध क्रमांक | Contract No: GEMC-511687710920752

अनुबंध तिथि | Generated Date : 08-Mar-2024

बोली/आरए/पीबीपी संख्या|Bid/RA/PBP No.: <u>GEM/2024/B/4690372</u>

संगठन विवरण|Organisation Details

State Government प्ररूप|Type: मंत्रालय|Ministry:

Rural Development and Panchayat Raj Department विभाग|Department:

Karnataka

संगठन का नाम|Organisation

N/A Name:

कार्यालय क्षेत्र|Office Zone: TALUK PANCHAYAT TIKOTA खरीदार विवरण|Buyer Details

पद | Designation : BASAVARAJ AINAPUR

संपर्क नंबर|Contact No. : 08352-295406-ईमेल आईडी|Email ID : basavaraj.ainapur@edukar.gov.in

जीएसटीआईएन|GSTIN:

TALUK PANCHAYAT OFFICE NEAR HAJI MASTANA DARGA

पता|Address: TIKOTA,

BIJAPUR, KARNATAKA-586130, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमिति|IFD Concurrence :

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

EO TIKOTA

FO TIKOTA

भुगतान प्राधिकरण विवरण | Paying Authority Details BUYER

भुगतान का तरीका| Offline

Payment Mode:

पद|Designation : BASAVARAJ AINAPUR

ईमेल आईडी|Email ID : basavaraj.ainapur@edukar.gov.in

जीएसटीआईएन|GSTIN :

TALUK PANCHAYAT OFFICE NEAR HAJI MASTANA DARGA

पता|Address: TIKOTA.

Bijapur, KARNATAKA-586130, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 800Y230010314191 कंपनी का नाम|Company Name : GLOBAL ENTERPRISES संपर्क नंबर|Contact No.: 08618410708

ईमेल आईडी|Email ID : globalenterpprises13@gmail.com

SHOP NO 03, SANGAMESHWAR COMPLEX, SAI PARK ROAD, EKTA NAGAR, पता| Address :

BIJAPUR, KARNATAKA-586109, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN: 29DNVPM7125P1ZT

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	रूप (INR में सभी शुल्क और कर सहित)  Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम  Product Name: acer AMD Ryzen 7 5700G 32 GB/ 1000 GB HDD/ Windows 11 Professional ब्रांड Brand: acer ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्याश Category Name & Quadrant: Desktop Computers (Q2) गॉडल Model: Veriton M200-P500 एचएसएन कोड HSN Code: HSN not specified by seller	8	pieces	74,000	जीएसटी GST (18%): 83,905.512 जीएसटी उपकर 1 GST Cess 1 (9%): 41,952.756 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit): 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GST1: - जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1: - जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2: -	592,000
2	उत्पाद का नाम  Product Name : JKSSE Laser Mono Computer Printers for A4 paper size ब्रांड  Brand : JKSSE   ब्रांड  Brand : JKSSE   ब्रांड  Brand : JKSSE   ब्रांड  Brand : JKSSE   ब्रांड  Brand   पुरा   पु	20	pieces	21,000	जीएसटी GST (18%): 59,527.559 जीएसटी उपकर 1 GST Cess 1 (9%): 29,763.78 जीएसटी उपकर 2 GST Cess 2 (0 per accounting unit): 0 जीएसटी पर इनपुट टैक्स क्रेडिट (आईटीसी) Input Tax Credit (ITC) on GSTI: - जीएसटी उपकर पर आईटीसी 1 ITC on GST Cess 1: - जीएसटी उपकर पर आईटीसी 2 ITC on GST Cess 2: -	420,000
कुल ऑर्डर मूल्य  Total Order Value (in INR)				1,012,000		

## परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
1	पद  Designation : - ईमेल आईडी Email ID : basavaraj.ainapur@edukar.gov.in संपर्क Contact : 08352-295406- जीएसटीआईएन GSTIN : -	acer AMD Ryzen 7 5700G 32 GB/ 1000 GB HDD/ Windows 11 Professional	-	8	08-Mar-2024	22-Apr-2024
	पता Address : TALUK PANCHAYAT OFFICE NEAR HAJI MASTANA DARGA TIKOTA, BIJAPUR, KARNATAKA-586130, India	JKSSE Laser Mono Computer Printers for A4 paper size	-	20	08-Mar-2024	23-Mar-2024

# Product Specification for acer AMD Ryzen 7 5700G 32 GB/ 1000 GB HDD/ Windows 11 Professional

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Processor Make	AMD
	Processor Generation	11
	Number of Cores per Processor	8
Dragogor	Processor Base Frequency (GHz)	3.8
Processor	Processor Description	AMD Ryzen 7
	Processor Number	AMD Ryzen 7 5700G
	Out of Band Management	NA
	Cache (MB)	20
	Chipset Series	AMD Pro Series
	Chipset Number	AMD PRO 500
	Expansion Slots (PCIe x 1) (Number)	1
Motherboard	Expansion Slots (PCIe x 4) (Number)	0
	Expansion Slots (PCIe x 16) (Number)	1
	Expansion Slots (PCI) (Number)	0
	Expansion Slots (M Dot 2)	2
	Graphics Type	Integrated
Cuankias	Graphic Card Description	Radeon™ Graphics
Graphics	Size of Memory in Case of Dedicated Graphic Card (GB)	0
	Size of VRAM in case of Integrated Graphics (MB)	128
	Operating System (Factory Pre-Loaded)	Windows 11 Professional
Operating System	Recovery Image Media	Stored in Partition of the Hard Disk
	OS Certification	Windows
	Type of RAM	DDR4
	RAM Size (GB)	32
Maman	RAM Speed (MHz)	2666
Memory	Total Numbers of DIMM Slots Available	2
	Number of DIMM Slots populated	1
	RAM Expandability up to( using spare DIMM Slots in GB)	64
	Total Number of Internal Bays available	3
	Number of 2 point 5 inches internal Bays	1
	Number of 3 point 5 inches Internal Bays	2
	Number of 2 point 5 Inches Internal Bays Populated	1
	Number of 3 point 5 Inches Internal Bays Populated	1
	Type of Drives used to populate the Internal Bays	HDD,SSD
	Number of Internal Bays populated with HDD	1

Tech NOC Connecting   1000		Capacity of each HDD (GB)	1000 @7200 rpm
Capacitry of zero 1500 (68)   512		Total HDD Capacity (GB)	1000
Table SSD Capatriny (SSD)   National SSD (SSD)   Nat	Storage	Number of Internal Bays populated with SSD	1
Number of Internal Boys populated with SSHD   0   0   0   0   0   0   0   0   0		Capacity of each SSD (GB)	512
Caucity of each 35/10 (60)		Total SSD Capacity (GB)	512
Total SSHO Capacity in addition to 8 08 Pacie (509)   0   0   0   0   0   0   0   0   0		Number of Internal Bays populated with SSHD	0
Number of Internal Buys pepulated with SSID   0   0   0   0   0   0   0   0   0		Capacity of each SSHD (GB)	NA
Capacity of each SSED (Capacity (RIP)   0   0   0   0   0   0   0   0   0		Total SSHD Capacity in addition to 8 GB Flash (GB)	0
Total SSED Capacity (88)		Number of Internal Bays populated with SSED	0
Optome Memory (68)   0   10wer (13.1 to 26 Litres)		Capacity of each SSED (GB)	0
Cabinet Form Sactor		Total SSED Capacity (GB)	0
Cabinet Volume (Litres)		Optane Memory (GB)	0
External Bays (Number)         1           Optical Drive         0VO R/W           Cabinet         Incornal Speaker         No           Audio-in         Yes           Audio-out         Yes           Headphore out         Yes           Microphone-in         Yes           Microphone-in         No           If Yes, Type of Wireless Connectivity         No           If Yes, Type of Wireless Connectivity         NA           Mumber of Ethernee Ports         10/100/1000 on board Integrated Gigabit Port           Stuetooth Connectivity         No           Jimber of USB Version of Study of Ports         4           Number of USB Version 2 Point 0 Ports         4           Number of USB Version 3 point 0, 49 point 1, 5en 1 Ports         3           Number of USB Version 3 point 0, 49 point 1, 5en 1 Ports         3           Number of USB Version 3 point 0, 5en 2 Ports         0           Number of USB Version 3 point 0, 5en 2 Ports         1           Number of USB Version 3 point 0, 5en 2 Ports         1           Number of USB Type C Ports         1           Number of USB Type C Ports         1           Number of DP Ports         1           Number of DP Ports         1           Number of DP		Cabinet Form Factor	Tower (13.1 to 26 Litres)
Cabinet         Optical Drive         DVD RVW           Cabinet         Internal Speaker         No           Audio-in         Yes           Audio-out         Yes           Meadphone our         Yes           Audio-ophon-in         Yes           Morophon-in         Yes           Viroles Connectivity         No           Number of Wiroless Connectivity         NA           Number of Ethernet Ports         10/10/01/000 on board Integrated Gigabit Port           Type of Ethernet Ports         10/10/01/000 on board Integrated Gigabit Port           If Yes, Version of Bluetooth Available         0           If Yes, Version of Bluetooth Available         0           Number of USB Version 3 point 0, Sen 1 Ports         3           Number of USB Version 3 point 1, Gen 1 Ports         3           Number of USB Version 3 point 1, Gen 2 Ports         0           Number of USB Version 3 point 1, Gen 2 Ports         1           Number of VSB Version 3 point 1, Gen 2 Ports         1           Number of VSG Ports         1           Number		Cabinet Volume (Litres)	26
Cabinet         Internal Speaker         No           Audio-In         Yes           Audio-out         Yes           Headphone out         Yes           Microphone-in         Yes           Audio-out         Yes           Microphone-in         Yes           Audio-out         No           If Yes, Type of Wireless Connectivity         No           Audio-out         No           Type of Ethernet Ports         10/100/1000 on board Integrated Gigable Port           Bluetooth Connectivity         No           A Momber of USB Version of Bluetooth Available         0           If Yes, Version of Bluetooth Available         0           Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports         3           Number of USB Version 3 point 1, Gen 2 Ports         0           Number of USB Version 3 point 1, Gen 2 Ports         0           Number of USB Version 3 point 1, Gen 2 Ports         1           Number of VSB Version 3 point 1, Gen 2 Ports         1           Number of VSB Version 3 point 1, Gen 2 Ports         0           Number of VSB Version 3 point 1, Gen 2 Ports         1           Number of VSB Version 3 point 1, Gen 2 Ports         1           Number of VSB Version 3 point 1, Gen 2 Ports         0		External Bays (Number)	1
Audio-out		Optical Drive	DVD R/W
Audio-out	Cabinet	-	No
Audio-out			
Headphone out			
Microphone-in   Ves   Ves			
No			
If Yes, Type of Wireless Connectivity			
Connectivity         Number of Ethernet Ports         10/100/1000 on board Integrated Gigobit Port           Bluetooth Connectivity         No           If Yes, Version of Bluetooth Available         0           Number of USB Version 2 Point 0 Ports         4           Number of USB Version 3 point 0 / 3 point 1, Gen 1 Ports         3           Number of USB Version 3 point 1, Gen 2 Ports         0           Number of USB Type C Ports         1           Number of Serial Ports         0           Number of Parallel Ports         0           Number of VGA Ports         1           Number of HDMI Ports         1           Number of HDMI Ports         1           Number of HDMI Ports         1           Monitor Technology         IPS           LEB Backlit Monitor Size (INCHES)         21.5           Monitor Resolution (PIXELS)         1920x1080           TCC Certification for Monitor         NA           Number of USA Ports in the Monitor         1           Number of Display Ports in the Monitor         1           Number of USA Ports in the Monitor         1           Number of USA Ports in the Monitor         1           Number of USA Ports in the Monitor         0           Number of USA Ports in the Monitor <t< td=""><td></td><td></td><td></td></t<>			
Connectivity         Type of Ethernet Ports         10/100/1000 on board Integrated Gigabit Port           Bluetooth Connectivity         No           If Yes, Version of Bluetooth Available         0           Number of USB Version 3 Point 0 Ports         4           Number of USB Version 3 point 1, Gen 1 Ports         3           Number of USB Version 3 point 1, Gen 2 Ports         0           Number of USB Type C Ports         1           Number of Parallel Ports         0           Number of Parallel Ports         0           Number of HDMI Ports         1           Number of PDP Ports         1           Monitor Technology         IPS           LED Backlit Monitor Size (INCHES)         21.5           Monitor Resolution (PIXELS)         1920x1080           TCO Certification for Monitor         NA           Number of UDMI Ports in the Monitor         1           Number of UDMI Ports in the Monitor         0           Availability of Webcam integrated with Monitor         No           If Yes, Resolution			
Bluetooth Connectivity   No   If Yes, Version of Bluetooth Available   0	Connectivity		
If Yes, Version of Bluetooth Available   0			
Number of USB Version 2 Point 0 Ports			
Number of USB Version 3 point 1, Gen 1 Ports   0			4
Number of USB Yersion 3 point 1, Gen 2 Ports   1			
Number of USB Type C Ports   1			
Ports         Number of Serial Ports         0           Number of Parallel Ports         0           Number of VGA Ports         1           Number of DP Ports         1           Momber of DP Ports         1           Model of the Monitor         NA           Monitor Technology         IPS           LED Backlit Monitor Size (INCHES)         21.5           Monitor Resolution (PIXELS)         1920x1080           TCO Certification for Monitor         NA           Number of VGA Ports in the Monitor         1           Number of HDMI Ports in the Monitor         1           Number of Display Ports in the Monitor         0           Availability of Webcam integrated with Monitor         No           If Yes, Resolution of Webcam         NA           Availability of Speakers integrated with Monitor         Yes			
Number of Parallel Ports  Number of VGA Ports  1  Number of HDMI Ports  1  Model of the Monitor  Monitor Technology  LED Backlit Monitor Size (INCHES)  Monitor Resolution (PIXELS)  TCO Certification for Monitor  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  1  Number of Display Ports in the Monitor  Availability of Webcam integrated with Monitor  NA  Navilability of Speakers integrated with Monitor  Yes	Ports	7"	
Number of VGA Ports   1			
Number of HDMI Ports         1           Number of DP Ports         1           Model of the Monitor         NA           Monitor Technology         IPS           LED Backlit Monitor Size (INCHES)         21.5           Monitor Resolution (PIXELS)         1920x1080           TCO Certification for Monitor         NA           Number of VGA Ports in the Monitor         1           Number of HDMI Ports in the Monitor         1           Number of Display Ports in the Monitor         0           Availability of Webcam integrated with Monitor         No           If Yes, Resolution of Webcam         NA           Availability of Speakers integrated with Monitor         Yes			
Number of DP Ports  Model of the Monitor  NA  Monitor Technology  LED Backlit Monitor Size (INCHES)  Na  Monitor Resolution (PIXELS)  TCO Certification for Monitor  NA  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  1  Number of Display Ports in the Monitor  No  If Yes, Resolution of Webcam  Na  Availability of Speakers integrated with Monitor  Yes			
Model of the Monitor  Monitor Technology  LED Backlit Monitor Size (INCHES)  NA  Monitor Resolution (PIXELS)  TCO Certification for Monitor  NA  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  Number of Display Ports in the Monitor  Number of Display Ports in the Monitor  No  Availability of Webcam integrated with Monitor  If Yes, Resolution of Webcam  Availability of Speakers integrated with Monitor  Yes			
Monitor Technology  LED Backlit Monitor Size (INCHES)  21.5  Monitor Resolution (PIXELS)  TCO Certification for Monitor  NA  Number of VGA Ports in the Monitor  1  Number of HDMI Ports in the Monitor  1  Number of Display Ports in the Monitor  Availability of Webcam integrated with Monitor  If Yes, Resolution of Webcam  Availability of Speakers integrated with Monitor  Yes			
LED Backlit Monitor Size (INCHES)  Monitor Resolution (PIXELS)  TCO Certification for Monitor  Number of VGA Ports in the Monitor  1  Number of HDMI Ports in the Monitor  1  Number of Display Ports in the Monitor  Availability of Webcam integrated with Monitor  If Yes, Resolution of Webcam  Availability of Speakers integrated with Monitor  Yes			
Monitor Resolution (PIXELS)  TCO Certification for Monitor  Number of VGA Ports in the Monitor  Number of HDMI Ports in the Monitor  1  Number of Display Ports in the Monitor  Availability of Webcam integrated with Monitor  If Yes, Resolution of Webcam  Availability of Speakers integrated with Monitor  Yes			
Monitor  TCO Certification for Monitor  Number of VGA Ports in the Monitor  1  Number of HDMI Ports in the Monitor  1  Number of Display Ports in the Monitor  O  Availability of Webcam integrated with Monitor  If Yes, Resolution of Webcam  Availability of Speakers integrated with Monitor  Yes			
Number of VGA Ports in the Monitor 1  Number of HDMI Ports in the Monitor 1  Number of Display Ports in the Monitor 0  Availability of Webcam integrated with Monitor No  If Yes, Resolution of Webcam NA  Availability of Speakers integrated with Monitor Yes			
Number of HDMI Ports in the Monitor 1  Number of Display Ports in the Monitor 0  Availability of Webcam integrated with Monitor No  If Yes, Resolution of Webcam NA  Availability of Speakers integrated with Monitor Yes			
Number of Display Ports in the Monitor     0       Availability of Webcam integrated with Monitor     No       If Yes, Resolution of Webcam     NA       Availability of Speakers integrated with Monitor     Yes	Monitor		
Availability of Webcam integrated with Monitor  If Yes, Resolution of Webcam  Availability of Speakers integrated with Monitor  Yes			
If Yes, Resolution of Webcam NA Availability of Speakers integrated with Monitor Yes			
Availability of Speakers integrated with Monitor  Yes			
in res, reuniner of speakers available 2			
i e e e e e e e e e e e e e e e e e e e		a res, reuniver or speakers available	

Power	Power Supply Capacity (Watt)	250
	Minimum Power Efficiency Range (%)	85 - 89
Certification	ROHS Compliance	Yes
Certification	BEE / Energy Star for the given Model	Yes
	Mouse Connectivity	Wired
Input Devices	Type of Mouse	Optical Scroll
imput bevices	Keyboard Connectivity	Wired
	Type of Keyboard	Standard
	Minimum Operating Temperature	10 degree Celsius
Operating Conditions	Maximum Operating Temperature	40 degree Celsius
Operating Conditions	Minimum Operating Humidity (%RH)	10
	Maximum Operating Humidity (%RH)	90
Warranty	On Site OEM Warranty (Year)	3

## Product Specification for JKSSE Laser Mono Computer Printers for A4 paper size

ॉनिर्देश Specificat	on उप-विनिर्देश Sub-Spec	मूल्य Value
	Printing Technology	Laser
	Cartridge Technology	Composite Cartric
	Type of Printing	Mono
	Paper Size	A4
	Print Speed per minute as per ISO/IEC 24734 in (A4) Size - Mono	20
	Print Speed per minute as per ISO/IEC 24734 in (A4) - Color	0
	Resolution (Dpi)	600x600
	Memory (MB)	64
	Hard Disk Capacity (GB)	0
	Processor Speed	400 MHz
	Duplexing Feature	No
	Duplex Print Speed ( IPM)	0
	Network Connectivity	No
	Network Interface, if available	NA
	Wireless Connectivity	No
	If Yes, Type of Wireless Connectivity	NA
	USB Port	Yes
	Number of Main Paper Trays	1
	Each Main Paper Tray Capacity	150
	Bypass Tray Facility	No
ecifications	If Yes, Bypass Tray Capacity	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Cyan colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Yellow colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19798/2007(E) for Magenta colour (Number of prints)	0
	Yield of the cartridge/Ink Tank/Ink Pack supplied with Machine as per ISO/IEC: 19752/2004(E) for Black (Number of prints)	1500
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology -Cyan	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Yellow	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Magenta	0
	Life of Drum in terms of number of Prints in case of Separate Drum and Toner cartridge technology - Black	0
	Duty Cycle (No of Prints/month)	10000
	Minimum Operating Temperature (Degree C)	10

Maximum Operating Temperature (Degree C)	30
Minimum Operating Humidity (%RH)	20
Maximum Operating Humidity (% RH)	70
BIS Registration under CRS of Meity	Yes
BIS Registration no	R-91013226
Other Certifications Available	UL,CE
Dimensions(In mm x mm x mm )	331 x215x 178
Weight (In kg)	4.18
On site OEM warranty (Years)	1

उत्पाद का बीआईएस लाइसेंस|BIS license of the product: 91013226

## ईपीबीजी विवरण | ePBG Detail

सलाहकार बेंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

## आरसीएम/एफसीएम के संबंध में सामान्य खंड |General Clauses w.r.t RCM/FCM

- 1. Where ever RCM is applicable, for sellers (Regular GST registered seller who opted out of FCM as per notifications of GST like GTA, unregistered seller), Buyer have liability of paying the GST and GST cess to the government on the specified rate mentioned by them in this contract. Seller will invoice buyer with Zero GST and GST cess.
- 2. For Registered sellers as per FCM, rates will be inclusive of prescribed rate of GST and GST cess. ITC available to buyer as shown in the bid document have been applied while evaluating the bids. Seller has liability of paying the GST and GST cess to the govt and same will be charged from buyer while invoice.
- 3. For Registered sellers who opted for RCM while quoting for specified category under section 9(3) like GTA rates will be exclusive of GST and GST cess. GST and GST cess as indicated by the buyer in the bid document payment of GST and GST cess will be the liability of buyer.
- 4. For Unregistered sellers Liability of payment of GST and GST cess is in Buyers scope. GST and GST cess as indicated by the buyer in the bid document will be the liability of buyer. Unregistered seller will invoice buyer with zero GST and Zero GST cess.
- 5. For sellers under Composition Scheme: There is no liability of payment of GST and GST cess in Buyers cope. Seller will invoice Zero GST and GST cess in the invoice to buyer.

### नियम और शर्तें|Terms and Conditions

- 1. Special terms and conditions- Version:3 effective from 28-10-2023
- 1.1 'Local content means the amount of value added in India which shall, unless otherwise Prescribed by the Nodal Ministry, be the total value of the item procured (excluding net domestic indirect taxes) minus the value of imported content in the item (including all customs duties) as a proportion of the total value and percent.

'Class-I local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content equal to or more than 50% as defined under this Order

'Class-II local supplier' means a supplier or service provider, whose goods, services or works offered for procurement, has local content more than 20% but less than 50%, as defined under this Order.

SI.No. SPECIAL TERMS AND CONDITIONS FOR DESKTOP COMPUTERS

- 1 OPERATING SYSTEM
- (i) There is no requirement that the OEM of the Desktop computer systems should be a device partner of Microsoft and hold a Microsoft Authorization form
- (ii) Microsoft OS may be sourced directly from Microsoft by the OEMs holding device partner status and those not holding device partner status may source from authorized distributors i.e., M/s. Ingram or M/s. Redington and their authorized channel partners.

5	CHECKPOINTS DURING ACCEPTANCE OF SUPPLIES
(i)	Before generating the Consignee Receipt and Acceptance Certificate (CRAC), the consignee may inspect the system condition and verify that it complies with the agreed specifications and configurations and to ensure that there is no scope for the supply of refurbished products.
(ii)	In the case of a large number of units procured or complex installations buyer may opt for bidding and accordingly stipulate conditions regarding installation, inspection by consignees/inspection agency specifying verification of configuration, warranty applicability, checking for refurbished /altered configurations, and checking other relevant details through OEMs website.
<i>c</i> .	
(iv)	At the time of receiving supplies, the consignee may ensure the following to ensure that any discrepancies are there in supplies can be flagged and reflected and taken into account while generating CRAC. (i) Packing should be checked properly
	(ii) Warranty certificate from OEM should be insisted and checked.
	(iii) Instruction manuals, and OS installed should be checked
	(iv) The machine serial no should also be checked.
(v)	The above points are for guidance and the buyer/consignee may take steps considered suitable by them for checking at the consignee end before acceptance of the systems
6	COMPLIANCE OF EXTENDED PRODUCER'S RESPONSIBILITY
(i)	With effect from 01.04.23 as per E-waste rules 2022 EPR registration is mandatory for manufacturing entities shall ensure compliance.
7	MANDATORY / STATUTORY REQUIREMENTS AS APPLICABLE
(ii)	OEMs shall have to ensure the mandatory/statutory requirements such as BIS-CRS, ISI Mark, Eco Mark, etc., as per the Government of India Notification issued from time to time for hardware components including monitor, keyboard, mouse, etc., as applicable.
. Genei	ral Terms and Conditions-
.2 This (	contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.  Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and litions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions, as applicable

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders

3. Buyer Added Bid Specific Terms and Conditions-

are bound to accept the orders accordingly.

#### 3.2 Scope of Supply.

Scope of supply (Bid price to include all cost components): Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

#### 3.3 Purchase Preference (State):

Procurement under this bid is reserved for purchase from Micro and Small Enterprises from the State of Bid Inviting Authority whose credentials are validated online through UDYAM Registration /Udyog Aadhaar (as validated by Government from time to time) for that product category. If the bidder wants to avail the reservation benefit, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. Benifits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.

#### 3.4 Warranty

Warranty period of the supplied products shall be 3 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

### 3.5 Service & Support:

Dedicated /toll Free Telephone No. for Service Support: BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.