अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687737019224

अनुबंध तिथि। Generated Date : 09-Mar-2024

संगठन विवरण|Organisation Details

प्ररूप|Type : State Government

मंत्रालय|Ministry :

विभाग|Department: School Education Department Jammu and Kashmir

संगठन का नाम|Organisation Name: Directorate of School Education

कार्यालय क्षेत्र | Office Zone: Bandipora

खरीदार विवरण|Buyer Details

पद|Designation : SEINOR ASSISTANT संपर्क नंबर|Contact No. : 01957-22500-00

ईमेल आईडी|Email ID : srasstt-hssnadihal@jk.gov.in

जीएसटीआईएन|GSTIN: -

HIGHER SECONDARY SCHOOL NADIHAL BANDIPORA NEAR

पता|Address : PETROL PUMP NADIHAL,

BANDIPUR, JAMMU & KASHMIR-193502, India

वित्तीय स्वीकृति विवरण|Financial Approval Detail

आईएफडी सहमित|IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम|

Designation of Administrative Approval: वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: BUYER भुगतान का तरीका| Payment Mode: Offline

पद|Designation : SEINOR ASSISTANT ईमेल आईडी|Email ID : srasstt-hssnadihal@jk.gov.in

जीएसटीआईएन|GSTIN : -

HIGHER SECONDARY SCHOOL NADIHAL BANDIPORA NEAR

पता|Address: PETROL PUMP NADIHAL,

Baramulla, JAMMU & KASHMIR-193502, India

विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : DB3E190000818702 कंपनी का नाम|Company Name : MEDIA WORLD संपर्क नंबर|Contact No. : 09906894304

ईमेल आईडी|Email ID : mediaworld210@gmail.com

पता| Address : NEAR JAMIA MASJID,BANDIPORA,BANDIPORA,BARAMULLA,

Baramulla, JAMMU & KASHMIR-193502,

एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-JK-02-0000305

एमएसई सामाजिक श्रेणी|MSE Social Category : General एमएसई लिंग श्रेणी|MSE Gender : Male

जीएसटीआईएन|GSTIN: 01BVQPS7021H1ZI

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Buyer

Principal

Principal

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण|Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name: hp Intel Core i5 All in One PC with 23.8 Inch Display/ Windows 11 Professional ब्रांड Brand: hp ब्रांड Brand: hp ब्रांड प्रकार Brand Type: Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As: OEM verified Reseller श्रेणी का नाम और चतुर्थांच Category Name & Quadrant: All in One PC (Q2) मॉडल Model: HP 440 G9 AIO i5 13400 3215 MS Office Pf2021 23.8" एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	73,999	NA	73,999
cho	कल ऑर्डर मल्य Total Order Value (in INR)					73.999

परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : jrastt ईमेल आईडी Email ID : sumbal.zeo@jk.gov.in	hp Intel Core i5 All in				

1	संपर्क Contact : 87139-05072- जीएसटीआईएन GSTIN : - पता Address : ZEO office sumbal 193501, BANDIPUR, JAMMU & KASHMIR-193501, India	One PC with 23.8 Inch Display/ Windows 11 Professional 09-Mar-2024 23-Apr-2024				
Product Spe	cification for hp Intel Core i5 All in One PC with	23.8 Inch Display/ Windows 11 Professional				
विनिर्देश Specification उप-विनिर्देश Sub-Spec		मूल्य Value				
	Chipset Series	Intel Q Series				
Motherboard	Chipset Number	Intel Q670				
	Expansion Slots (M Dot 2)	3				
	Processor Make	Intel				
	Processor Generation	13				
	Number of Cores per Processor	10				
Processor	Processor Base Frequency (GHz)	2.5				
riocessoi	Processor Description	Intel Core i5				
	Processor Number	Intel Core i5 13400				
	Out of Band Management	NA				
	Cache (MB)	20				
	Graphics Type	Integrated				
	Graphic Card Description	UHD GFX 730				
Graphics	Size of Memory in Case of Dedicated Graphic Card (GB)	0				
	Size of VRAM in case of Integrated Graphics (MB)	128				
	Operating System (Factory Pre-Loaded)	Windows 11 Professional				
Operating Syster	n Recovery Image Media	CD from the OEM / Stored in Partition of the Hard Disk / USB Drive from the OEM / On Line / Cloud,				
	OS Certification	Windows				
	Type of RAM	DDR4				
	RAM Size (GB)	32				
	RAM Speed (MHz)	3200				
Memory	Total Numbers of DIMM Slots Available	2				
	Number of DIMM Slots populated	1				
	RAM Expandability up to(using spare DIMM Slots in GB)	64				
	Type of Drives used to populate the Internal Bays	SSD				
	Number of Internal Bays populated with HDD	0				
	Capacity of each HDD (GB)	NA NA				
Ctavana	Total HDD Capacity (GB)	0				
Storage	Number of Internal Bays populated with SSD	1				
	Capacity of each SSD (GB)	1024				
	Total SSD Capacity (GB)	1024				
	Optane Memory (GB)	0				
	Display Size (INCHES)	23.8				
	Display Type	Non Touch				
	Panel Technology	IPS				
Display	Display Resolution (PIXELS)	1920x1080				
Display	Availability of Webcam integrated with Display	Yes				
	If yes, Resolution of Webcam	FHD				
	Availability of Speakers integrated with Display	Yes				
	If Yes, Number of Speakers available	2				
	Wireless Connectivity	Yes				
	If Yes, Type of Wireless Connectivity	Wi-Fi 6E AX211 (2X2) + Bluetooth 5.3				

Number of VGA Ports 0 Number of VGA Ports 0 Number of HDMI Ports 1 Number of DP Ports 2 Audio-in N/A Audio-in No Audio-out No Headphone-out Yes Microphone-in Yes Stand Helipht Adjustable Power Supply External Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 Mill Segistration Number and its Validity R-61002135 Mill Segistration Number and its Validity R-61002135 Mill Segistration Available ULCE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Meyed Connectivity Wired Mye of Mouse Optical Scroll Mouse Connectivity	i.	i .	1
Proc. Proc. Proc. Proc. Proc. Proc. Proc. Proc.	Connectivity	Number of Ethernet Ports	1
If Yes, Versian of Bluetooth Available 5.3	Jointectivity	Type of Ethernet Ports	10/100/1000 on board Integrated Gigabit Port
Number of USB Version 2 Point 0 Ports 0		Bluetooth Connectivity	Yes
Number of USB Version 3 point 0 / 3 point 1, Gen 1 2		If Yes, Version of Bluetooth Available	5.3
Ports 2 Number of USB Yersion 3 point 1, Gen 2 Ports 3 Number of USB Type C Ports 1 Number of Serial Ports 0 Number of HDMI Ports 1 Number of DP Ports 2 Audio-in No Audio-aut No Microphone-out Yes Microphone-in Yes Stand Height Adjustable Power Power Supply Exemal Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85-90 Bill Registration under CRS of Melty Yes Set Registration Number and its Validity 8-61002135 Certification ROHS compilance Yes BEE / Energy Star for the given Model Yes Other Certification Available ULCE,FCC Operating For Mouse Optical Scroll Operating For Mouse Optical Scroll Operating Lumidity (8RH) 5 degree Celsius Minimum Operating Temperature 35 degree Celsius Minimum Operating Humidity (8RH) 50 <		Number of USB Version 2 Point 0 Ports	0
Porters Number of USB Type C Ports 1 Number of Serial Ports 0 Number of LDMI Ports 1 Number of LDMI Ports 1 Number of LDMI Ports 2 Audio-in No Audio-in No Headphone out Yes Microphone-in Yes Stand Height Adjustable Power Supply External Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 Minimum Power Efficiency Range (%) 85 - 90 Met Efficiency Range (%) 85 - 90 MET Registration Number and its Validity R-61002135 Reflictation MCP Service Connectivity Mouse Connectivity Wired Other Certification Available ULCEFECC Mouse Connectivity Wired Appeard Connectivity Wired Appeard Connectivity Wired Appeard Connectivity Wired Appeard Connectivity Standard Maximum Operating Temperature 5 degree			2
Aumber of Serial Ports 0 Number of IPDRI Ports 1 Number of IPDRI Ports 1 Number of IPDRI Ports 2 Audio-in No Audio-out No Headphone out Yes Stand Height Adjustable Power Supply External Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 Minimum Power Efficiency Range (%) 85 - 90 BLS Registration under CRS of Melxy Yes BER Ferryy Star for the given Model Yes BER Ferryy Star for the given Model Yes BER Ferryy Star for the given Model Yes Mouse Connectivity Wired Other Certification Available ULCEFCC Mouse Connectivity Wired Type of Mouse Optical Scroll Merboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature 5 degree Celsius Maximum Operating Humidity (NRH) 5 Movement Operating Humidity (NRH)		Number of USB Version 3 point 1, Gen 2 Ports	3
Number of VGA Ports 1 1 1 1 1 1 1 1 1	Ports	Number of USB Type C Ports	1
Number of HDMI Ports 1 Number of DP Ports 2 2 2 2 2 2 2 2 2		Number of Serial Ports	0
Number of DP Ports 2		Number of VGA Ports	0
Optical Drive N/A		Number of HDMI Ports	1
Audio-out No		Number of DP Ports	2
Seneric Audio-out No Headphone out Yes Microphone-in Yes Stand Height Adjustable Over Fower Supply External Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 BIS Registration under CRs of Meity Yes BIS Registration Number and its Validity R-61002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL,CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Operating Conditions Minimum Operating Temperature 5 degree Celsius Maximum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 5		Optical Drive	N/A
Headphone out Yes Microphone-in Yes Stand Height Adjustable Power Supply Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 Power Supply Capacity (Watt) Yes BIS Registration under CRS of Melty Yes BIS Registration Number and its Validity R-61002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL,CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Minimum Operating Temperature 5 degree Celsius Minimum Operating Temperature 35 degree Celsius Minimum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Audio-in	No
Headphone out Yes Microphone-in Yes Stand Height Adjustable Power Supply External Power Supply External Power Supply External Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 BIS Registration under CRS of Meity Yes BIS Registration Number and its Validity R-61002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL.CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Deparating Conditions Minimum Operating Temperature 5 degree Celsius Minimum Operating Temperature 35 degree Celsius Minimum Operating Humidity (%RH) 90		Audio-out	No
Fower Supply External Power Supply External Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 BIS Registration under CRS of Meity Yes BIS Registration Number and its Validity R-61002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL.CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Maximum Operating Temperature 5 degree Celsius Maximum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90	Generic	Headphone out	Yes
Power Supply External Power Supply Expective (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 BIS Registration under CRS of Meity Yes BIS Registration Number and its Validity R-61002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL.CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Derating Conditions Maximum Operating Temperature 5 degree Celsius Minimum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Microphone-in	Yes
Power Supply Capacity (Watt) 150 Minimum Power Efficiency Range (%) 85 - 90 BIS Registration under CRS of Meity Yes BIS Registration Number and its Validity R-61002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL/CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature 5 degree Celsius Maximum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Stand	Height Adjustable
Minimum Power Efficiency Range (%) BIS Registration under CRS of Meity BIS Registration Number and its Validity Ref1002135 ROHS Compliance Yes BEE / Energy Star for the given Model Other Certification Available UL.CE,FCC Mouse Connectivity Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Type of Keyboard Minimum Operating Temperature Maximum Operating Temperature Minimum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Mescand Connectivity Yes Ves Ves Optical Scroll Wired Standard Standard Maximum Operating Temperature 35 degree Celsius Minimum Operating Humidity (%RH) 90		Power Supply	External
BIS Registration Number and its Validity Ref1002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL,CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature 35 degree Celsius Maximum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90	Power	Power Supply Capacity (Watt)	150
BIS Registration Number and its Validity R-61002135 ROHS Compliance Yes BEE / Energy Star for the given Model Yes Other Certification Available UL,CE,FCC Mouse Connectivity Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Type of Keyboard Standard Minimum Operating Temperature 5 degree Celsius Maximum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Minimum Power Efficiency Range (%)	85 - 90
Ecertification ROHS Compliance Yes Ves Other Certification Available UL,CE,FCC Wired Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Type of Keyboard Minimum Operating Temperature Operating Conditions Maximum Operating Temperature Minimum Operating Humidity (%RH) Maximum Operating Humidity (%RH)		BIS Registration under CRS of Meity	Yes
BEE / Energy Star for the given Model Other Certification Available UL,CE,FCC Mouse Connectivity Type of Mouse Keyboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature Maximum Operating Temperature Minimum Operating Humidity (%RH) Maximum Operating Humidity (%RH)		BIS Registration Number and its Validity	R-61002135
Other Certification Available UL,CE,FCC Mouse Connectivity Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature Maximum Operating Temperature Minimum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Mouse Connectivity Wired Standard Minimum Operating Temperature Maximum Operating Temperature Minimum Operating Humidity (%RH) Standard Standard	Certification	ROHS Compliance	Yes
Mouse Connectivity Type of Mouse Keyboard Connectivity Wired Type of Keyboard Type of Keyboard Minimum Operating Temperature Maximum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Minimum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Minimum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Maximum Operating Humidity (%RH) Minimum Operating Humidity (%RH)		BEE / Energy Star for the given Model	Yes
Type of Mouse Optical Scroll Keyboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature 5 degree Celsius Maximum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Other Certification Available	UL,CE,FCC
Reyboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature 5 degree Celsius Maximum Operating Temperature 35 degree Celsius Minimum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Mouse Connectivity	Wired
Keyboard Connectivity Wired Type of Keyboard Standard Minimum Operating Temperature 5 degree Celsius Maximum Operating Temperature 35 degree Celsius Minimum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Type of Mouse	Optical Scroll
Minimum Operating Temperature 5 degree Celsius Maximum Operating Temperature 35 degree Celsius Minimum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90	Input Devices	Keyboard Connectivity	Wired
Departing Conditions Maximum Operating Temperature 35 degree Celsius Minimum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Type of Keyboard	Standard
Departing Conditions Minimum Operating Humidity (%RH) Maximum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90		Minimum Operating Temperature	5 degree Celsius
Minimum Operating Humidity (%RH) 5 Maximum Operating Humidity (%RH) 90	Operating Conditions	Maximum Operating Temperature	35 degree Celsius
		Minimum Operating Humidity (%RH)	5
Warranty On Site OEM Warranty (Year) 5		Maximum Operating Humidity (%RH)	90
· · · · · · · · · · · · · · · · · · ·	Warranty	On Site OEM Warranty (Year)	5
			,

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.