

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687714710867

अनुबंध तिथि | Generated Date : 09-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्ररूप Type :	State Government	पद Designation :	ssp saharanpur			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	0132-2727143-			
विभाग Department :	Home Department Uttar Pradesh	ईमेल आईडी Email ID :	sspsrr-up@nic.in			
संगठन का नाम Organisation Name :	Uttar Pradesh Police	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone:	Adg Of Police Meerut Zone, Meerut	पता Address :	SSP OFFICE SAHARANPUR, SAHARANPUR, UTTAR PRADESH-247001, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence :	No	Role:	BUYER			
प्रशासनिक अनुमोदन का पदनाम		भुगतान का तरीका	Offline			
Designation of Administrative Approval:	ssp	Payment Mode:				
वित्तीय अनुमोदन का पदनाम		पद Designation :	ssp saharanpur			
Designation of Financial Approval :	ssp	ईमेल आईडी Email ID :	sspsrr-up@nic.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	SSP OFFICE SAHARANPUR, SAHARANPUR, UTTAR PRADESH-247001, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	88W7230008048441					
कंपनी का नाम Company Name :	SHYAMA & CO					
संपर्क नंबर Contact No. :	09837400996					
ईमेल आईडी Email ID :	shyamacompany904@gmail.com					
पता Address :	H NO 74, D BLOCK SHASTRI NAGAR,,MEERUT,MEERUT,SHASTRI NAGAR, Meerut, UTTAR PRADESH-250004, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-UP-56-0042293					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Male					
जीएसटीआईएन GSTIN:	09ADPPA9571J1ZZ					
* जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Bedrock Sound Level Meter/Noise Level Meter 30 decibel - 140 decibel ब्रांड Brand : Bedrock ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Sound Level Meter / Noise Level Meter (Sound Measuring Apparatus or Decibel Meter) (Q3) मॉडल Model: BEDROCK SM90 (SOUND LEVEL METER) & BAC1 (CALIBRATOR) एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	84,660	NA	84,660
कुल ऑर्डर मूल्य Total Order Value (in INR)						84,660
परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : BUYER-CONSIGNEE ईमेल आईडी Email ID : sspsrr-up@nic.in संपर्क Contact : 0132-2727143- जीएसटीआईएन GSTIN : -	Bedrock Sound Level Meter/Noise Level Meter	-	1	09-Mar-2024	24-Mar-2024

	पता Address : SSP OFFICE SAHARANPUR, SAHARANPUR, UTTAR PRADESH-247001, India	30 decibel - 140 decibel			
Product Specification for Bedrock Sound Level Meter/Noise Level Meter 30 decibel - 140 decibel					
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value			
POWER SOURCE	Power Source	Rechargeable batteries			
	Battery Size	Inbuilt replaceable rechargeable battery			
	Battery Chemistry	Ni-Mh			
	Number of Batteries required for operation	1			
	Number of Batteries Inclusive in the Scope of Supply	1			
	Battery capacity(mAH)	2500			
	Batteries required for operation are inclusive in the scope of supply	Yes			
	Battery Life	8 hour			
APPLICATION/TYPE/PERFORMANCE	Application	Used to assess outdoor noise or sound level/Monitoring Noise due vehicular traffic			
	Minimum level of noise/sound Measuring (dB)	30 decibel			
	Maximum level of noise/sound Measuring (dB)	140 decibel			
	Resolution (dB)	0.1			
	Accuracy of dB meter (dB)	±0.5			
	Frequency Band	1/3 Octave			
	NO of steps	6			
	Performance categories (class) of dB meter as per IEC 61672 -1(Latest) / IS:15575/(Pt1 & Pt2)	Class-1			
	Type of micro phone	Electret			
	Microphone size	1/2"			
	Frequency weightings Curve (Mention like A, C, & Linear(Z))	A, C and Z			
STORAGE	Inbuilt Data Storage	8 GB			
	External Storage type	NA			
	External Storage capacity(inclusive in the scope of supply)	NA			
PRINTER	Portable Wireless Printer	Without			
	Technology of the wireless Printer	NA			
	Wireless Printer consists of Inbuilt Rechargeable Battery, Paper for offence printouts, Charger	No			
	Minimum no of printouts that can be taken with the paper available with the Printer	0			
SOFTWARE	Software License	Perceptual			
	Software Compatibility with Operating System	Compatible with Windows or higher version operating system			
	Software Features	Indicate Leq. Ln., SEL, Lmin, Lmax and Graph of dB/Time, Produce report only in Non-Temperable format. the provision to format the report as per requirement			
	Display	Touchscreen display			

DISPLAY	Size of display screen	3.2 inch
	Number of Digit	7
GENERIC	Alha-Numeric full QWERTY Hard Keypad	No
	Material	ABS
	Construction	Rugged Die Cast Aluminum reflection free housing
	Sampling Second	1 inch
	Dimension LxWxH (mm x mm x mm)	210x85x55 mm(excl. microphone)
	Weight of device	530 gram
	Connectivity to PC	Mini USB
FEATURES	Salient Features	Slow time weighting,fast time weighting,impulse time weighting,True RMS,Real time clock with calender,Auto cut off on low battery,Overload indicator for the battery,Built in data logging system,Automatic calibration using acoustic calibrator,Vehicular traffic monitoring,Monitoring of normal Ambient Noise,Audio Recording,Data Hold functions,Tripod Mouning functions,Touch screen display,Built in STIPA function as per IEC-60268-16
	Display Features	Sunlight-readable Display
	Indicator Features	Overload and under range indication,low power consumption
ACCESSORIES	Accessories	Microphone,Briefcase type carrying case,Windshield,Operation Manual,Acoustic calibrator,Calibrator having: (1) Calibrator Level(dB) range 94 dB (2) Calibrator Frequency(1khz) (3) Calibrator Class 1 (4) Calibrator should have traceability/certificate from authorized Independent and Accredited Lab according to the IEC60942 Acoustic standards
WARRANTY	WARRANTY	24 month
OPERATING ENVIRONMENT	Minimum Operating Temperature	-10 decidegree Celsius
	Maximum Operating Temperature	50 degree Celsius
	Opeating Humidity	90 percent
	Ingress Protection	IP 65
CERTIFICATION	Conforming to	Genrally conforming to IEC 61672-1(latest)
	Calibration Certificate provided	Yes
	Calibration Certificate issuing authority	OEM Certificate
TEST REPORT	Type of lab which carried out Test of Complete Product to prove the conformity of product as per specification	OEM
	Test Report Number and Date	B03012020,03-01-2020
	Name and address of the Lab where Test conducted	Bureau Geluid Calibration Laboratory Netherland
टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.		
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
1. General Terms and Conditions-		
1.1 This contract is governed by the General Terms and Conditions , conditions stipulated to this Product/Service as provided in the Marketplace.		
1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable		

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.