

1	ईमेल आईडी Email ID : accdcpo-reasi@jk.gov.in संपर्क Contact : 01991-245604- जीएसटीआईएन GSTIN : - पता Address : DISTRICT CHILD PROTECTION OFFICE NEAR GARDEN ESTATE GADDAL REASI, REASI, JAMMU & KASHMIR-182311, India	Unbranded NA (Litre) De-ionization Based Potable Water Purification System With NA External Storage Tank	-	1	10-Mar-2024	25-Mar-2024
---	--	--	---	---	-------------	-------------

Product Specification for Unbranded NA (Litre) De-ionization Based Potable Water Purification System With NA External Storage Tank

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Standards	Certification for the product	CE
	Certification number and date	99 100 21023
	Manufacturers Quality System Certifications	ISO 9001:2015
Performance Parameters	Maximum Input Water TDS allow to the system	up to 1000
	Type of water purification technology	Electro DE IONIZATION method
	Operation	Fully automatic
	Ultraviolet (UV) LAMP	No
	Conformity to Standard for Ultraviolet system	NA if UV not provided
	"Ultra Violet (UV) Lamp power in watts (Put 0 if UV not provided)	0
	Electro de-ion Module	Duo(For 100 LPH)
	Reference voltage for Electro dine Module)	3 v
	Total Dissolved Solids Removal Percentage	90%
	Recovery at 27 degree Centigrade	80-90
	Output Water Conforming standard	IS 10500 (latest)
	Out put water generation capacity in litre/ hour	25
	Provision of Arsenic removal	No
	Provision of Floride removal	Yes
	Provision of Chloride removal	Yes
	Hardness removal	Yes
	Digiflow meter	Yes
	Raw water feeding pump	No
	Micron Filter	No
	Pre filter housing	No
	Type of pre filter	PP Spun
	Pre filter size	10 inch
	Particulate filter porosity	20 micron
	Storage tank	External
	Storage tank material	NA
	Storage Tank Capacity in L	NA
	Minimum inlet pressure	0.3 KG/CM2
	Maximum inlet pressure	3.5 KG/CM2
	Maximum inlet temperature	35 degree
	Digital display	Yes
	Real time TDS display	Yes
	Real time pH Display	No
Raw water/Chemical Raw water/Chemical Cleaning PUMP	No	
Body of filter	Powder Coated MS	
Auto cut	Yes	
Number of outer filters	2	
Installation Type	Floor Mounted with stand	
Antiscalant- where silica is up to 10 ppm/where Mica is up to 100 ppm	Yes	
Power supply	230 V single phase	

Miscellaneous Parameters	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	1
	Availability of type test Test REPORT for Filtering Size of Particles	Yes
	TYPE Test certificate No and date for Filtering Size of Particles	NA
	Name and Address of laboratory which conducted Test for Filtering Size of Particles	NA
	Availability of type Test Report for output quality of water as per IS 10500 from Government/NAML/Ilac lab	Yes
	Test certificate No and date	NA
	Name of the lab which conducted the test for water quality	NA
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	Yes
	Availability of toll free centers for customer support	Yes
	Installation and Commissioning inclusive in the scope of Supply	Yes
	Availability of test report on Microbial efficacy from Govt/NABL/ILAC Lab	Yes
	Inlet Pipe & Fitting from raw water sources to water purification system	suitable pipe and fitting to be provided by seller up to 15 feet
	Pipe & Fitting from Out let to purified water tank	To be arranged by buyer /consignee
	Electrical fitting and plug points	To be arranged by buyer /consignee
	Scope Civil Work if any required during installation	All Civil work shall be responsibility of buyer
	Copies of certifications and reports to be given to buyer at time of supplies	Yes

टिप्पणी | Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 25-05-2021

1.1.1. Comprehensive warranty:

Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares,. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables .Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.

2. Service centres:

Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address ,telephone numbers, e mails etc at time of making the supplies .It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled .Details of toll free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.

3. Source of supply:

It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them .

4. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take in to consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed .Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date , brief description of goods including quantity ,. Packing list reference number , country of origin of goods and any other relevant details.

5. Spare Parts:

Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM . It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies .In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied

6. Installation, Training, Manuals:

Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee*]'^s representatives for operating and maintaining the equipment and Supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations , training and manuals the same shall also be applicable.

7. Electrical safety checking:

Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.

8. Software:

All software updates should be provided free of cost during warranty period.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.