

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687740148778

अनुबंध तिथि | Generated Date : 10-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details				
प्रकार Type :	State Government	पद Designation :	SAFE MOHAMMED			
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. :	-			
विभाग Department :	Co-operation Department Odisha	ईमेल आईडी Email ID :	buycon10.damb.or@gembuyer.in			
संगठन का नाम Organisation Name :	Director, Agril. Marketing, Bhubaneswar	जीएसटीआईएन GSTIN :	-			
कार्यालय क्षेत्र Office Zone :	MUKHIGUDA HIRMC	पता Address :	AT/PO - JAIPATNA, DIST - KALAHANDI, ODISHA, PIN - 766018, KALAHANDI, ODISHA-766018, India			
वित्तीय स्वीकृति विवरण Financial Approval Detail		भुगतान प्राधिकरण विवरण Paying Authority Details				
आईएफडी सहमति IFD Concurrence : No		Role:	PAO			
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval:	Sub-Collector, Dharamgarh-cum-Chairman, Mukhiguda HIRMC	भुगतान का तरीका Payment Mode:	Internet Banking			
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval :	Sub-Collector, Dharamgarh-cum-Chairman, Mukhiguda HIRMC	पद Designation :	MARKET SIRCAR			
		ईमेल आईडी Email ID :	pao4.damb.or@gembuyer.in			
		जीएसटीआईएन GSTIN :	-			
		पता Address:	At/po- Jaipatna, Bazarpara, Kalahandi, ODISHA-766018, India			
विक्रेता विवरण Seller Details						
जेम विक्रेता आईडी GeM Seller ID :	L2IB230010401065					
कंपनी का नाम Company Name :	M/s. OASIS EQUIPMENTS					
संपर्क नंबर Contact No. :	07024827267					
ईमेल आईडी Email ID :	oasisequip@gmail.com					
पता Address :	HOLDING NO-294/168, MOUZA-KANTABANJI KHA, KANTABANJI, KANTABANJI, Balangir, ODISHA-767039, -					
एमएसएमई पंजीकरण संख्या MSME Registration number :	UDYAM-OD-02-0012710					
एमएसई सामाजिक श्रेणी MSE Social Category :	General					
एमएसई लिंग श्रेणी MSE Gender :	Female					
जीएसटीआईएन GSTIN:	21FRAPM7979G1ZH					
*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा GST / Tax invoice to be raised in the name of - Buyer						
वितरण निर्देश Delivery Instructions : NA						
उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Eastman Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 5 kVA ब्रांड Brand : Eastman ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Off - Grid Solar Photovoltaic (PV) Power Plant (Q3) मॉडल Model: EastMan Soalr 5kb एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	495,000	NA	495,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						495,000
परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
	पद Designation : SAFE MOHAMMED ईमेल आईडी Email ID : buycon10.damb.or@gembuyer.in संपर्क Contact : -	Eastman Polycrystalline				

1	जीएसटीआईएन GSTIN : - पता Address : AT/PO - JAIPATNA, DIST - KALAHANDI, ODISHA, PIN - 766018, KALAHANDI, ODISHA-766018, India	Off-Grid Solar Photovoltaic (PV) power plant, Capacity 5 kVA	-	1	10-Mar-2024	25-Mar-2024
---	--	--	---	---	-------------	-------------

Product Specification for Eastman Polycrystalline Off-Grid Solar Photovoltaic (PV) power plant, Capacity 5 kVA

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
PV Module	Module glass air withstand capacity (km/hrs)	>=200km/hr
	Type of Solar Module	Polycrystalline
	Additional features	PID Resistance Technology,Multi-Layer EVA Encapsulation
	Rated power of each PV module used	335W
	Module conformity to specification	IEC 61215 Ed2,IEC 61701,IEC 61730 -1,IEC 61730-2
	Module linear power output degrading warranty	25 year
	Zero negative power tolerance	Yes
	Module frame material	anodised aluminium alloy frame
	Junction box Protection class	IP67
	open circuit voltage	18 Volt
	Marking on PV module	Name of manufacturer,month & year of manufacturing,I-V curve of module,Peak Power,Im,Vm,Fill factor,Serial no.,Model number,Name of Lab issuing IEC,date & year of obtaining IEC PV module qualification
	Module efficiency	>=15%
	Module product warranty	25 year
Power Conditioning Unit (PCU)	Power factor for lead	>=0.8
	Charger technology	MPPT
	Warranty of PCU	24 month
	Electrical protections	Under/over voltage protection at input & output of battery,Reverse polarity protection for array & battery,Output overload protection,Short circuit protection,Over temperature protection,Surge protection
	Output phase	Single
	Charging stages	Boost,Absorption,Float
	Output waveform type	Pure Sine Wave
	Rated Output Voltage (AC)	230 Volt
	Rated Power (kVA)	5
	Conformity to specification	IEC 61683,IEC 60068,IEC 60529
	Controller	32 bit DSP controller
	Automatic changeover between solar & AC mains provided	Yes
	Efficiency at STP for linear loading	>=95%
	Protection class	IP21
	Rated Frequency	50 Hertz
	Input Phase	Single
	Maximum operating ambient temperature	50 degree Celsius
	Switching device	IGBT
Nominal battery DC system voltage	48 Volt	
Display parameter	Array voltage,Array current,Array power,Battery voltage,Battery current,Grid Voltage,Output. Day kWh,Date,Time	
Power factor for lag	>=0.8	
Module Mounting Structure	Material of all nuts, bolts & factners etc	Stainless steel
	Adjacent Module air gap	25 millimeter
	Mounting structure wind withstand ability	>=150km/hr
	Weather proof Junction box provided for connections	Yes
	Module tilt angle	24 degree

	Type	Galvanised module mounting structures(MMS)
	Thickness(micron)	>=80
Generic	Component	Balance of System (BOS) Items/Components,Module Mounting Structure,Battery Rack/Trolley,Electrical Connections,DC MCB/DC Distribution Box,AC DISTRIBUTION BOARD (ACDB),Earthing & Lightning Protection
	Additional features to be specified	NA
	capacity of power plant (kVA)	5
Battery specifications	Suitable battery stand/size with roller provided	Yes
	Acid level indicator provided	Yes
	Battery voltage	12 Volt
	Battery warranty	5 year
	No of battery	4
	Battery type	C 10 Tubular Lead Acid
	Battery capacity (Ah)	150
	Carrying handle	Yes
Terminal cover provided	Yes	
BOS items	Switches/Circuit breaker/connector with SPD as per	IEC 529,SPD as per IEC 61643-11/12,IEC 60947,IS 60947
	PVC insulated cable for working voltage and UV protected for outer installation as per	TUV,IEC 60228,IS 694,IS 1554
	Protection class of Junction box/enclosure box	IP 55,IP 65
	Earthing & Lighting protection as per	IEC- 62561-7
Certifications and Standards	ISO certification number and date	QM 040532
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	Yes
	Manufacturer should be ISO certified	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.