## अनुबंध|Contract



अनुबंध क्रमांक|Contract No: GEMC-511687764065587 अनुबंध तिथि|Generated Date : 10-Mar-2024

#### संगठन विवरण|Organisation Details

प्ररूप|Type : State Autonomous

मंत्रालय|Ministry:

विभाग|Department : Department of Panchayati Raj संगठन का नाम|Organisation Name : DINDORI District Panchayats कार्यालय क्षेत्र|Office Zone: Gram Panchayat Dewalpur खरीदार विवरण|Buyer Details

पद|Designation : sachiv संपर्क नंबर|Contact No. : 07645-267323-07645

ईमेल आईडी|Email ID : gpdewalpur-mp@panchayat.gov.in

जीएसटीआईएन|GSTIN: -

Gram Dewalpur Post Samnapur,

पता|Address : DINDORI, MADHYA PRADESH-481778, India

#### वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमित|IFD Concurrence : No

प्रशासनिक अनुमोदन का पदनाम| SARPANCH

Designation of Administrative Approval:

वित्तीय अनुमोदन का पदनाम|

Designation of Financial Approval :

भुगतान प्राधिकरण विवरण|Paying Authority Details

Role: BUYER भुगतान का तरीका|

Payment Mode: MOPR पद|Designation : sachiv

ईमेल आईडी|Email ID : gpdewalpur-mp@panchayat.gov.in

जीएसटीआईएन|GSTIN : -

पता|Address: Gram Dewalpur Post Samnapur,
Dindori, MADHYA PRADESH-481778, India

#### विक्रैता विवरण|Seller Details

जेम विक्रैता आईडी|GeM Seller ID : 25R9210003397429 कंपनी का नाम|Company Name : JAIN ENTERPRISES संपर्क नंबर|Contact No. : 08871557972

ईमेल आईडी|Email ID : priyamjain76@gmail.com

WARD NO 11,SHAHID BHAGAT SINGH WARD NEAR BLOCK OFFICE BIRSINGHPUR PALI,UMARIA Madhyapradesh,

Umaria, MADHYA PRADESH-484551, -

एमएसएमई पंजीकरण संख्या|MSME Registration number :

जीएसटीआईएन|GSTIN: 23ALVPJ2881L1ZI

# \*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा|GST / Tax invoice to be raised in the name of - Consignee

SACHIV

## वितरण निर्देश | Delivery Instructions : NA

### उत्पाद विवरण|Product Details

	#	आइटम विवेरण Item Description	आइटम विवरण  Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)  Unit Price (INR)	कर विभाजन (INR)  Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहिते)  Price (Inclusive of all Duties and Taxes in INR)
		उत्पाद का नाम   <b>Product Name :</b> Unbranded Safety Equipment Tool Kit for Labours With Spandex Safety Gloves ब्रांड  <b>Brand :</b> NA ब्रांड प्रकार  <b>Brand Type :</b> Unbranded					
		कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As: Reseller not verified by OEM श्रेणी का नाम और चतुर्थोश Category Name & Quadrant: Safety Equipment Tool Kit for Labours (Q3) मॉडल Model: 4667 एचएसएन कोड HSN Code: 4366	1	pieces	3,500	NA	3,500
Ī	कुल	कुल ऑर्डर मूल्य  Total Order Value (in INR)				•	3,500

# परेषिती विवरण|Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर  Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है  Delivery Start After	वितरण पूरा कब तक करना है  Delivery To Be Completed By
1	पद  Designation : sachiv ईमेल आईडी Email ID : gpdewalpur-mp@panchayat.gov.in संपर्क Contact : 07645-267323-07645 जीएसटीआईएन GSTIN : - पता Address : Gram Dewalpur Post Samnapur, DINDORI, MADHYA PRADESH-481778, India	Unbranded Safety Equipment Tool Kit for Labours With Spandex Safety Gloves	-	1	10-Mar-2024	25-Mar-2024

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
	Confirmity to Standards for Industrial Safety Helmet to be included in the safety kit	IS 2925 with latst amndmt
	BIS Marked	No
	If BIS marked enter CML no otherwise put NA	NA
	Confirmity to standards for Filtering half Mask as respiratory protective devices included in the safety kit	EN
	Filtering Half Mask BIS Marked (Please indicate NA if other standards are applicable)	NA(For other standards)
	If Filtering Half Mask is BIS Marked enter CML no otherwise Put NA	NA
tandards	BIS Marking for boots	No
	If Saftey Boot is BIS Marked Enter CML No otherwise put NA	NA
	Confirmity to standards for safety Gloves	EN 388 with latest amdmnt for safety Gloves
	Confirmity to CE marking for safety gloves	Yes
	Confirming standards for safety Jacket	EN 471 -2003 + A1 2007 with latest amdmnt.
	Require CE Certification as Per : EN 471 -2003 + A1 2007 for safety jacket	Yes
	The safety jacket shall be High visibility warning garment with synthetic side fasteners	Yes
	Material construction of the head band, anti concussion tape etc for Safety Helmet	Nylon
	Type of Adjustment for Safety Helmet	Manual
	Design of Safety Helmet	Nape Туре
	Ear Muff provided for Safety Helmet	Yes
	Material of Ear Muff if Provided in safety Helmet otherwise put NA	NA
	Shock absorption, Penetration resistant, flammability resistant , electrical resistant, water resistant and heat resistant features to be available with Safety Helmet	Yes
	Logo as per requirements of Buyer shall be provided on Safety Helmet	Yes
	Name of the brand and Manufacturer of Safety Helmet	ORTHOPAD
	Class of Filtering Half Mask	N 95(NIOSH)
	Half Filtering Mask to be reusable	Yes
	Construction of Half Filtering Mask	inseparable main filter with adjustable replaceable pre filter
	Availability of Valve in Half Filtering Mask	Valveless
	No of valves in Half Filtering Mask	Nil
	No of layers in the Half Filtering Mask	4
	Fold ability of Half Filtering Mask	Yes
	Adjustable Nose Pin provided in Half Filtering Mask	Yes
	Head Harness in Half Filtering Mask	Self adjusting/Elastic
	The carbon filter provided should be with excellent absorbency in Half Filtering Mask	Yes
	The head harness shall be so designed that the filtering half Mask can be donned and removed easily	Yes
	The head harness shall be adjustable or self adjusting and shall hold the Half filtering Mask firmly and comfortably in position	Yes
	The Half filtering Mask should have good performance and breathability	Yes
	No of Half Filtering Mask included in the kit	

	Kit	
Performance Parameters	Confirmity to standards for Saftey Boot Provided in the Kit	IS 12254 with latest amndmt
	Material of the safety boot	Rubber
	Type of the Safety Boot	Ankle boots rubber variety 3 type 2 oil resistant (IS 5557)
	Safety Ankle Boots supply shall be with Fabric Lining	Yes
	The Sole and Heel of the Saftey Ankle Boots shall be of Anti slip design	Yes
	Suitability for Ankle Boots Genderwise	As per buyer requirement
	Availability of Protective Steel Toe Cap type 2 conforming to IS 5852 for Saftey Ankle Boots	Yes
	No of Pairs of Safety Ankle Boot included in the Kit	1
	Name of brand and Manufacturer of Industrial Boot included in the kit	PINKLINE
	Type of construction of safety gloves	Knitted
	Clothing material of safety rubber gloves should be etching proof	Yes
	Cut protection level of Safety Gloves as per EN 388	3
	Safety Gloves should have Mechanical protection Feature	Yes
	Safety Gloves should have Impact Cut resistance Feature	Yes
	Safety Gloves should provide solid wet and dry grip and good oil grip	Yes
	Comfort level of Safety Gloves	Extremely light weight for effortless wear
	Name of brand and Manufacturer of safety gloves included in the kit	ORTHOPAD
	Details of HIGH GLOW RETROREFLECTIVE MATERIAL to be used in safety jacket	Micro prismatic material of 50 mm wide Band of new material conforming to EN 471-2003 A1:2007 shall be used. The supply shall confirm to the requirements of Level 2 of separate performance material confirming to Table 4 of EN471:2003 +A1:2007
	Provision of logo on the safety jacket as per the requirements of buyer	Yes
	The Garment of safety jackets shall provide 360 degree visibility	Yes
	Availability of Front two side Pocket in safety jacket	Yes
	Warranty of safety Kit in years	1
	Bag of Standard Quality made from Canvas Cloth/ jute with good quality Zip along with logo and remarks as required by buyer	Yes
	Dimensions of Bag in mm x mm xmm ( length x width x height )which shall ensure proper packing of items of tool kit to be indicated	240X320X216 MM
	Size of Safety Helmet in mm	Asorted Sizes of 520,530,540,550,560,570,580,590, and 600 as per buyer requirement
Dimensional Parameters	Color of Safety Helmet	Yellow Color (UV Resistant )
	Weight of Safety Helmet in grams	350
	Weight of the half filtering mask provided in the kit in gms	50
	Color of the filtering mask included in the kit	White
	Color of the Safety Ankle Boot	Black
	Number Size of The Safety Boot offered in the kit	Assorted Sizes of 6,7,8,9,and 10 as per Buyer Requirement
	Leg Height of Safety Boot in mm	240
	Number Size of Safety Gloves	Assorted Sizes of 6,7,8,9,10 as per Buyer Requirement
	Color of Front Side of Safety Gloves	Yellow
	Color of Back Side of Safety Gloves	Yellow
	Size of Safety Jacket	Large ( Suitable for person of height 169-175 cm, chest girth 108-112 cms , Waist Girth 87-cms )
	Color of Safety Jacket	Flourescent orange-red (for Essential Service )
	Size of Pocket of safety jacket in mm x mm	100 x 100
	Material of Safety Helmet Shell	Polycarbonate plastic

1		<u> </u>		
	Material of Harness for Safety Helmet consisting of head band, anti concussion tape , etc shall be sweat resistant, non irritant and shall not cause any skin disease	Yes		
	Material of the Strap of Safety Helmet	Synthetic		
	Material of Filtering Mask	Elastomeric		
	Clothing material of Safety Gloves	Spandex		
	Coating Material of Safety Gloves	Latex		
Material Parameters	Coating Area of Safety Gloves	Palm and Fingers		
	The overall blend composition of Safety Jacket as per IS : 3416:1988	Polyester 65 + / - 3 % and Cotton 35%		
	Width of Retro Reflective Tape of Safety Jackets	Micro prismatic type, white or silver colour certified by the manufacturer of retro reflective material. The retro reflective material should be certified by the manufacturer to withstand 75 wash cycles @ 60 degree C and for Temperature Variation test.		
	Width of the retro reflective tape for Safety Jacket	50 mm		
	Number of horizontal and vertical reflective tape for Safety Jacket	1 horizontal, 2 vertical		
	Sewing Thread in Safety Jackets	100% Spun Polyester 3 ply sewing thread of matching colour of best trade quality shall be used for stitching.		

टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

### ईपीबीजी विवरण | ePBG Detail

NA

### नियम और शर्तें|Terms and Conditions

- 1. General Terms and Conditions-
- 1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.