

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687745602991

अनुबंध तिथि | Generated Date : 10-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रकार Type : State Government मंत्रालय Ministry : - विभाग Department : Home Department Uttar Pradesh संगठन का नाम Organisation Name : Uttar Pradesh Police कार्यालय क्षेत्र Office Zone : Adg Of Police Meerut Zone, Meerut	पद Designation : ssp saharanpur संपर्क नंबर Contact No. : 0132-2727143- ईमेल आईडी Email ID : sspsrr-up@nic.in जीएसटीआईएन GSTIN : - पता Address : SSP OFFICE SAHARANPUR, SAHARANPUR, UTTAR PRADESH-247001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval : ssp वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : ssp	Role: BUYER भुगतान का तरीका Payment Mode: Offline पद Designation : ssp saharanpur ईमेल आईडी Email ID : sspsrr-up@nic.in जीएसटीआईएन GSTIN : - पता Address : SSP OFFICE SAHARANPUR, SAHARANPUR, UTTAR PRADESH-247001, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : MUCC230008202084 कंपनी का नाम Company Name : PARNAMI TRADING COMPANY संपर्क नंबर Contact No. : 09557000020 ईमेल आईडी Email ID : parnamihuf@gmail.com पता Address : NEAR SP OFFICE, BARAUT ROAD, BAGHPAT, Bagpat, UTTAR PRADESH-250609, - एमएसएमई पंजीकरण संख्या MSME Registration number : - जीएसटीआईएन GSTIN: 09ABJHS7276N1Z2

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : acer 2 X Intel DDR4 SDRAM with ECC 64 GB ब्रांड Brand : acer ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Server (Q2) मॉडल Model: T350-F4 एचएसएन कोड HSN Code: HSN not specified by seller	1	pieces	497,630	NA	497,630
कुल ऑर्डर मूल्य Total Order Value (in INR)						497,630

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : BUYER-CONSIGNEE ईमेल आईडी Email ID : sspsrr-up@nic.in संपर्क Contact : 0132-2727143- जीएसटीआईएन GSTIN : - पता Address : SSP OFFICE SAHARANPUR, SAHARANPUR, UTTAR PRADESH-247001, India	acer 2 X Intel DDR4 SDRAM with ECC 64 GB	-	1	10-Mar-2024	24-Apr-2024

Product Specification for acer 2 X Intel DDR4 SDRAM with ECC 64 GB

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Processor	Processor Architecture	CISC(X86)
	Processor Make	Intel
	Number of Cores per Processor	16
	Processor Base Frequency (GHz)	2.1
	Processor Turbo Frequency (GHz)	3.2
	Total Cache (L1+L2+L3)(MB)	22
	Processor Description/ Number	Intel Xeon Silver 4216
Chassis	Form Factor	Tower
	Size (RU)	4
Motherboard	Chipset compatible with CPU	Intel C621
	Expansion Slots Gen 3 (PCIe x1)	0
	Expansion Slots Gen 3 (PCIe x4)	0
	Expansion Slots Gen 3 (PCIe x8)	2
	Expansion Slots Gen 3 (PCIe x16)	4
	Maximum number of Sockets available on Server	2
	Maximum number of Sockets populated with Processors available on Server	2
Co Processor / GPU	Availability of Co Processor /GPU	No
	If Yes, Maximum Number of Slots available for Co-Processor/GPU	0
	If Yes, Maximum Number of slots populated with Co processor/GPU	0
	If Yes, Co Processor /GPU Description	NA
Memory	Type of RAM	DDR4 SDRAM with ECC
	Total Number of DIMM Slots available	16
	Number of DIMM Slots populated with DDR SDRAM	2
	Number of DIMM Slots populated with DDR NVRAM	0
	DDR SDRAM Size(GB)	64
	DDR NVRAM Size (GB)	0
	DDR SDRAM upgradable upto using spare DIMM Slots (GB)	768
	DDR NVRAM upgradable upto using spare DIMM Slots (GB)	0
SSD Storage	Type of Interface for SSD	SATA
	Type of SATA SSD	Mixed Use
	SATA SSD Hot Swappable	No
	Endurance for SATA SSD (DWPD - Drive Writes Per Day) (X)	0
	Total Number of Slots available for SATA SSD	2
	Number of Slot Populated with SATA SSD	1
	Capacity offered per SATA SSD (GB)	512
	Total Capacity Offered with SATA SSD (GB)	480
	Type of SAS SSD	NA
	SAS SSD Hot Swappable	NA
	Endurance for SAS SSD (DWPD - Drive Writes Per Day) (X)	0
	Total Number of Slots available for SAS SSD	0
	Number of Slots populated with SAS SSD	0
	Capacity Offered per SAS SSD (GB)	0
	Total Capacity Offered with SAS SSD (GB)	0
	Type of NVMe SSD	NA
	NVMe SSD Hot Swappable	NA
Endurance for NVMe SSD (DWPD - Drive Writes Per Day) (X)	0	

	Total Number of Slots available for NVMe SSD	0
	Number of Slots populated with NVMe SSD	0
	Capacity Offered per NVMe SSD (GB)	0
	Total Capacity Offered with NVMe SSD (GB)	0
HDD Storage	Type of Interface for Hard Disk Drive	SATA
	Total number of Slots available for SATA Drive	14
	Number of Slots populated with SATA Drive	0
	Capacity offered per SATA Drive (GB)	0
	SATA drive speed (hot plug or better) (RPM)	7200
	Total Storage Capacity offered with SATA Drive (GB)	1000
	Total number of slots available for SAS drive	0
	Number of Slots populated with SAS Drive	4
	Capacity offered per SAS Drive (GB)	600
	SAS drive Speed (Hot plug or better) (RPM)	10K
	Total Storage Capacity offered with SAS Drive (GB)	0
	Total number of slots available for NL SAS drive	0
	Number of Slots populated with NL SAS Drive	0
	Capacity offered per NL SAS Drive	0
	NL SAS drive speed (hot plug or better) (RPM)	NA
Total Storage Capacity offered with NL SAS Drive (GB)	0	
RAID	RAID level	1,5,1+0,0
	No of RAID Controller Ports	8
	Speed of RAID Controller Ports (Gbps)	12
	RAID Controller Cache (GB)	0
Ports & Interfaces	Network Card Supported	1G
	Number of Networking Interface Cards (LAN)	2
	Whether Network Interface Card Embedded	Yes
	Total Number of Ethernet Ports required in Server	2x1G
	Networking Interface Card Features	Asset Feature Tracking
	Server Network Ports should Support SR-IOV Feature	No
	Server network ports should support DPDK and it should deliver zero packet loss as per RFC 2544 and deliver 100% line rate for all the packet sizes over 64 Bytes, Vendor to submit latest DPDK test report for the same	No
	Number of Single port FC HBA card	0
	Number of Dual port FC HBA card	0
	Number of Quad port FC HBA card	0
	FC HBA Speed (Gbps)	NA
	vHBA Card Features Supported	No
	Number of Converged Network Adaptor (CNA)	0
	Number of Ports per CNA card	NA
	CNA Port Speed (Gbps)	0
	Length of LC-LC Cable per SFP+ Port (meter)	0
	Length of LC-LC Cable per HBA Port (meter)	0
	Length of LC-LC Cable per CNA Port (meter)	0
	Length of Twinax Breakout Cables per Port (meter)	0
	Video Controller (support VGA or above resolution)	Yes
Keyboard Port	Yes	
Mouse Port	Yes	
DVD ROM (Internal/Exrternal)	Yes	

	USB Ports (version 2point0/3point0)	4
	Total number of Spare Bays Available for Future Upgradation (Internal)	0
	Total number of Spare Bays Available for Future Upgradation (Hot Plugable)	0
Certifications	Certifications/Compliance (OS)	Windows,Ubuntu,Cent OS
	Certification/Compliance (Virtualization/Cloud Platform)	Red Hat Virtualization
Features	Management Features-1	Remoter power On/ Shutdown of server,
	Management Features-2	Management of multiple Servers from single console with single source of truth for multiple sites.
	Security Features-1	Secure Boot(Firmware and Bios Level Security)
	Security Features-2	Secure /Automatic BIOS recovery
	Server scalability to be achived within the box & without adding nodes	Yes
	support for high availability clustering and virtualization	No
Generic	Redundant Power Supply	Yes
	Hot Swappable (Redundant Power Supply)	Yes
	Power Supply Efficiency	Platinum
	Redundant Fan	No
	Hot Swappable (Redundant Fan)	No
	Server Main Supply	230 +/- 10%Vac
Benchmark	SPEC int_rate_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	94.7
	SPEC fp_rate_2017 for the product (must be available on SPEC dot ORG before evaluation)	89.7
	SPEC int_speed_base 2017 for the product (must be available on SPEC dot ORG before evaluation)	0
	SPEC fp_speed_2017 for the product (must be available on SPEC dot ORG before evaluation)	0
Miscellaneous	Maximum power consumption of the system (Watts)	550
	BIS Registration under CRS of MeitY	Yes
	BIS Registration Number Under CRS of MeitY and its validity	R-61000124
	Other Certifications Available	UL
	RoHS Compliance	Yes
	Availability of the type test report from Central Government / NABL / ILAC accredited laboratory covering verification of all features & functional parameters & environmental tests sequence	No
	a) Dry heat:test - for 16 hrs at 45 deg C as per IS: 9000/pt-3/sec-5/1977 b) Cold test - for 4 hrs at 0 deg C as per IS: 9000/pt-2/sec-4/1977 c) Damp Heat Cyclic Test - for 2 cycles of 24 hrs at 40 deg C & 95% RH as per IS: 9000/pt-5/sec-1/1981	NA
	The server has been checked for all the parameters before conditioning, After completion of the environmental tests sequence, with a recovery period of 1 to 2 hrs, the server found to be functional	NA
	Test Report Number & date	NA
Name & Address of Lab	NA	
Scope of Supply	Installation and Commissioning shall be included in the scope of supply	Yes
Warranty	On Site OEM Warranty (Year)	3

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. General Terms and Conditions-

1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.