

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687793157174

अनुबंध तिथि | Generated Date : 11-Mar-2024

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : State Government मंत्रालय   Ministry : - विभाग   Department : Forest Department Jammu and Kashmir संगठन का नाम   Organisation Name : Jammu and Kashmir Forest Protection Force कार्यालय क्षेत्र   Office Zone : jammu	पद   Designation : Forest Guard संपर्क नंबर   Contact No. : 01921-295430- ईमेल आईडी   Email ID : buycon3.jkfpf.jk@gembuyer.in जीएसटीआईएन   GSTIN : 01AMRB10274F1DW पता   Address : OFFICE OF THE DIVISIONAL FOREST OFFICER BILLAWAR, FOREST DIVISION BILLAWAR, KATHUA, JAMMU & KASHMIR-184204, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval : DDO वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : DDO	Role: BUYER भुगतान का तरीका   Payment Mode: Offline पद   Designation : Forest Guard ईमेल आईडी   Email ID : buycon3.jkfpf.jk@gembuyer.in जीएसटीआईएन   GSTIN : 01AMRB10274F1DW पता   Address : OFFICE OF THE DIVISIONAL FOREST OFFICER BILLAWAR, FOREST DIVISION BILLAWAR, KATHUA, JAMMU & KASHMIR-184204, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : TNGW230008221538 कंपनी का नाम   Company Name : DEWAN CHAND संपर्क नंबर   Contact No. : 07006049930 ईमेल आईडी   Email ID : dewanchandblr@gmail.com पता   Address : 11, Billawar, near PWD Rest House, Billawar, KATHUA, JAMMU & KASHMIR-184204, - एमएसएमई पंजीकरण संख्या   MSME Registration number : - जीएसटीआईएन   GSTIN : 01AEKPC7588M1Z5

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : APR

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : Unbranded Thanda Garam Pina Alpahar Kit To sell Tea /Cold Drinks/Light Refreshment ब्रांड   Brand : NA ब्रांड प्रकार   Brand Type : Unbranded कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Thanda Garam Pina Alpahar Kit (Gujarat Govt) (Q4) मॉडल   Model: THANDA GARAM PINA 2122 एचएसएन कोड   HSN Code: HSN not specified by seller	1	pieces	15,000	NA	15,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						15,000

क्र.सं.   S.No	परोक्षिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : Forest Guard ईमेल आईडी   Email ID : buycon3.jkfpf.jk@gembuyer.in संपर्क   Contact : 01921-295430-	Unbranded Thanda Garam Pina Alpahar Kit				

1	जीएसटीआईएन   GSTIN : 01AMRB10274F1DW पता   Address : OFFICE OF THE DIVISIONAL FOREST OFFICER BILLAWAR FOREST DIVISION BILLAWAR, KATHUA, JAMMU & KASHMIR-184204, India	To sell Tea /Cold Drinks/Light Refreshment	-	1	11-Mar-2024	26-Mar-2024
---	--	--	---	---	-------------	-------------

**Product Specification for Unbranded Thanda Garam Pina Alphar Kit To sell Tea /Cold Drinks/Light Refreshment**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
General Parameters	Purpose of kit	To sell Tea /Cold Drinks/Light Refreshment
	Items in the kit provided	Hand lorry with four wheel rim set ,pan (thalu),Kamans, Vertical pole with stud,lockable all side cover,aldrop kit top cover
Pan (Thalu) Parameters	Material of Pan (Thalu)	Dry Chill Wood
	Size of Pan (Thalu) ( L x W x T ) in mm x mm x mm (with ± 1 percent tolerance)	1575 x 990 x 20
	Width of each Plank in mm	150
	Number of support at bottom of pan provided	2
	Size of support at bottom of pan in mm (with ± 1 percent tolerance)	75 x 37.5
	Number of supports at both ends and in the middle of Pan	3
	Size of wooden support at both ends and in the middle of Pan in mm (with ± 1 percent tolerance)	37.5 x 50
	Material of supports	Wooden
	Material of border	Wooden
	Size of border in mm	50 x 50
	Hinges provided	3 MS hinges of 50 mm (2 Inch) length fix on each border with the help of wooden screws at equal distance
	Number of Kaman provided	4
	Material of Kaman (Bend Kaman)	Mild Steel
	Size of Kaman in mmxmm	40 x 5
	Total weight of all Kaman in kg (approx)	10.6
	Conformity of standard of Wheel set ( RIM)	ISI marked as per IS :624-2003
	BIS License number for wheel set (rim)	5900024509
	Material for wheel set (Rim)	Chrome Steel
	Wheel set of size (D x W ) in mm x mm	700 x 37.5
	Thickness of Rim in mm	>=1.3
	Rubber Langot around each in provided	4
	Numbers of Spokes with nippls provided	40
	Diameter of Spokes in mm	3.25
	Conformity of standard of Tyre	ISI marked as per IS :2414-2005 having 12 Ply
	BIS License number for tyre	9982820
	Conformity of standard of tube	ISI marked as per IS : 2415-2014
	BIS License number for tube	9989329
	Number of Wheel set (Rim) including spoke with nipple,Tyre and tube provided	4
Hub, Ball bearing and Bearing cover should be provided to each wheel	Yes	
All sharp corners should be rounded	Yes	
Round Bars to Join All Kamans parameters	Number of Round stud with spring washer to connect kaman provided	4
	Material for Round stud	MS
	Size of Round stud in mm	10 mm diameter having M-10 nuts
	Length of round stud mm (with ± 1 percent tolerance)	610
	Other round studs provided	One number of MS round studs of 10 mm diameter having M-10 nut and spring washer of 840 mm length (with ± 1 percent tolerance in length)
	Number and Type of support to connect middle of kaman and pan (thalu) of lorry	2 Number of L shape made of MS
	Size of support for Kaman in mm	40 x 5

	Length of support for kaman in mm (with $\pm 1$ percent tolerance)	500
Vertical Pole with Stud parameters	Material of conduit pipe	MS (Square Conduit pipe)
	Size of conduit pipe in	50 mm x 50 mm x 1.0 mm (thick ) x 925 mm length
	Type of stud provided (Hint Stud at each end which is welded centrally into conduit pipe )	MS Stud with size of 10 mm diameter x 1175 mm length having M10 threads upto 125mm length
	Number and size of holes provided ( Hint Hole on each vertical support at required point for operating stoppers )	4 hole of 8 mm diameter
	For locking of covers required chains are fixed on each vertical support to keep bottom part of each cover in horizontal position whenever it may found necessary provided	Yes
	Pavan Ankadi Provided (Hint Pavan Ankadi which is fixed with each vertical support at appropriate point to keep top part of each cover in horizontal position whenever it may found necessary by inserting another free end of pavan ankdi into Latches	4 set made of MS rod of 8mm diameter x 300mm length
Top Cover parameters	Material and size of top cover	Galvanized iron sheet of 1575mm length x 990 mm width x 0.56mm thickness
	Frame of size in mm	1575mm x 990mm
	Material and size of frame	MS Rectangular pipe of size 50 mm x 25mm x 1mm thickness
	Top cover should be mounted on frame with the help of metallic screws	Yes
	Material and size of middle supports	MS Square conduit pipe of 25mm x 25mm x 1mm thickness having 1475mm length
	Material and size of supprotts welded between frame and middle support at equal distance	4 number made of MS Square conduit pipe of 25mm x 25mm x 1mm thicness having 432.5mm length
Lockable Front Side Cover parameters	Material and size of Top part of front side cover	0.56 mm thick Galvanized Iron sheet of size of 1575mm x 600 mm
	Type of supports provided forTop part of front side cover	2 wooden supports of 1475 mm long having size of 50mm width and 25mm thick and 3 wooden supports of 500mm long having size of 50 mm width and 25mm thick are fixed with the help of wooden screws
	Position of top part of front side cover	Hinged on bottom side of MS Rectangular pipe with the help of three numbers of 50 mm (2 inch) long MS Hinges and metal screws
	Latche (Nakucha) for Pavan Ankadis for Top part of front side cover	Latche (Nakucha) fixed at appropriate point of each end of a top part of front cover for Pavan Ankadis
	Stopper for top part of front side cover provided	2 MS stoppers
	Material and size of Bottom part of front side	0.56 mm thick Galvanized Iron sheet of size of 1575mm x 325 mm
	Type of supports provided for Bottom part of front side	2 wooden supports of 1475 mm long having size of 50mm width and 25mm thick and 3 wooden supports of 225 mm long having size of 50 mm width and 25mm thick are fixed with the help of wooden screws
	Position of bottom part of front side	Hinged on top of border of a Pan (Thalu) with the help of 3 numbers of 50 mm (2 inch) long MS Hinges and wooden screws
	Covering of bottom part of front side	0.56. mm thick GI sheet with the help of wooden screws
	Chain position of bottom part of front side	Free end of 2 chains are fixed at appropriate point on a cover during assembling of a hand lorry
Lockable Right Hand Side & Left Hand Side Cover parameter	Material and size of Top part of RHS & LHS cover	0.56 mm thick Galvanized Iron sheet of size of 1575mm x 600 mm
	Type of supports provided for Top part of RHS & LHS cover	2 wooden supports of 1475 mm long having size of 50mm width and 25mm thick and 3 wooden supports of 500mm long having size of 50 mm width and 25mm thick are fixed with the help of wooden screws
	Position of Top part of RHS & LHS cover	Hinged on bottom side of MS Rectangular pipe with the help of 3 numbers of 50 mm (2 inch) long MS Hinges and metal screws
	Latche (Nakucha) for Pavan Ankadis for Top part of RHS & LHS cover	Latche (Nakucha) fixed at appropriate point of each end of a top part of front cover for Pavan Ankadis
	Stopper for Top part of RHS & LHS cover provided	2 MS stoppers
	Material and size of Bottom part of RHS & LHS cover	0.56 mm thick Galvanized Iron sheet of size of 1575mm x 325 mm
	Type of supports provided for Bottom part of RHS & LHS cover	2 wooden supports of 1475 mm long having size of 50mm width and 25mm thick and 3 wooden supports of 225 mm long having size of 50 mm width and 25mm thick are fixed with the help of wooden screws
	Position of bottom part of RHS & LHS cover	Hinged on top of border of a Pan (Thalu) with the help of 3 numbers of 50 mm (2 inch) long MS Hinges and wooden screws
	Covering of bottom part of RHS & LHS cover	0.56. mm thick GI sheet with the help of wooden screws

	Chain position of bottom part of RHS & LHS cover	Free end of 2 chains are fixed at appropriate point on a cover during assembling of a hand lorry
	Stopper for bottom part of RHS & LHS cover provided	2 MS stoppers
Lockable Operator side cover	Material and size of Top part of operator side	0.56 mm thick Galvanized Iron sheet of size of 1575mm x 600 mm
	Type of supports provided for Top part of operator side	2 wooden supports of 1475 mm long having size of 50mm width and 25mm thick and 3 wooden supports of 500mm long having size of 50 mm width and 25mm thick are fixed with the help of wooden screws
	Position of top part of operator side	Hinged on bottom side of MS Rectangular pipe with the help of three numbers of 50 mm (2 inch) long MS Hinges and metal screws
	Latche (Nakucha) for Pavan Ankadis for Top part of operator side	Latche (Nakucha) fixed at appropriate point of each end of a top part of front cover for Pavan Ankadis
	Stopper for top part of operator side provided	2 MS stoppers
	Material and size of Bottom part of operator side	0.56 mm thick Galvanized Iron sheet of size of 1575mm x 325 mm
	Type of supports provided for Bottom part of operator side	2 wooden supports of 1475 mm long having size of 50mm width and 25mm thick and 3 wooden supports of 225 mm long having size of 50 mm width and 25mm thick are fixed with the help of wooden screws
	Position of Bottom part of operator side	Hinged on top of border of a Pan (Thalu) with the help of 3 numbers of 50 mm (2 inch) long MS Hinges and wooden screws
	Covering of Bottom part of operator side	0.56. mm thick GI sheet with the help of wooden screws
	Chain position of Bottom part of operator side	Free end of 2 chains are fixed at appropriate point on a cover during assembling of a hand lorry
	Stopper for Bottom part of operator side provided	2 MS stoppers
Aldrop Kit and miscellaneous parameters	Aldrop kit provided with hand lorry	Yes
	Material for Aldrop Kit	Mild Steel
	Position of Aldrop kit	One set of Aldrop kit is fixed on right hand side of top & bottom part of said covers joint and another set of Aldrop kit is fixed on left hand side of top & bottom part of said covers joint for locking all top as well as bottom covers of a whole hand lorry during assembling of a hand lorry
	Write up text format and position on hand lorry	Wright up in blue colour Government of Gujarat, Garib Kalyan Mela, Year as per buyer demand and text write on all front sides of vertical poles of a hand lorry after applying deep safron colour on vertical poles and on outside of all four GI covers of a hand lorry
	All sharp corner should be rounded provided	Yes
	Overall dimension of Thanda Garam Pina Alpahar Kit (Lx Wx H) in mm x mm x mm	1575X990X1800
	Over all weight of Thanda Garam Pina Alpahar Kit in kg	140
	Operating Manual & Instructions for use in English, Hindi and Gujarati language to be provided	1
Warranty in years	1	
Reports & Certifications	ISO Certification to manufacturer	No
	ISO certification number & date ,if no ISO certificate available, put N/A	NA
	Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters of the component of kit	No
	Test report number , In case test reports not available , put NA	NA
	Test report date, In case test reports not available , put NA	NA
	Name of test lab , In case test reports not available , put NA	NA
	Address of test lab , In case test reports not available , put NA	NA
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	NA ,In case test reports not available

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

**ईपीबीजी विवरण | ePBG Detail**

NA

## नियम और शर्तें | Terms and Conditions

### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.