

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687771890227

अनुबंध तिथि | Generated Date : 11-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4602358](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : Central PSU मंत्रालय   Ministry : Ministry of Civil Aviation विभाग   Department : Airports Authority of India (AAI) संगठन का नाम   Organisation Name : ANS, Finance, HR, Engineering, Tech, OPS, commercial, general store, IT कार्यालय क्षेत्र   Office Zone: Catc	पद   Designation : Govinda Kumar Gupta संपर्क नंबर   Contact No. : 0532-2580431-4411 ईमेल आईडी   Email ID : buycon37.afheti.up@gembuyer.in जीएसटीआईएन   GSTIN : 09AAACA6412D1Z6 पता   Address : EXECUTIVE DIRECTOR CIVIL AVIATION TRAINING COLLEGE, AIRPORTS AUTHORITY OF INDIA BAMRAULLI ALLHABAD - 211012, ALLAHABAD, UTTAR PRADESH-211012, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: GM(ATM) वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: AGM(FIN)	Role: PAO भुगतान का तरीका   Payment Mode: GPA - Challan पद   Designation : ASST GENERAL MANAGER ईमेल आईडी   Email ID : buycon29.aai.prg@gembuyer.in जीएसटीआईएन   GSTIN : N पता   Address : EXECUTIVE DIRECTOR CIVIL AVIATION TRAINING COLLEGE, AIRPORTS AUTHORITY OF INDIA BAMRAULLI ALLHABAD - 211012, ALLAHABAD, UTTAR PRADESH-211012, India भुगतान समयसीमा   Payment Timelines: Payments shall be made to the seller within 30 days of issue of consignee receipt-cum-acceptance certificate (CRAC) and on-line submission of bills (This is in supersession of 10-days time as provided in clause 12 of GeM GTC)

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : 664H240011047815 कंपनी का नाम   Company Name : AKIVNA TECHNOLOGIES PRIVATE LIMITED संपर्क नंबर   Contact No. : 09023724074 ईमेल आईडी   Email ID : anupam@akivna.com पता   Address : D4 1104, Tulip Petals, Pataudi Road, Sector 89, Gurgaon, HARYANA-122505, - एमआईआई स्थिति   MII Status : True एमएसएमई सत्यापित   MSME verified : No एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-HR-05-0088364 एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 06AAUCA0079J1ZC

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : METHODEX Non-Revolving and Non-Tilting chair with Armrest ब्रांड   Brand : METHODEX ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue कैसे बेचा जा रहा है   Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Chair Office (V2) (Q3) मॉडल   Model: METHODEX Chair Office (V2) NS B4602358 एचएसएन कोड   HSN Code: HSN not specified by seller	120	pieces	5,960	NA	715,200
2	उत्पाद का नाम   Product Name : METHODEX Revolving Chair with Knee tilt Synchronic mechanism ब्रांड   Brand : METHODEX ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status : OEM verified catalogue	24	pieces	7,640	NA	183,360

कैसे बेचा जा रहा है | Selling As : OEM verified Reseller  
श्रेणी का नाम और चतुर्थांश | Category Name & Quadrant : Revolving Chair (V3) (Q2)  
मॉडल | Model: METHODEX Revolving Chair (V3) NS B4602358  
एचएसएन कोड | HSN Code: HSN not specified by seller

कुल ऑर्डर मूल्य | Total Order Value (in INR)

898,560

### परोपिती विवरण | Consignee Detail

क्र.सं.   S.No	परोपिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
1	पद   Designation :- ईमेल आईडी   Email ID : buycon37.afheti.up@gembuyer.in संपर्क   Contact : 0532-2580431-4411 जीएसटीआईएन   GSTIN : 09AAACA6412D1Z6 पता   Address : EXECUTIVE DIRECTOR CIVIL AVIATION TRAINING COLLEGE, AIRPORTS AUTHORITY OF INDIA BAMRAULLI ALLHABAD - 211012, ALLAHABAD, UTTAR PRADESH-211012, India	METHODEX Non- Revolving and Non- Tilting chair with Armrest	-	120	11-Mar-2024	05-Apr-2024
		METHODEX Revolving Chair with Knee tilt Synchronic mechanism	-	24	11-Mar-2024	05-Apr-2024

### Product Specification for METHODEX Non-Revolving and Non-Tilting chair with Armrest

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL REQUIREMENT	Chair Type	Non-Revolving and Non-Tilting chair with Armrest
	Chair frame type	Cantilever
	Armrest type	Moulded armrest continuously fitted with seat bottom to backrest
	Armrest front side	Curved
	Seat type	Padded
	Backrest type	Padded
	Shoe/Studs material	N.A
FABRICATION	Seat Fitted	Over flat size in depth-wise of the frame on both sides with minimum 3 screws
	Backrest Fitted	By round head screws 3 Nos. (minimum) on each side
	Armrest Fitted	With round steel screws 3 Nos. (minimum) on each side
CHAIR FRAME	Frame Material Configuration	One piece
	Frame material	Steel tube (ERW quality) conforming to IS: 1161 (with latest Amendment)
	The shape of tubular section of frame	Round
	Section Size (Diameter/Sides) of frame	25 mm
	Frame section wall thickness	2 mm
ARMREST FABRICATION	The armrest material	PU (reinforce with MS insert)
	Armrest Padded with	Foam
	Armrest upholstered with	PU sheet
	Armrest material thickness	30 mm
SEAT FABRICATION	Seat material	Moulded Plywood
	Seat material thickness	40 mm
	Seat padded	Yes
	Density of Polyurethane foam used in seat ( $\pm 2$ Kg/Cub Meter)	45
	Seat upholstered with	Fabric
	GSM of seat cover ( $\pm 3$ GSM)	220 GSM
	Polyurethane foam thickness (for seat)	45 mm
	Color of Seat cover	Black
	Backrest material	Moulded Plywood
	Backrest Material thickness	35 mm

BACKREST FABRICATION	Backrest padded	Yes
	Density of Polyurethane foam used in Backrest ( ±2 Kg/Cub Meter)	45
	Backrest upholstered with	Fabric
	GSM of Backrest cover (± 3 GSM)	220 GSM
	Polyurethane foam thickness (for backrest)	35 mm
	Colour of Backrest cover	Black
DIMENSION	Seat Depth (± 5 mm)	430 mm
	Seat Width (± 5 mm)	480 mm
	Seat height from floor surface (± 5 mm)	435 mm
	Backrest width (± 5 mm)	490 mm
	Backrest height from seat (± 5 mm)	460 mm
	Arm Length (± 5 mm)	350 mm
	Arm Width (± 2 mm)	45 mm
COLOUR AND FINISH	Paint Type	Epoxy
	Polish Type	N.A
	Colour of Paint	Black
TEST REPORT AND CERTIFICATION	Availability of Test Report from Central Govt/NABL/ILAC accredited lab to prove the conformity of product to the Specification	Yes
	Test reports to be furnished to buyer on demand	Yes
	Test Report Number and Date (Write NA if test report not available)	-
	Name and Address of the Lab(Write NA if test report not available)	-
	BIFMA certification	Yes
	OEM of offered product is ISO 9001:2015 certified	Yes
	OEM of offered product is ISO 14001:2015 certified	Yes
OEM of offered product is ISO 45001:2018 certified	Yes	

### Product Specification for METHODEX Revolving Chair with Knee tilt Synchronic mechanism

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERAL REQUIREMENT	Tilt mechanism	Knee tilt Synchronic mechanism
	Locking mechanism	Tilt limiter
	Armrest type and arm movement Hint: The buyer may indicate the number of 'Up' and 'Down' arm movements at the time of bid creation	Fixed
	Seat depth adjustment	Fixed type
	Backrest type	Fixed type
	Backrest support type	Adjustable lumber support
	Headrest type	Without headrest
	Revolving mechanism	Designed with 360 degree-revolving type and upright locking
	Height adjustments	Pneumatic
	Additional requirement I	NA
	Additional requirement II	NA
	Additional requirement III	NA
	Pedestal Base	Chrome
	Twin wheel castor material	Nylon
	Number of twin wheel castor	5 Nos.
	Minimum diameter of twin wheel castor	50 mm
	Armrest Material	PU molded over plastic inner
	Seat base material	Hot pressed plywood
	Seat material	PU foam

MATERIAL AND MATERIAL THICKNESS	Minimum density of foam used in seat	30 kg per cubic meter
	Minimum thickness of PU foam used in seat	30 mm
	Seat upholstery material	100 % Polyester fabric
	Backrest base frame material	Hot pressed plywood
	Padding at backrest	PU foam
	The minimum density of foam used in the backrest	30 kg per cubic meter
	Minimum thickness of PU foam used in backrest	30 mm
	Backrest upholstery material	100 % Polyester fabric
	Upholstery material thickness /fabric substance used in seat /backrest	Minimum 200 GSM (for Woven fabric)
DIMENSION	Minimum seat height from floor surface	400 mm
	Minimum Seat height adjustment	Up to 100 mm
	Minimum width of seat	400 mm
	Minimum depth of seat	450 mm
	Minimum width of backrest	450 mm
	Backrest height	Mid back (451 to 550 mm)
	Minimum thickness of MS Plate Joining the understructure with Seat	3 mm
	Minimum pedestal size (diameter)	650 mm
COLOUR AND FINISH	Upholstered material seat color	Maroon
	Upholstered material backrest color	Maroon
	Finish of exposed metal parts	Not Applicable
WARRANTY	Warranty period in number of years	1-Year
TESTING AND CERTIFICATION	Green Pro Certification issued by CII	Yes
	BIFMA membership	Yes

#### शुद्धिपत्र | Corrigendum

1. तक बढ़ाया गया | Extended Upto : 2024-02-21 13:00:00

#### ईपीबीजी विवरण | ePBG Detail

सलाहकार बैंक   Advisory Bank :	ICICI
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	3.00
बोली लगाने वाले को बोली के नियमों और शर्तों के अनुसार लागू ईपीबीजी प्रस्तुत करना होगा   The bidder shall furnish ePBG as applicable as per bid's terms and conditions	

#### नियम और शर्तें | Terms and Conditions

##### 1. General Terms and Conditions-

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

##### 2. Buyer Added Bid Specific Terms and Conditions-

###### 2.1 Generic.

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

###### 2.2 Scope of Supply:

Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods

###### 2.3 Service & Support:

Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.

###### 2.4 Service & Support:

Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

###### 2.5 Forms of EMD and PBG:

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

payable at  
Prayagraj

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

**2.6 Generic:**

**Manufacturer Authorization:**Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

**2.7 Certificates:**

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

**2.8 Certificates:**

The bidder is required to upload, along with the bid, all relevant certificates such as BIS licence, type test certificate, approval certificates and other certificates as prescribed in the Product Specification given in the bid document.

**2.9 Buyer Added Bid Specific ATC:**

Buyer uploaded ATC document [Click here to view the file](#).

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.