

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687756382067

अनुबंध तिथि | Generated Date : 11-Mar-2024

बोली/आरए/पीबीपी संख्या | Bid/RA/PBP No.: [GEM/2024/B/4683983](#)

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्रकार   Type : State Government मंत्रालय   Ministry : - विभाग   Department : Urban Development and Environment Department संगठन का नाम   Organisation Name : N/A कार्यालय क्षेत्र   Office Zone: Nagar Parishad Mohgaon	पद   Designation : Assistant Grade 3 संपर्क नंबर   Contact No. : 07165-277165- ईमेल आईडी   Email ID : buycon86.uded.mp@gembuyer.in जीएसटीआईएन   GSTIN : 23AAALM3407H1DP पता   Address : Bazar Chowk Ward No 14, CHHINDWARA, MADHYA PRADESH-480105, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: PIC/CMO वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval: PIC/CMO	Role: PAO भुगतान का तरीका   Payment Mode: Internet Banking पद   Designation : Accountant ईमेल आईडी   Email ID : pao52.uded.mp@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address: Bazar Chowk Ward No 14, CHHINDWARA, MADHYA PRADESH-480105, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : DB93180000410061 कंपनी का नाम   Company Name : OM SAI SUPLIERS संपर्क नंबर   Contact No. : 09424949484 ईमेल आईडी   Email ID : navneet18kashyap96@gmail.com पता   Address : BUDHWARI BAZAR, CHHINDWARA, CHHINDWARA, CHHINDWARA, Madhya Pradesh-480001, - एमएसएमई पंजीकरण संख्या   MSME Registration number : - जीएसटीआईएन   GSTIN: 23BRJPK8385F2ZH

\*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण   Product Details						
#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : mahavir Executive Table with One side pedestal unit and E.R.U ब्रांड   Brand : mahavir ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Executive Table (V2) (Q3) मॉडल   Model: EXECUTIVE TABLE 7X3.5 एचएसएन कोड   HSN Code: HSN not specified by seller	4	pieces	46,180	NA	184,720
2	उत्पाद का नाम   Product Name : laxmi Wooden Almirah, Height 1850 ब्रांड   Brand : laxmi ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Wooden Almirah (Q3) मॉडल   Model: LSF3D एचएसएन कोड   HSN Code: HSN not specified by seller	6	pieces	36,900	NA	221,400
कुल ऑर्डर मूल्य   Total Order Value (in INR)						406,120

परोक्षी विवरण   Consignee Detail						
क्र.सं.   S.No	परोक्षी   Consignee	वस्तु   Item	लॉट नंबर   Lot No	मात्रा   Quantity	दिनांक के बाद डिलीवरी शुरू करना है   Delivery Start Date	वितरण पूरा कब तक करना है   Delivery To

			Lot No.		Delivery Start After	Be Completed By
1	पद   Designation :- ईमेल आईडी   Email ID : buycon86.uded.mp@gembuyer.in संपर्क   Contact : 07165-277165- जीएसटीआईएन   GSTIN : 23AAALM3407H1DP पता   Address : Bazar Chowk Ward No 14, CHHINDWARA, MADHYA PRADESH-480105, India	mahavir Executive Table with One side pedestal unit and E.R.U	-	4	11-Mar-2024	25-Apr-2024
		laxmi Wooden Almirah, Height 1850	-	6	11-Mar-2024	25-Apr-2024

**Product Specification for mahavir Executive Table with One side pedestal unit and E.R.U**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERIC	Structure /Frame of table	Gable end and modesty panel
	Frame type	Freestanding
	Accessories /Optional requirement for table	Internet point
	The type of Storage provided	One side pedestal unit and E.R.U
	Keyboard tray	Not provided
	Footrest	Not Provided
	Mode of supply	Knocked Down To Be Assembled At Consignee Site By The Seller
MATERIAL	Tabletop Material	Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Lates
	Thickness of table top material (± 1 mm)	25 mm
	Gable end material	Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the gable end	25 mm
	Modesty panel material	Three Layer Prelaminated particles board(wood product) of grade II type III of IS 12823/Latest
	The thickness of the modesty panel material	25 mm
	Gable end and modesty panel plain side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Table top edges	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
	Leg Material	NA
	The thickness of the Leg material	NA
	Beam Material	NA
	Number of buffers provided	4 Numbers at the bottom
DIMENSION	Width of tabletop ±10 mm	2100 mm
	Depth of table ±10 mm	950 mm
	Height of table ±10 mm	760 mm
	Size (L x W) /diameter of leg material ± 5 mm	NA
EXTENDED RETURN UNIT	ERU unit consists of	2 storage units with shutter
	ERU top material	MDF with Table matching high-grade membrane profile
	ERU top material thickness ± 2 mm	19 mm
	Width of ERU unit ± 10 mm	1200 mm
	Depth of ERU unit ± 5 mm	450 mm
	Height of ERU unit ± 5 mm	650 mm
	ERU side panel material	Prelaminated MDF board
	ERU side panel Thickness ± 2 mm	18 mm
	Number of lockable castors at the bottom	NA
	Size of lockable castors ± 2 mm	NA
	Type of storage lock system	Central locking system
	Drawer /storage shutter pull-up mechanism	Chrome plated handle
ERU outer Surface Finish	Laminate in color with swede finish 0.6-0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS	

		2046/Latest with having balancing laminate of 0.5 mm thick on another side
	ERU shade	As per buyer's choice
PEDESTAL UNIT	Total Number of drawers /storage in Pedestal units	Three drawers
	Complete body fascia and drawer material in Pedestal Unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Thickness of the complete body fascia & drawer material	19 mm
	Material for back panel in pedestal unit	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Back Panel Thickness in Pedestal Unit	13 mm
	Drawer Bottom Material	Three layers of Prelaminated particle board(Wood Product) of grade II type II of IS 12823/Latest
	Drawer Bottom Material Thickness	18 mm
	Provision of Castor in Pedestal unit	Without
	Lock provided (for pedestal unit)	Central lock
	Pedestal handle material	Chrome plated
	Pedestal outer finish	Laminate in color with swede finish 0.6 - 0.8 mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5 mm thick on another side
	Pedestal shade	As per buyer's choice
	Width of Pedestal unit in mm ( $\pm 10$ mm)	600 mm
	Depth of pedestal unit $\pm 10$ mm	450 mm
Height of pedestal unit $\pm 5$ mm	550 mm	
KEYBOARD TRAY	Material of keyboard tray and Right angle L-type supporting bracket	NA
	Material thickness of keyboard tray $\pm 1$ mm	NA
	Fixing of supporting bracket	NA
	Length of telescopic channel $\pm 10$ mm	NA
	Keyboard height $\pm 10$ mm	NA
	Keyboard front width $\pm 10$ mm	NA
	Keyboard depth $\pm 10$ mm	NA
FOOTREST	Material of footrest	NA
	Material thickness of footrest $\pm 2$ mm	NA
	Height of footrest $\pm 10$ mm	NA
	Width of footrest $\pm 10$ mm	NA
	Depth of footrest $\pm 10$ mm	NA
COLOUR AND FINISH	Table top finish	Laminate in color with swede finish 0.6-0.8mm thickness of type S, F or P having index no.3.2.3 conforming to IS 2046/Latest with having balancing laminate of 0.5mm thick on another side
	Tabletop shade	Natural Shade
	Table /ERU /Pedestal Panel Plain Side	Edge to be banded with PVC tape 2 mm thick with the help of hot melt glue
WARRANTY	Warranty period	3 Years
CERTIFICATION	Test reports to be furnished to the buyer on demand	No
	The product has BIFMA certification	Yes
	OEM of the offered product is ISO 9001:2015 certified	Yes
	OEM of the offered product is ISO 14001:2015 certified	Yes
	OEM of the offered product is ISO 45001:2018 certified	Yes
	The product has GREENGUARD certification	No
	The product has Green Pro certification	No

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

**Product Specification for laxmi Wooden Almirah, Height 1850**

विनिर्देश   Specification	उप-विनिर्देश   Sub-Spec	मूल्य   Value
GENERIC	Material of Construction	Commercial Block Board BWP grade Conforming to IS 1659
	Number of Shelves (Nos)	6
	Number of Doors (Nos)	3
	Height in mm (±10 mm)	1850
	Depth in mm (±5 mm)	430
	Width in mm (±10 mm)	1400
DIMENSIONS	Thickness of Top in mm (±2 mm)	18
	Thickness of Sides in mm (±1 mm)	18
	Thickness of Back in mm (±1 mm)	8
	Thickness of Bottom in mm (±1 mm)	18
	Thickness of shelf in mm (±1 mm)	18
	Thickness of Door in mm (± 1 mm)	20
	Height of Doors	1760 millimeter
MISC	Type of Doors	Hinged doors of equal width hung with auto closing hinges of 0 cranking overlay type
	Colour of Laminate	brown
	Number of Multipurpose square/round lock on the doors	1
	Handle with each door	YES
	Number of Tower Bolts Provided	1
	Tower Bolt Material / Size	SS 304 / 12 MM
	All plain sides of the top edge banded with 2 mm thick PVC tape with the help of hot melt glue	YES
	All plain sides of the shelf, bootom ,sides, door edge banded with 0.8 to 1 mm thick PVC tape with the help of hot melt glue	YES
WARRANTY	Warranty period in number of years	1

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

**ईपीबीजी विवरण | ePBG Detail**

सलाहकार बैंक   Advisory Bank :	NA
ईपीबीजी प्रतिशत (%)   ePBG Percentage(%):	NA

**नियम और शर्तें | Terms and Conditions**

**1. General Terms and Conditions-**

- 1.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.
- 1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

**2. Buyer Added Bid Specific Terms and Conditions-**

**2.1 Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The

purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

**2.2 Buyer Added Bid Specific ATC:**

Buyer Added text based ATC clauses

1) sample of material ( ply) to be used in almirah and table must be submitted before opening date of tender , offer may be rejected if not submitted within time period

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.