

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687767889425

अनुबंध तिथि | Generated Date : 11-Mar-2024

संगठन विवरण Organisation Details		खरीदार विवरण Buyer Details
प्रकार Type :	State Government	पद Designation : Junior Assistant
मंत्रालय Ministry :	-	संपर्क नंबर Contact No. : -
विभाग Department :	Sports Department Uttar Pradesh	ईमेल आईडी Email ID : buycon22.sdup.up@gembuyer.in
संगठन का नाम Organisation Name :	N/A	जीएसटीआईएन GSTIN : -
कार्यालय क्षेत्र Office Zone:	Sports	पता Address : District Sports Office Muzaffarnagar, Uttar Pradesh, MUZAFFARNAGAR, UTTAR PRADESH-251001, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम	भुगतान का तरीका Offline
Designation of Administrative Approval:	Payment Mode:
वित्तीय अनुमोदन का पदनाम	पद Designation : Junior Assistant
Designation of Financial Approval :	ईमेल आईडी Email ID : buycon22.sdup.up@gembuyer.in
DISTRICT SPORTS OFFICER MUZAFFARNAGAR	जीएसटीआईएन GSTIN : -
DISTRICT SPORTS OFFICER MUZAFFARNAGAR	पता Address: District Sports Office Muzaffarnagar, Uttar Pradesh, Muzaffarnagar, UTTAR PRADESH-251001, India

विक्रेता विवरण Seller Details
जीम विक्रेता आईडी GeM Seller ID :
कंपनी का नाम Company Name :
संपर्क नंबर Contact No. :
ईमेल आईडी Email ID :
पता Address :
एम्प्रेसएर्ड पंजीकरण संख्या MSME Registration number :
जीएसटीआईएन GSTIN:

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : MAYAIO Polyester Woven Track Suits – Sports ब्रांड Brand : MAYAIO ब्रांड त्रिकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैरोटे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्भाँश Category Name & Quadrant : Track Suit - Sports (Q3) मॉडल Model : MAYAIO TRACK SUIT एचएसएन कोड HSN Code: HSN not specified by seller	10	pieces	1,800	NA	18,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						18,000

परेषिती विवरण | Consignee Detail

क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनोंके बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation :Junior Assistant ईमेल आईडी Email ID : buycon22.sdup.up@gembuyer.in संपर्क Contact : - जीएसटीआईएन GSTIN : - पता Address : District Sports Office Muzaffarnagar, Uttar Pradesh, MUZAFFARNAGAR, UTTAR PRADESH-251001, India	MAYAIO Polyester Woven Track Suits – Sports	-	10	11-Mar-2024	26-Mar-2024

Product Specification for MAYAIO Polyester Woven Track Suits – Sports

विवरण Specification	उप-विवरण Sub-Spec	मूल्य Value
UTILITY	UTILITY	Unisex
COMPONENTS	Components	Complete Set consisting of Upper and Lower
MATERIAL	Fabric (Composition)	Polyester
	Percentage of Blending (in case of Blended Fabric)	Polyester 50 % and Cotton 50 %
	Mass (gram per square mtrs)	160 gram
	Fabric Construction	Woven
	Weave (In case of Woven Fabric)	Any other weave as per buyer's requirements
	Any other weave as per buyer's requirements (in case weave is other than already mentioned above)	NA
	Knitting (In case of knitted Fabric)	Plain (Single Jersey) Knitted,
	Ends per dm	NA
	Picks per dm	NA
	Courses per dm	NA
	Wales per dm	NA
	Count of knitting yarn	NA
	Raising at inner side of Main Fabric	No
	Upper Lining	Yes
	Lower Lining	No
	Lining Material	100% Polyester Mesh
	Mass of Lining (Gram per Square Meter)	65
	Netting mesh No of holes on base & bias within 625 Square millimeter	155
	Technical Requirements of Slide Fastener for Upper Closing	Medium special duty Open End as per IS 14181 Latest
	Technical Requirements of Slide Fastener for Pocket Closing (For Pockets with Slide Fastner for closing)	Not applicable
	Slide Fastners are BIS Marked	Not Applicable
	Width of Tape Elastic at Waist of Trouser	3.5 cm
	Width of Tape Elastic at Bottom of Upper	3.5 cm
	Technical Requirements of Waist Band	Waist band as per IS 9686- 1980 latest
	Waist Draw Cord	Polypropylene Cord of 4mm dia
	Draw Cord Ends	Tips of Transparent Synthetic Cellulose Acetate
	Breaking Strength of Draw Cord	340 N minimum
	Sleeve Ends (Cuff)	Rib Knitted Fabric
	Upper provided with Piping	No
	Lower provided with Piping	No
	Piping Fabric- Composition	Any other material as per buyer's requirements
	Piping Fabric- Any other material as per buyer's requirements (Other than mentioned above)	NA
	Piping Fabric Mass (gram per square mtrs)	110
	Embroidery Thread	Polyester
SIZE	Size	Medium (M)
DIMENSIONS OF UPPER	Width Across Chest 25 mm below under arm	52.5 cm (Medium)
	Width Across Bottom Opening (relaxed)	44 cm (Small)
	Length at front from top of collar to bottom	68 cm (Large)
	Sleeve length (from center of back to bottom of sleeve	82 cm (Small)
	Sleeve opening relaxed (Cuff) Width	9.2 centimeter
	Front Neck Drop	8.6 centimeter
	Back Neck Drop	1.6 centimeter
	Length of Slide Fastener	64 cm(Medium)

DIMENSIONS OF LOWER	Side Seam Length	107 cm (Large)
	Waist relaxed (Width Across)	41.5 cm (Small)
	Waist stretched (Width Across)	55 cm (Large)
	Seat/ Hip (15 cm below waist band)	57.5 cm (Extra Large)
	Thigh (at Crotch) (Width Across)	39 cm (Double Extra Large)
	Bottom Opening (Width Across)	21.9 centimeter
	Front rise including waist band	28 cm (Medium)
	Back rise including waist band	37 cm (Small)
	Length of Waist Tying Cord	154.6 centimeter
	Bottom Fold (Hem) with full turn in(cm)	1.5
POCKETS	Number of Pockets (Upper)	Without Pockets
	Size of Side Pockets-Upper (Length X Width) (cm)	17 cm X 18 cm
	Size of Inside Pocket at Chest- Upper	11 cm X 15 cm
	Side Pocket opening - Upper	15.0 cm
	Side Pocket Closure with Slide Fastener -Upper	Not Applicable
	Number of Pockets (Lower)	Without Pockets
	Size of Side Pockets - Lower (Length X Width) (cm)	17 cm X 18 cm
	Side Pocket Opening- Lower	15 centimeter
	Pocket Closure with Slide Fastener - Lower	Back Pockets with Slide Fastener
	Material of Pockets	Main Basic Fabric
COLLAR	Collar Type	Stand and Fall Type, Made of two layers of self material
	Collar Reinforcement	Without Reinforcement
SLEEVE	Sleeve Type	Set In Sleeve
PIPING	Position and Dimensions of Piping on Upper	NA
	Position and Dimensions of Piping on Lower	NA
STITCHING	Sewing Thread	125 d tex X 3, Polyester
	Raw edges, if any shall be bound by overlock stitching	Yes
	Waist band stitching of Upper	Stitched in two rows with chain stitch on the elastic
	Sleeve Bottom (Cuff) Stitching	Stitched in single rows with chain stitch on the elastic
	Waist band stitching of Lower	Stitched in two rows with chain stitch on the elastic
	Lining seams	Not Applicable
	Bartack Stitching (Reinforcement Stitching) at stress bearing areas	Pocket opening, Centre of Waist Band Seam and bottom hem and other stress bearing areas
	Tunnel at Waist Band for Lower	Two holes stitched to allow the draw cord with insertion free movement
	Stitches per dm (min)	36
COLOUR/ PRINT	Colour	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements
	Multicolour/ Contrasting Pannels / Any other colour as per buyer's requirements	NA
	Sublimation Printing (for 100 % polyester only)	Sublimation Print as per buyer's requirements
	Sublimation Print as per buyer's requirements	NA
	Colourfastness to Light (IS 2454)	5
	Colourfastness to Washing (IS/ ISO 105-C10, Test- C (3))	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to Rubbing (IS 766)	Dry- 4 / Wet- 3
	Colourfastness to perspiration (IS 971)	4
	Colour of Mesh Lining	Any other colour as per buyer's requirements
	Any other colour of Mesh Lining as per buyer's requirements	NA
	Colourfastness to Washing (IS/ISO 105-C10, Test- C (3))- Mesh Lining	Change in Colour- 4; Staining of Adjacent Fabric- 3-4
	Colourfastness to perspiration (IS 971)- Mesh Lining	Not Applicable

	Colour of Piping Material	Any other colour as per buyer's requirements
	Any other colour as per buyer's requirements	NA
OTHER REQUIREMENTS	Pilling Resistant [after 5 hours Test as per IS 10971 (Part 1)], min	4
	Dimensional stability to washing, Shrinkage or Elongation Percentage, max (IS 2977 latest), in lengthwise and widthwise direction	1
LOGO AND MARKING	Logo/ Totem Marking	As per buyer's requirements
	Type of Logo	Printed
	Number of Logos on Upper	1
	Number of Logos on Lower	Not Applicable
	Size, Design and Location of Logo as per buyer's requirement	NA
TEST REPORT	Availability of Test Report from designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	No
	Test Report No	NA
	Test Report Date	NA
	Name of the Lab	NA
	Address of the Lab	NA
	Test reports to be furnished to buyer on demand, if claimed to be available	Not applicable
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Not applicable
ईपीबीजी विवरण ePBG Detail		
NA		
नियम और शर्तें Terms and Conditions		
<p>1. General Terms and Conditions-</p> <p>1.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.</p> <p>1.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable</p>		
<p>नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।</p> <p>Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.</p>		