

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687791988504

अनुबंध तिथि | Generated Date : 09-Mar-2024

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्ररूप Type : State Government मंत्रालय Ministry : - विभाग Department : Medical Education Department Uttar Pradesh संगठन का नाम Organisation Name : Directorate of Medical Education and Training कार्यालय क्षेत्र Office Zone : Director General Medical Education	पद Designation : BUYER संपर्क नंबर Contact No. : 83188-06845- ईमेल आईडी Email ID : pay1.cmsdfh.up@gembuyer.in जीएसटीआईएन GSTIN : 09AGRA16476F1DF पता Address : AUTONOMOUS STATE MEDICAL COLLEGE LALITPUR, LALITPUR, UTTAR PRADESH-284403, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: PRINCIPAL वित्तीय अनुमोदन का पदनाम Designation of Financial Approval : PRINCIPAL	Role: PAO भुगतान का तरीका Payment Mode: Offline पद Designation : PAO ईमेल आईडी Email ID : ddo1.dmet.up@gembuyer.in जीएसटीआईएन GSTIN : - पता Address: AUTONOMOUS STATE MEDICAL COLLEGE LALITPUR, Lalitpur, UTTAR PRADESH-284403, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 0840180000327757 कंपनी का नाम Company Name : MEDITECH OVERSEAS PRIVATE LIMITED संपर्क नंबर Contact No. : 08707705452 ईमेल आईडी Email ID : mopltd2006@gmail.com पता Address : UGF 14, Mahabir Plaza, 126/31/20, Beldhari Lane, LALBAGH, Lucknow, UTTAR PRADESH-226001, - एमएसएमई पंजीकरण संख्या MSME Registration number : UDYAM-UP-50-0019971 एमएसई सामाजिक श्रेणी MSE Social Category : General एमएसई लिंग श्रेणी MSE Gender : Male जीएसटीआईएन GSTIN: 09AAICM5712E1ZJ

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Unbranded Fowler Patient Bed ब्रांड Brand : NA ब्रांड प्रकार Brand Type : Unbranded कैटलॉग की स्थिति Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Patient Bed (Fowler and Semi Fowler) (Q3) मॉडल Model: Steelcraft Model-1211A एचएसएन कोड HSN Code: HSN not specified by seller	20	pieces	24,500	NA	490,000
कुल ऑर्डर मूल्य Total Order Value (in INR)						490,000

परोक्षी विवरण Consignee Detail						
क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start After	वितरण पूरा कब तक करना है Delivery To Be Completed By
1	पद Designation : CONSIGNEE ईमेल आईडी Email ID : con49.dmet.up@gembuyer.in संपर्क Contact : 94536-73017- जीएसटीआईएन GSTIN : 09AGRA16476F1DF	Unbranded Fowler Patient Bed	-	20	09-Mar-2024	24-Mar-2024

Product Specification for Unbranded Fowler Patient Bed

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
Performance Parameters	Type of bed	Fowler
	Number of bed platform sections	4 for fowler bed
	Availability of Backrest section	Yes
	Backrest section linkage	welded with MS CRCA tube (14 G)
	Availability of Leg section	Yes
	Leg section linkage	welded with MS CRCA tube (16 G)
	Mattress platform shall be perforated	Yes
	Screw mechanism	welded with ERW MS tube (18 G) in M.S. cover made from (16 G) ERW tube
	Manual adjustments	Backrest , knee rest through two screw systems with thrust bearings individually manouvred by two handles for fowler bed
	Back rest - min 45 % of the frame length	Yes
	The bottom end of the H legs are provided with PVC shoes	NA in case of bed with castors
	The bed has head & foot panels detachable by hand without need of any tool	Yes
	Saline rod provision	four locations on the bed platform to hold stainless steel Telescopic Saline rod 12mm dia with 15.87 mm dia x 1.2 mm (18 G) stainless steel
	Provision for mounting of syringe pump	outer covering tube with a knob to mount syringe pump
	Finishing & workmanship shall be of high standard	Yes
	All corners shall be rounded off so that there shall be no sharp corners and holes should be burr free	Yes
	Coating for metal parts	M.S. tubular parts, linkages, flats are to be In-house, pretreated / shot blasted and Epoxy powder coated with coating thickness 50 to 100 microns
	Material of handle	Plastic
	Number of detachable moulded PP with PVC insert head and foot side panels	4
	Provision of castors	H' Type Legs with 600 mm Height with 125 mm(5") dia High Grade Synthetic Body Castors, two with brake, two w/o brake
	Number of hooks in Telescopic I V Pole	2
	Urine Bag Holder	Yes
	Moulded Chart Holder	Yes
	Provision of mattress	Yes
	Number of sections in mattress	4 for fowler bed
	Provision of collapsible Railing	Yes
Overall Length of bed in mm with 5% tolerance	2050 to 2100	
Overall width of bed in mm with 5% tolerance	900 to 950	
Size of Buffer in mm	100	
Bed Platform frame size with 5% tolerance	2070 mm L x 910 mm W	
Mattress Platform size with 5% tolerance	1970 mm L x 790 mm W	
Buffer to Handle Length with 5% tolerance	2275 mm	
Fixed Height	600 mm	
Material and size of section	1.2 mm (18 G) CRCA M.S perforated sheet top	
Overall length of Back Rest	775-800	
Overall width of back rest	775-800	
Overall length of Knee Rest	450-500	
Overall width of Knee Rest	800-825	
Overall length of Leg Rest	600-650	
Overall width of Leg Rest	775-800	

Material and Dimensional Parameters	Overall length of Fix Section	100-150
	Overall width of fix section	775-800
	Raised Backrest Angle	65°
	Raised Kneerest Angle	40°
	Bed frame tube size	60 mm x 30 mm x 1.6 mm (16 G) Thick ERW tube
	Dimensions for Fitting of frame	ERW tubes diameter 31.75 mm x 1.2 mm (18 G) thick and diameter 22.22 mm x 1.2 mm (18 G) thick and MS sheet having thickness 3.0 mm (11 G)
	Diameter of Four corner rubber buffers in mm	100
	Material of head and foot panels	ABS Plastic
	Diameter of MS tubular in mm	30 to 50 mm
	Diameter of SS Laminated	30 to 50 mm
	Patient Working Load	135 Kg
	Safe Working Load	150 Kg
	Thickness of PU foam of mattress in inch	4
	Density of PU foam of mattress in Kg/m ³	40
	Material of mattress cover of mattress	PVC
	Colour of mattress cover	Blue
	Material of collapsing railing	MS
	Types of collapsing railing	Collapsible
Reports	Manufacturer Certificates	ISO 9001:2015
	Details of manufacturer certificates such as number and date	FM 562007 Dated 16-12-2018
	Availability of certificates of quality system	ISO 13485
	Availability of test report from govt/ NABL/ILAC accredited lab covering all parameters	No
	Test report number , In case test reports not available , put NA	NA
	Test report date, In case test reports not available , put NA	NA
	Name of test lab , In case test reports not available , put NA	NA
	Address of test lab , In case test reports not available , put NA	NA
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes
<p>टिप्पणी Note:: Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.</p>		
<p>ईपीबीजी विवरण ePBG Detail</p>		
<p>NA</p>		
<p>नियम और शर्तें Terms and Conditions</p>		
<p>1. Special terms and conditions- Version:3 effective from 18-10-2022</p>		
<p>1.1</p>		
<p>1. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.</p>		
<p>2. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.</p>		
<p>3. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.</p>		

4. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
5. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
6. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
7. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
8. **Software:** All software updates should be provided free of cost during warranty period.
9. **Any other Terms and Conditions** which is not included or at variance with the conditions specified in **STC/GTC**, may be added by the buyer through **Additional Terms and Conditions** in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. **ATC** shall supersede specific **STC** which shall supersede **General Terms and Conditions ("GTC")**, whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.