

## अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687761684055

अनुबंध तिथि | Generated Date : 11-Mar-2024

संगठन विवरण   Organisation Details	खरीदार विवरण   Buyer Details
प्ररूप   Type : State Government मंत्रालय   Ministry : - विभाग   Department : Medical Health and Family Welfare Department Uttar Pradesh संगठन का नाम   Organisation Name : N/A कार्यालय क्षेत्र   Office Zone: CMO OFFICE KANPUR DEHAT	पद   Designation : SMO STORE संपर्क नंबर   Contact No. : 0511-9457021-00000 ईमेल आईडी   Email ID : buycon499.mhfwdup.up@gembuyer.in जीएसटीआईएन   GSTIN : - पता   Address : CMO OFFICE MATI AKBARPUR KANPUR DEHAT, KANPUR DEHAT, UTTAR PRADESH-209101, India

वित्तीय स्वीकृति विवरण   Financial Approval Detail	भुगतान प्राधिकरण विवरण   Paying Authority Details
आईएफडी सहमति   IFD Concurrence : No प्रशासनिक अनुमोदन का पदनाम   Designation of Administrative Approval: CMO Kanpur Dehat वित्तीय अनुमोदन का पदनाम   Designation of Financial Approval : CMO Kanpur Dehat	Role: PAO भुगतान का तरीका   Payment Mode: Internet Banking पद   Designation : ACCOUNT ASSISTANT ईमेल आईडी   Email ID : acctscmo.kd-up@gov.in जीएसटीआईएन   GSTIN : 09KNPCO1074D1D9 पता   Address: CMO OFFICE MATI AKBARPUR KANPUR DEHAT, Kanpur Dehat, UTTAR PRADESH-209101, India

विक्रेता विवरण   Seller Details
जेम विक्रेता आईडी   GeM Seller ID : Z0JR220006611990 कंपनी का नाम   Company Name : RAMUSA LIFE SCIENCE PRIVATE LIMITED संपर्क नंबर   Contact No. : 09670769370 ईमेल आईडी   Email ID : ramusalifescience@gmail.com पता   Address : B2, SWASTIK TRADE CENTRE, GOLGHAR, CHAKJALAL, Gorakhpur, UTTAR PRADESH-273001, - एमएसएमई पंजीकरण संख्या   MSME Registration number : UDYAM-DL-08-0034179 एमएसई सामाजिक श्रेणी   MSE Social Category : General एमएसई लिंग श्रेणी   MSE Gender : Male जीएसटीआईएन   GSTIN: 09AAKCR1770P1ZN

\*जिसके नाम के पक्ष में GST/TAX इनवाइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

#	आइटम विवरण   Item Description	आइटम विवरण   Ordered Quantity	इकाई   Unit	इकाई मूल्य (INR)   Unit Price (INR)	कर विभाजन (INR)   Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित)   Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम   Product Name : ALPINION Phased sector array or TTE probe Adult Echo Cardiography Scanning Machine ब्रांड   Brand : ALPINION ब्रांड प्रकार   Brand Type : Registered Brand कैटलॉग की स्थिति   Catalogue Status: Catalogue not verified by OEM कैसे बेचा जा रहा है   Selling As : Reseller not verified by OEM श्रेणी का नाम और चतुर्थांश   Category Name & Quadrant : Echo Cardiography Scanning Machine (Q3) मॉडल   Model: E-CUBE i7 एचएसएन कोड   HSN Code: HSN not specified by seller	2	pieces	56,000	NA	112,000
कुल ऑर्डर मूल्य   Total Order Value (in INR)						112,000

क्र.सं.   S.No	परोक्षिती   Consignee	वस्तु   Item	लॉट नंबर   Lot No.	मात्रा   Quantity	दिलीवरी के बाद डििलीवरी शुरू करना है   Delivery Start After	वितरण पूरा कब तक करना है   Delivery To Be Completed By
	पद   Designation : SMO STORE ईमेल आईडी   Email ID : buycon499.mhfwdup.up@gembuyer.in संपर्क   Contact : 0511-9457021-00000	ALPINION Phased sector array or TTE probe Adult				

1	जीएसटीआईएन   GSTIN : - पता   Address : CMO OFFICE MATI AKBARPUR KANPUR DEHAT, KANPUR DEHAT, UTTAR PRADESH-209101, India	Echo Cardiography Scanning Machine	-	2	11-Mar-2024	26-Mar-2024
<b>Product Specification for ALPINION Phased sector array or TTE probe Adult Echo Cardiography Scanning Machine</b>						
<b>विनिर्देश   Specification</b>	<b>उप-विनिर्देश   Sub-Spec</b>	<b>मूल्य   Value</b>				
Standards	Product certification	EU-CE (with notified 4-digit number) and US- FDA				
	Certification number and date	10000480396-PA-NoMA-KOR 31.05.2022				
	Conformity to Manufacturer's Certification	ISO13845				
	Conformity to Performance and safety standards specific to the device	IEC 60601-2-27 or equivalent BIS				
Performance Parameters	Product Description	Cardiac ultrasonic scanning systems				
	Scope of supply	Cardiac ultrasonic scanning systems are designed for real-time, noninvasive assessment of heart structures and function. They are used to evaluate cardiac wall motion and valve function to detect such conditions as mitral valve prolapse and aortic valve stenosis, to determine the extent of damage from suspected myocardial infarction, and to diagnose congenital cardiac defects				
	UMDNS Code and names(Hint: This is for indicating the relevant universal medical devices nomenclature for the category of product )	Scanning Systems, Ultrasonic, Cardiac [17-422] Scanning Systems, Ultrasonic, Intravascular [17-746]V				
Types of Probes & Features	Echocardiography Scanning System should have an option of Cardiac (adult, pediatric), intraoperative, small organs, TEE, vascular	YES				
	Cardiac and Vascular Probes Configuration	Phased sector array or TTE probe				
	TTE Probe Type	Adult				
	Adult TTE probe Frequency in MHz	3-5 MHz (±2)				
	Pediatric TTE probe Frequency in MHz	5-7.5 MHz (±2)				
	TEE Adult Probe biplane and Multiplane frequency, in MHz	Not Applicable				
	TEE Pediatric Probe Supplied	No				
	TEE Pediatric Probe frequency, in MHz	Not Applicable				
	Linear Probe for linear/ vascular applications	No				
	Adult/Pediatric Linear probe frequency in MHz	5-10MHz (±1)				
	No of Adult TTE Probes supplied	NA				
	No of Pediatric TTE Probes supplied	NA				
	No of Adult TEE Probes supplied	NA				
	No of Pediatric TEE Probes supplied	NA				
	No of Adult/pediatric Linear Probes supplied	1				
	Dedicated 3D/4D volume imaging for cadiology TTE ad TEE	No				
	Live 3 D imaging in color doppler system	Yes				
	Colour Doppler system with all application packages ,Quad loop for serial studies with high frame rate revies, harmonic imaging capability in all modes and integrated stress echo package digital storage and retrieval	Yes				
	Number of grey shades for sharp contrast resolutions in db	256 Or more				
	High-definition acoustic zoom provision for enlarging sections of 2D and Colour flow images with more acoustic information for greater clarity and detail while maintaining an optimal frame rate	YES				
Colour Flow Imaging Optim	YES					
Provision of Tissue Colorization (B-Colour) for improved contrast resolution	Yes					
Application software	Adult,Pediatric & Vascular applications					
All application packages should be inbuilt into the system	YES					
Cine Loop Features	Yes					

	Cine Loop Memory in Frames	2000
	Frame grabber facility for post analysis	No
	Facility of Various maps for pre and post processing	Yes
	EKG trigger facility	Yes
	User defined system and application presets for multi-user department	YES
	"Dedicated integrated dynamic stress echo package for flexible user defined protocols with stacked sub loops facility and contrast stress protocol usable for stress echocardiography"	Yes
	Provision of Tissue movement colorization with quantification possibility for IHD/CAD/Heart Failure patients	YES
	Number of transducer/probe ports	1
Scan Modes and Performance Parameters	Cardiac 3-D freehand Option	No
	Cardiac 3D/4D automatic Option	Yes
	B-mode	YES
	M MODE	YES
	Contrast Harmonic/Agent Imaging with angio mode	Yes
	Tissue harmonic imaging mode	YES
	Provision of Harmonic imaging in TTE, TEE and Linear Probes	Yes
	Color Doppler imaging (CDI)	YES
	Color Doppler 3-D/4-D option	No
	Power Doppler imaging (PDI)	YES
	Power Dopple 3-D/4-D option	No
	Continuous wave	YES
	Pulsed wave	YES
	Duplex mode	YES
	Triplex mode	YES
	Tissue Doppler imaging	YES
	Contrast-enhanced ultrasound (CEUS) option	No
	Tissue synchronization, tissue velocity	Yes
	Cardiac Shear wave elastography	No
	Cardiac compression elastography	No
	Gain control in two dimensions for additional level of flexibility for image quality control	YES
	"Provision for higher resolution "	Real time high frequency 2D
	Probes supplied shall be in latest generation bandwidth	YES
	Provision for higher sensitivity for low frequency doppler in all probes	Yes
	Latest generation Electronic Phased/sector array Colour Doppler system	Yes
	Number of Channels in color doppler system	50000 or more (If channels are being designated as digital channels)
	System should be capable of generating real time live 3- D images	NO
Provision of Echocardiographic strain and strain-rate imaging with 2 D imaging	No	
Provision of Echocardiographic strain and strain-rate imaging with 3 D imaging	No	
DICOM THREE POINT ZERO COMPLIANT	Yes	
Adjustable transmit focus	YES	
Automated B-mode (2-D) image	Yes	

Image display and processing

Automated CDI image optimization	Yes
Automated PW Doppler image optimization	No
Dynamic receive focus	YES
Grayscale levels	256
Image magnification (zoom)	YES
Real-time image	YES
Frozen image	YES
TOUCH SCREEN	YES
HIGH RESOLUTION MONITOR	YES
"Provision of Tilt and Swivel monitor should be able to view in all angles and all light conditions"	YES
Monitor display size, cm (in)	15 Inch(±1)
Split screen	TWIN VIEW
Single/dual monitors	SINGLE
Depth, cm	≥30 (11.8)
PREPROCESSING	YES
POST PROCESSING	YES
SELECTABLE DYNAMIC RANGE	YES
SPECTRUM ANALYZER	YES
DIGITAL IMAGE STORAGE	YES
CINE LOOP PLAYBACK	YES
Max number frames	500
HARD DRIVE STORAGE CAPACITY , GB	>=500 GB
Speckle-tracking strain and strain rate	Yes
Stress echo	Yes
EXAM PROTOCOL	YES
Analysis and calculation packages	NO
Automated	YES
Digital calipers	YES
EXAM PRESETS	YES
Customizable presets	YES
On-screen annotation	YES
DVD/CD Writer	Yes
Flash Memory	YES
USB connector	YES
Type of printer provided with the echo cardio machine	THERMAL PRINTER
"Facility for high definition digital acquisition, review and editing of complete patient studies"	YES
Connectivity to PC and Echo cardiography machine	THROUGH IMS SOFTWARE
Provision of PC with echo cardio gram machine	No
Type of processor	NA
RAM capacity of PC in GB (hint: In caase PC not provided put zero)	NA
Processor speed in GHZ	NA
Frame Grabber incorporated	No
Conectivity between Echo cardiogram and PC	NA
PC with all software inclusive interfaced with echocardiograph machine	NA
laser Color printer provided with computer for rerporting	No

	Inkjet printer provided with computer for reporting	No
	CD/DVD Produced should be playable on any system	YES
	Glossy Colour Print Paper supplied	Not provided
	ECG Cable	2
	Echo cardiography sytem to be DICOM Ready	Yes
	Dicom Interfacability to HIS	Yes
	Dicom Interfacability Dicom to PACS	Yes
	Interfacability Dicom to RIS	No
	Echo Cardiography sytem supplied should be upgradable to next generation system on site	YES
Power Requirments	Power input, VAC	220-240VAC, 50Hz fitted with Indian plug
	Resettable over current breaker shall be fitted for protection	No
	Power bakup	INBUILT BATTERY
	Back up time in minutes	60
	Suitable Servo Controlled Stabilizer / CVT should be provided	YES
Miscellaneous Parameters	Warranty (Option of comprehensive warranty is available through bidding only, which if opted will supersede normal warranty in the catalogue)	3
	Number of installations of the echo cardiogram machines in Central /State/PSU Govt Hospitals( Note: Seller should supply a performace certificate of the device to the buyer if demanded after placement of order)	MORE THAN 3
	User/Technical/Maintenance manuals to be supplied in English in hard and soft copy	YES
	Demonstration of equipment and training to be provided after completing supplies & Installation before acceptance	YES
	The Principal Manufacturer must have direct Presence/approved service center In India	YES
	Copies of reports and certifications to be furnished to buyer on demand at time of supplies	YES
	Attach certificate from the principal that spare parts will be available for next 10 years	YES
	QA, QC Or other Calibration tests(6 months/ 1 year as per NABH/JCI)	YES

**टिप्पणी | Note::** Seller has given an undertaking that it has made arrangements for getting the stores from an authorized distributor / dealer / channel partner of the OEM of the offered product. At the time of delivery of goods, Seller will provide necessary chain documents (in the form of GST Invoice) to prove that the supplied goods are genuine and are being sourced from an authorized distributor / dealer / channel partner of the OEM. In case of any complaint about genuineness of the supplied products, Seller shall be responsible for providing genuine replacement supplies.

#### ईपीबीजी विवरण | ePBG Detail

NA

#### नियम और शर्तें | Terms and Conditions

##### 1. Special terms and conditions- Version:2 effective from 10-11-2022

##### 1.1

- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by *Central Drugs Standard Control Organisation (CDSCO)*, Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
- The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
- The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.

4. **Comprehensive warranty:** Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
5. **Service centres:** Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
6. **Source of supply:** It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. **Packing and Marking:** Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. **Spare Parts:** Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. **Installation, Training, Manuals:** Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. **Electrical safety checking:** Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee .They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent .In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. **Software:** All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

## 2. General Terms and Conditions-

2.1 This contract is governed by the [General Terms and Conditions](#), conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.